VITAL STATISTICS

MISSISSIPPI

1976 AND 1977

****

MISSISSIPPI STATE BOARD OF HEALTH
OFFICE OF PUBLIC HEALTH STATISTICS
DAVID LOHRISCH, PH.D., DIRECTOR

P. O. BOX 1700
JACKSON, MISSISSIPPI 39205

TELEPHONE NUMBER 601-354-6606

TABLE OF CONTENTS

Page

INTRODUCTION

Description of Bulletin 1
Definitions of Live Birth and Fetal Death 1
Occurrence and Residence Allocation 1
Urban-Rural Classification 2
Population 2
Rates 2
Classification of Cause of Death 2

SUMMARY TABLES AND GRAPHS, 1976, 1977, AND TIME SERIES

LIVE BIRTHS

Table A1. Live Births and Percentage Distribution, by Attendant and Race 5
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1977 5
Graph A1. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970, and 1977 6
Table A3. Live Births and Average per Day, by Month 7
Table A4. Live Births and Percentage Distribution, by Age of Mother and Race 7
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Father and Mother and Race 8
Table A6. Illegitimate Live Births and Percent of Total Live Births in Specified Group, by Age of Mother and Race 9
Table A7. Live Births, Percentage Distribution, and Median Age of Mother, by Total-Birth Order and Race 10
Graph A2. Percentage of Live Births of Specified Total-Birth Order, 1968-1977 11
Table A8. Median Number of Months between Last Delivery to Mothers Who Had Had Previous Pregnancies and Live Birth in Stated Year, by Race and Outcome of Last Delivery 12
Table A9. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race 12
Table A10. Live Births and Percentage Distribution, by Maturity and Race .. 13
Table A11. Live Births and Percentage Distribution, by Whether Child Had Any Birth Injuries or Congenital Malformations, Whether Injury or Malformation, and Race 14
Table A12. Congenital Malformations Reported on Live Birth Certificates, by System or Organs Affected and Race 15

FETAL DEATHS

Table B1. Reportable Fetal Deaths and Percentage Distribution, by Attendant and Race 16
Table B2. Reportable Fetal Deaths and Fetal Death Ratios, by Age of Mother and Race 17
Table B3. Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race 18
Table B4. Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race, 1975-1977 19

DEATHS

Table C1. Deaths and Average per Day, by Month 20

Page

SUMMARY TABLES AND GRAPHS, 1976, 1977, AND TIME SERIES

DEATHS (continued)
Table C2. Deaths and Percentage Distribution, by Age and Race 21
Table C3. Deaths, by Age, Race, and Sex, and Male/Female Ratios, by Age and Race 22
Table C4. Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race 23
Table C5-76. Deaths and Percent of Total Deaths from Five Leading Causes, by Age and Cause, 1976 24
Table C5-77. Deaths and Percent of Total Deaths from Five Leading Causes, by Age and Cause, 1977 25
Table C6. Deaths from Malignant Neoplasms and Percentage Distribution, by Primary Site, Sex, and Race 26
Table C7. Deaths from Major Chronic Respiratory Diseases, 1952, 1957, 1962, 1967, 1972, 1977 27
Graph C1. Deaths from Tuberculosis and Malignant Neoplasms of the Respiratory System, 1952, 1957, 1962, 1967, 1972, and 1977 27
Table C8. Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race 28
Table C9-76. Deaths from Selected Types of Accidents, by Sex, also by Age, 1976 29
Table C9-77. Deaths from Selected Types of Accidents, by Sex, also by Age, 1977 30
Table C10. Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1977 31
Graph C2. Motor Vehicle Accident Death Rates for Deaths Occurring in Mississippi and Deaths of Mississippi Residents, 1965-1977 .. 31
Table C11. Infant Deaths, Percentage Distribution, and Mortality Rates, by Age and Race 32
Table C12. Deaths and Mortality Rates for Six Leading Causes of Infant Deaths, by Cause and Race 33
Graph C3. Infant Mortality Rates, by Race, 1920-1977 34
Graph C4. Neonatal and Postneonatal Mortality Rates, by Race, 1950-1977 35

MARRIAGES
Table D1. Marriages and Average per Day, by Month 36
Table D2. Brides and Grooms and Percentage Distribution, by Age and Race 37
Table D3. Median Age of Bride and Groom, for All Marriages and First Marriages, by Race 38
Table D4. Brides and Grooms and Percentage Distribution, by Marriage Order and Race, also by Previous Marital Status and Race ... 39
Graph D1. First Marriages and Remarriages of Brides, 1960-1977 40
Table D5. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride 40

DIVORCES
Table E1. Divorces and Percentage Distribution, by Cause and Race 41
Table E2. Divorces and Percentage Distribution, by Number of Minor Children and Race 42
Table E3. Divorces and Percentage Distribution, by Number of Years Married and Race 42

Page

MAJOR TABLES, 1976

LIVE BIRTHS
Table 1-76. Live Births, by Place of Occurrence and Race, also Live Births, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More, Urban, Rural), Mississippi, 1976 45
Table 2-76. Live Births, by County of Residence, Race, and Attendant, also by County of Residence and Sex, Mississippi, 1976 48
Table 3A-76. Total Live Births, by County of Residence and Age of Mother, Mississippi, 1976 51
Table 3B-76. White Live Births, by County of Residence and Age of Mother, Mississippi, 1976 53
Table 3C-76. Nonwhite Live Births, by County of Residence and Age of Mother, Mississippi, 1976 55
Table 4-76. Illegitimate Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1976 57
Table 5A-76. Total Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1976 59
Table 5B-76. White Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1976 61
Table 5C-76. Nonwhite Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1976 63

FETAL DEATHS
Table 6-76. Reportable Fetal Deaths, by County of Occurrence and Race, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race, Mississippi, 1976 65

DEATHS
Table 7-76. Deaths, by Place of Occurrence and Race, also Deaths, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More, Urban, Rural), Mississippi, 1976 67
Table 8-76. Deaths, by Cause and Race, Mississippi Residents, 1976 70
Table 9-76. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1976 85
Table 10-76. Infant and Neonatal Deaths, by County of Residence and Race, Mississippi, 1976, and Infant and Neonatal Mortality Rates, by County of Residence and Race, Mississippi, 1972-1976 (5-Year Average) 92
Table 11-76. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1976 95

MARRIAGES
Table 12-76. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1976 97

DIVORCES
Table 13-76. Divorces, by County of Occurrence and Race, Mississippi, 1976 .. 99

DEATHS (COUNTY AND STATE SUMMARIES)
Table 14-76. Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents
The Counties (in alphabetical order) 101
The State 121

Page

MAJOR TABLES, 1977

LIVE BIRTHS

Table 1-77. Live Births, by Place of Occurrence and Race, also Live Births, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More, Urban, Rural), Mississippi, 1977 125

Table 2-77. Live Births, by County of Residence, Race, and Attendant, also by County of Residence and Sex, Mississippi, 1977 128

Table 3A-77. Total Live Births, by County of Residence and Age of Mother, Mississippi, 1977 131

Table 3B-77. White Live Births, by County of Residence and Age of Mother, Mississippi, 1977 133

Table 3C-77. Nonwhite Live Births, by County of Residence and Age of Mother, Mississippi, 1977 135

Table 4-77. Illegitimate Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1977 137

Table 5A-77. Total Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1977 139

Table 5B-77. White Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1977 141

Table 5C-77. Nonwhite Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1977 143

FETAL DEATHS

Table 6-77. Reportable Fetal Deaths, by County of Occurrence and Race, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race, Mississippi, 1977 145

DEATHS

Table 7-77. Deaths, by Place of Occurrence and Race, also Deaths, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More, Urban, Rural), Mississippi, 1977 147

Table 8-77. Deaths, by Cause and Race, Mississippi Residents, 1977 150

Table 9-77. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1977 164

Table 10-77. Infant and Neonatal Deaths, by County of Residence and Race, Mississippi, 1977, and Infant and Neonatal Mortality Rates, by County of Residence and Race, Mississippi, 1973-1977 (5-Year Average) 171

Table 11-77. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1977 174

MARRIAGES

Table 12-77. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1977 176

DIVORCES

Table 13-77. Divorces, by County of Occurrence and Race, Mississippi, 1977 .. 178

DEATHS (COUNTY AND STATE SUMMARIES)

Table 14-77. Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents

The Counties (in alphabetical order) 181

The State 201

Page

MAJOR TABLES, TIME SERIES

Table 15. Live Births and Rates, by Year and Race, Mississippi, 1913-1977, (Occurrence Data 1913-1943, Residence Data 1944-1977) 205
Table 16. Deaths and Rates, by Year and Race, Mississippi, 1913-1977, (Occurrence Data 1913-1943, Residence Data 1944-1977) 207
Table 17. Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1977, (Occurrence Data 1913-1943, Residence Data 1944-1977) 209
Table 18. Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1977, (Occurrence Data 1917-1943, Residence Data 1944-1977) 211
Table 19. Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1977, (Occurrence Data 1924-1944, Residence Data 1945-1977) 213
Table 20. Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1977, (Occurrence Data 1924-1943, Residence Data 1944-1977) 215
Table 21. Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1977 217

VITAL STATISTICS
MISSISSIPPI, 1976 AND 1977

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Board of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, and coroners. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of four parts. The first includes a number of summary tables and several graphs depicting important trends. In the second and third sections are identical sets of major statistical tables for 1976 and for 1977 (table numbers 1-76 through 14-76 and 1-77 through 14-77 respectively). Time series tables numbered 15 through 21 are presented in the last section.

Definitions of Live Birth and Fetal Death

The definitions adopted by the Mississippi State Board of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. They are as follows:

> Live birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.
>
> Fetal death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Even though the definition of fetal death is all-inclusive, the State Board of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent, except that deaths of inmates of institutions were reallocated to place of previous residence regardless of length of stay in the institution.

Marriages were classified according to place of issuance of marriage license, place of occurrence of marriage, and place of residence of bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Urban-Rural Classification

The urban category included all incorporated towns with populations of 2,500 or more according to the 1970 census plus the City of Pearl which was not incorporated until 1973. Definitions used in this bulletin differ from those used by the U.S. Bureau of the Census which also includes as urban certain areas it is not possible to identify from entries on vital records - unincorporated places of 2,500 or more and certain other densely settled areas outside the limits of incorporated towns. Urban-rural classifications were used for live births and deaths only. Information on marriage records is inadequate for proper classification, and divorce records do not contain this item.

Population

The only population figures used in this bulletin are the U.S. Census Bureau's final state estimates of 2,365,000 as of July 1, 1976 and 2,386,000 as of July 1, 1977. No breakdowns by race or sex are available, and estimates by age and estimates for counties were not used as they are considerably less reliable than the state figures.

Rates

Population-based rates for the state included those for live births, total deaths, and deaths from specific causes (except maternal and certain causes of mortality in early infancy). Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain causes of mortality in early infancy as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Eighth Revision International Classification of Diseases, Adapted for Use in the United States. On certificates with more than one cause entered, only that indicated as the underlying cause was classified. This latest revision (Eighth) was first used in 1968 and, for the most part, is not markedly different from the Seventh Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

SUMMARY TABLES AND GRAPHS

1976, 1977, AND TIME SERIES

In this section, all tables and graphs on live births, fetal deaths, and deaths present residence data unless otherwise specified; all information on marriages and divorces is occurrence data.

LIVE BIRTHS

Table A1. Live births and percentage distribution, by attendant and race

Year and Attendant	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
1976 - Total	42,983	22,605	20,378	100.0	100.0	100.0
Hospital or clinic	42,359	22,530	19,829	98.5	99.7	97.3
Nurse-midwife	2,444*	321*	2,123*	5.7*	1.4*	10.4*
Physician, other place	46	8	38	0.1	**	0.2
"Granny" midwife	528	45	483	1.2	0.2	2.4
Other	50	22	28	0.1	0.1	0.1
1977 - Total	45,532	23,369	22,163	100.0	100.0	100.0
Hospital or clinic	45,041	23,307	21,734	98.9	99.7	98.1
Nurse-midwife	2,376*	376*	2,000*	5.2*	1.6*	9.0*
Physician, other place	75	4	71	0.2	**	0.3
"Granny" midwife	361	34	327	0.8	0.1	1.5
Other	55	24	31	0.1	0.1	0.1

* Included in count or percentage of live births in hospital or clinic.

** Less than 0.06 percent.

Table A2. Percentage of live births in hospitals or clinics, by year and race, 1940, 1950, 1960, 1970-1977

Year	Total	White	Non-white	Year	Total	White	Non-white
1940	14.1	27.1	3.9	1971*	92.2	99.6	84.2
				1972*	95.2	99.8	90.4
1950	46.1	83.3	18.9	1973*	96.4	99.7	92.8
				1974*	97.4	99.7	94.8
1960	73.2	99.0	51.3	1975*	97.9	99.6	96.0
				1976*	98.5	99.7	97.3
1970*	90.0	99.7	79.7	1977*	98.9	99.7	98.1

* Includes births in any facility which provides medical care; prior to 1970 only births in facilities providing inpatient care were included.

Graph A1. Percentage of live births in hospitals or clinics, by year and race, 1940, 1950, 1960, 1970, and 1977



Summary Tables and Graphs
Mississippi - 1976 and 1977

Table A3. Live births and average per day, by month

Year and Month	Births	Average per Day	Year and Month	Births	Average per Day
1976 - Total	42,983	117	1977 - Total	45,532	125
January	3,608	116	January	3,826	123
February	3,340	115	February	3,590	128
March	3,349	108	March	3,657	118
April	3,049	102	April	3,325	111
May	3,042	98	May	3,453	111
June	3,102	103	June	3,664	122
July	3,835	124	July	4,125	133
August	4,010	129	August	4,190	135
September	4,080	136	September	4,030	134
October	3,967	128	October	3,941	127
November	3,716	124	November	3,921	131
December	3,885	125	December	3,810	123

Table A4. Live births and percentage distribution, by age of mother and race

Year and Age of Mother	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
1976 - Total	42,983	22,605	20,378	100.0	100.0	100.0
10-14	398	55	343	0.9	0.2	1.7
15-19	11,169	4,345	6,824	26.0	19.2	33.5
20-24	15,187	8,462	6,725	35.3	37.4	33.0
25-29	10,343	6,648	3,695	24.1	29.4	18.1
30-34	3,919	2,301	1,618	9.1	10.2	7.9
35-39	1,504	651	853	3.5	2.9	4.2
40-44	433	139	294	1.0	0.6	1.4
45-49	23	4	19	*	*	0.1
Unknown	7	0	7	*	-	*
1977 - Total	45,532	23,369	22,163	100.0	100.0	100.0
10-14	431	60	371	0.9	0.2	1.7
15-19	11,331	4,269	7,062	24.9	18.3	31.9
20-24	16,187	8,634	7,553	35.6	36.9	34.1
25-29	10,976	6,850	4,126	24.1	29.3	18.6
30-34	4,628	2,771	1,857	10.2	11.8	8.4
35-39	1,528	653	875	3.4	2.8	3.9
40-44	405	121	284	0.9	0.5	1.3
45-49	35	7	28	0.1	*	0.1
Unknown	11	4	7	*	*	*

* Less than 0.06 percent.

Table A5. Live births and percentage distribution, by years of school completed by father and mother and race

Year and School Years Completed by Father and Mother	Number			Percent*			Cumulative Percent*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
1976									
FATHER									
Median years completed*	12.5	12.7	12.1						
Total legitimate births	32,513	21,624	10,889	100.0	100.0	100.0			
0-6 years	1,230	488	742	3.8	2.3	7.1	3.8	2.3	7.1
7-9 years	4,162	2,264	1,898	13.0	10.5	18.2	16.9	12.8	25.3
10, 11 years	5,137	2,822	2,315	16.1	13.1	22.2	33.0	26.0	47.5
12 years	11,263	7,705	3,558	35.3	35.9	34.1	68.3	61.8	81.6
1-3 years college	5,243	4,087	1,156	16.4	19.0	11.1	84.7	80.9	92.7
4 or more years college	4,866	4,104	762	15.2	19.1	7.3	100.0	100.0	100.0
Unknown	612	154	458						
MOTHER									
Median years completed*	12.2	12.5	11.6						
Total births	42,983	22,605	20,378	100.0	100.0	100.0			
0-6 years	952	243	709	2.2	1.1	3.5	2.2	1.1	3.5
7-9 years	7,409	2,811	4,598	17.3	12.5	22.7	19.5	13.6	26.2
10, 11 years	10,026	3,887	6,139	23.4	17.3	30.3	43.0	30.8	56.5
12 years	14,868	8,835	6,033	34.8	39.2	29.8	77.7	70.1	86.2
1-3 years college	5,725	3,919	1,806	13.4	17.4	8.9	91.1	87.5	95.2
4 or more years college	3,799	2,818	981	8.9	12.5	4.8	100.0	100.0	100.0
Unknown	204	92	112						
1977									
FATHER									
Median years completed*	12.5	12.7	12.2						
Total legitimate births	34,007	22,303	11,704	100.0	100.0	100.0			
0-6 years	1,104	447	657	3.3	2.0	5.9	3.3	2.0	5.9
7-9 years	4,187	2,354	1,833	12.6	10.6	16.4	15.9	12.6	22.3
10, 11 years	5,263	2,809	2,454	15.8	12.7	22.0	31.7	25.3	44.4
12 years	11,687	7,793	3,894	35.1	35.2	34.9	66.8	60.6	79.3
1-3 years college	5,739	4,383	1,356	17.2	19.8	12.2	84.1	80.4	91.5
4 or more years college	5,295	4,345	950	15.9	19.6	8.5	100.0	100.0	100.0
Unknown	732	172	560						
MOTHER									
Median years completed*	12.2	12.5	11.8						
Total births	45,532	23,369	22,163	100.0	100.0	100.0			
0-6 years	934	285	649	2.1	1.2	2.9	2.1	1.2	2.9
7-9 years	7,486	2,836	4,650	16.5	12.2	21.1	18.6	13.4	24.1
10, 11 years	10,401	3,942	6,459	23.0	16.9	29.3	41.5	30.3	53.4
12 years	15,732	8,990	6,742	34.7	38.6	30.6	76.3	69.0	84.0
1-3 years college	6,364	4,029	2,335	14.0	17.3	10.6	90.3	86.3	94.6
4 or more years college	4,384	3,196	1,188	9.7	13.7	5.4	100.0	100.0	100.0
Unknown	231	91	140						

* Calculations exclude births to parents with education unknown; calculations for fathers also exclude illegitimate births.

Table A6. Illegitimate live births and percent of total live births in specified group, by age of mother and race

Year and Age of Mother	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
1976 - Total	10,470	981	9,489	24.4	4.3	46.6
10-14	354	29	325	88.9	52.7	94.8
15-19	5,577	586	4,991	49.9	13.5	73.1
20-24	2,838	244	2,594	18.7	2.9	38.6
25-29	1,026	79	947	9.9	1.2	25.6
30-34	373	25	348	9.5	1.1	21.5
35-39	222	12	210	14.8	1.8	24.6
40-44	75	6	69	17.3	4.3	23.5
45-49	1	0	1	4.3	-	5.3
Unknown	4	0	4			
1977 - Total	11,525	1,066	10,459	25.3	4.6	47.2
10-14	394	31	363	91.4	51.7	97.8
15-19	5,939	614	5,325	52.4	14.4	75.4
20-24	3,315	285	3,030	20.5	3.3	40.1
25-29	1,147	81	1,066	10.4	1.2	25.8
30-34	436	39	397	9.4	1.4	21.4
35-39	216	13	203	14.1	2.0	23.2
40-44	69	3	66	17.0	2.5	23.2
45-49	6	0	6	17.1	-	21.4
Unknown	3	0	3			

Table A7. Live births, percentage distribution, and median age of mother, by total-birth order and race

Year and Total-Birth Order*	Number			Percent			Median Age of Mother		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
1976 - Total	42,983	22,605	20,378	100.0	100.0	100.0	23.1	24.1	21.9
First	15,823	8,786	7,037	36.8	38.9	34.5	19.9	21.2	18.6
Second	11,525	6,720	4,805	26.8	29.7	23.6	23.2	24.5	21.5
Third	6,222	3,336	2,886	14.5	14.8	14.2	25.4	27.0	23.5
Fourth	3,096	1,424	1,672	7.2	6.3	8.2	26.7	28.6	25.1
Fifth	1,570	606	964	3.6	2.7	4.7	28.2	29.8	27.1
Sixth	942	282	660	2.2	1.2	3.2	30.0	31.4	29.2
Seventh	530	123	407	1.2	0.5	2.0	31.9	33.8	31.2
Eighth	395	68	327	0.9	0.3	1.6	33.5	34.6	33.2
Ninth	266	41	225	0.6	0.2	1.1	35.2	36.0	35.1
Tenth and over	569	44	525	1.3	0.2	2.6	37.6	36.6	37.7
Unknown	2,045	1,175	870	4.8	5.2	4.3			
1977 - Total	45,532	23,369	22,163	100.0	100.0	100.0	23.3	24.2	22.1
First	16,256	8,868	7,388	35.7	37.9	33.3	20.0	21.4	18.7
Second	12,578	7,203	5,375	27.6	30.8	24.2	23.3	24.6	21.6
Third	6,970	3,593	3,377	15.3	15.4	15.2	25.4	27.1	23.7
Fourth	3,287	1,404	1,883	7.2	6.0	8.5	26.9	28.9	25.3
Fifth	1,700	593	1,107	3.7	2.5	5.0	28.2	30.2	27.4
Sixth	918	254	664	2.0	1.1	3.0	29.8	31.8	29.0
Seventh	551	115	436	1.2	0.5	2.0	31.7	33.3	31.2
Eighth	390	65	325	0.8	0.3	1.5	33.6	36.0	33.4
Ninth	243	36	207	0.5	0.2	0.9	34.5	35.5	34.0
Tenth and over	565	51	514	1.2	0.2	2.3	37.7	37.0	37.8
Unknown	2,074	1,187	887	4.6	5.1	4.0			

* Includes all live births plus all fetal deaths regardless of length of gestation.

Graph A2. Percentage of live births of specified total-birth order, 1968-1977



Table A8. Median number of months between last delivery to mothers who had had previous pregnancies and live birth in stated year, by race and outcome of last delivery

Year and Race	Total*	Outcome of Last Delivery	
		Live Birth	Fetal Death
1976 - Total	33.3	35.4	19.9
White	37.0	40.1	19.6
Nonwhite	29.5	30.8	20.5
1977 - Total	33.6	35.6	19.8
White	36.6	39.5	19.1
Nonwhite	30.7	31.8	20.8

* Excludes those with outcome of last delivery unknown.

Table A9. Live births and percentage distribution, by whether mother received prenatal care, time during pregnancy care began, and race

Year, Prenatal Care, and Time Care Began	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
1976 - Total	42,983	22,605	20,378	100.0	100.0	100.0
No prenatal care	409	153	256	1.0	0.7	1.2
Some prenatal care	41,925	22,153	19,772	97.5	98.0	97.0
First trimester	29,439	17,781	11,658	68.5	78.6	57.2
Second trimester	10,148	3,531	6,617	23.6	15.6	32.5
Third trimester	1,973	695	1,278	4.6	3.1	6.3
Unknown month	365	146	219	0.8	0.6	1.1
Unknown whether any prenatal care	649	299	350	1.5	1.3	1.7
1977 - Total	45,532	23,369	22,163	100.0	100.0	100.0
No prenatal care	316	101	215	0.7	0.4	1.0
Some prenatal care	44,546	22,964	21,582	97.8	98.3	97.4
First trimester	31,664	18,650	13,014	69.5	79.8	58.7
Second trimester	10,550	3,546	7,004	23.2	15.2	31.6
Third trimester	1,945	623	1,322	4.3	2.7	6.0
Unknown month	387	145	242	0.8	0.6	1.1
Unknown whether any prenatal care	670	304	366	1.5	1.3	1.6

Table A10. Live births and percentage distribution, by maturity and race

Year and Maturity*	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
1976 - Total	42,983	22,605	20,378	100.0	100.0	100.0
Immature only**	1,804	670	1,134	4.2	3.0	5.6
Premature only**	3,648	1,246	2,402	8.5	5.5	11.8
Both immature and premature	2,007	749	1,258	4.7	3.3	6.2
Total immature	3,811	1,419	2,392	8.9	6.3	11.7
Total premature	5,655	1,995	3,660	13.2	8.8	18.0
Total immature and/or premature	7,459	2,665	4,794	17.4	11.8	23.5
Neither immature nor premature**	35,524	19,940	15,584	82.6	88.2	76.5
1977 - Total	45,532	23,369	22,163	100.0	100.0	100.0
Immature only**	1,925	698	1,227	4.2	3.0	5.5
Premature only**	3,822	1,222	2,600	8.4	5.2	11.7
Both immature and premature	2,066	704	1,362	4.5	3.0	6.1
Total immature	3,991	1,402	2,589	8.8	6.0	11.7
Total premature	5,888	1,926	3,962	12.9	8.2	17.9
Total immature and/or premature	7,813	2,624	5,189	17.2	11.2	23.4
Neither immature nor premature**	37,719	20,745	16,974	82.8	88.8	76.6

* Immature - birth weight 5½ pounds (2,500 grams) or less; premature - gestation less than 37 weeks (calculated by subtracting the date of the last normal menstrual period prior to delivery from the date of birth).

** Births classified as immature only or as premature only include some for which the other measurement was unknown. Those classified as neither immature nor premature include some for which one or both measurements were unknown.

Table A11. Live births and percentage distribution, by whether child had any birth injuries or congenital malformations, whether injury or malformation, and race

Year and Birth Injuries and Congenital Malformations	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
1976 - Total	42,983	22,605	20,378	100.0	100.0	100.0
Without injury or malformation	38,522	20,279	18,243	89.6	89.7	89.5
With injury and/or malformation	350	199	151	0.8	0.9	0.7
Injury	59*	39*	20*	0.1*	0.2*	0.1*
Malformation	297*	164*	133*	0.7*	0.7*	0.6*
Other**	4,111	2,127	1,984	9.6	9.4	9.7
1977 - Total	45,532	23,369	22,163	100.0	100.0	100.0
Without injury or malformation	40,815	20,743	20,072	89.6	88.8	90.6
With injury and/or malformation	344	178	166	0.8	0.8	0.7
Injury	77*	42*	35*	0.2*	0.2*	0.2*
Malformation	275*	140*	135*	0.6*	0.6*	0.6*
Other**	4,373	2,448	1,925	9.6	10.5	8.7

* Included in count or percentage of live births with injury and/or malformation.

** Both categories unknown or one category none and other unknown.

Table A12. Congenital malformations reported on live birth certificates, by system or organs affected and race

Year, System or Organs Affected, and International Classification Number*	Total	White	Non-white
1976 - Total malformations reported	348	191	157
Musculoskeletal system (754-756)	125	43	82
Digestive system (749-751)	66	48	18
Genital organs (752)	37	21	16
Nervous system (740-743)	36	22	14
Circulatory system (746, 747)	25	20	5
All others	59	37	22
1977 - Total malformations reported	352	190	162
Musculoskeletal system (754-756)	142	52	90
Digestive system (749-751)	75	52	23
Genital organs (752)	30	16	14
Nervous system (740-743)	26	21	5
Circulatory system (746, 747)	25	13	12
All others	54	36	18

* From the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

FETAL DEATHS

Table B1. Reportable* fetal deaths and percentage distribution, by attendant and race

Year and Attendant	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
1976 - Total	835	295	540	100.0	100.0	100.0
Hospital or clinic	812	293	519	97.2	99.3	96.1
Nurse-midwife	22#	1#	21#	2.6#	0.3#	3.9#
Physician, other place	7	1	6	0.8	0.3	1.1
"Granny" midwife	12	0	12	1.4	-	2.2
Other	4	1	3	0.5	0.3	0.6
1977 - Total	780	261	519	100.0	100.0	100.0
Hospital or clinic	759	258	501	97.3	98.8	96.5
Nurse-midwife	19#	1#	18#	2.4#	0.4#	3.5#
Physician, other place	6	0	6	0.8	-	1.2
"Granny" midwife	11	2	9	1.4	0.8	1.7
Other	4	1	3	0.5	0.4	0.6

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.-

# Included in count or percentage of reportable fetal deaths in hospital or clinic.

Table B2. Reportable* fetal deaths and fetal death ratios by age of mother and race

Year and Age of Mother	Number			Ratio**		
	Total	White	Non-white	Total	White	Non-white
1976 - Total	835	295	540	19.4	13.0	26.5
10-14	10	1	9	25.1	#	26.2
15-19	225	56	169	20.1	12.9	24.8
20-24	237	82	155	15.6	9.7	23.0
25-29	186	94	92	18.0	14.1	24.9
30-34	97	36	61	24.8	15.6	37.7
35-39	46	16	30	30.6	24.6	35.2
40-44	24	8	16	55.4	57.6	54.4
45-49	4	1	3	#	#	#
Unknown	6	1	5			
1977 - Total	780	261	519	17.1	11.2	23.4
10-14	17	3	14	39.4	#	37.7
15-19	207	56	151	18.3	13.1	21.4
20-24	225	79	146	13.9	9.1	19.3
25-29	150	65	85	13.7	9.5	20.6
30-34	99	34	65	21.4	12.3	35.0
35-39	57	21	36	37.3	32.2	41.1
40-44	22	3	19	54.3	24.8	66.9
45-49	2	0	2	#	#	#
Unknown	1	0	1			

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Reportable fetal deaths per 1,000 live births to mothers in specified group.

# Ratio not calculated on less than 100 live births.

Table B3. Percentage distribution of live births and reportable* fetal deaths, by whether mother received prenatal care and race

Year and Prenatal Care	Live Births			Reportable* Fetal Deaths		
	Total	White	Non-white	Total	White	Non-white
1976 - Total	100.0	100.0	100.0	100.0	100.0	100.0
No care	1.0	0.7	1.2	7.1	6.1	7.6
Some care	97.5	98.0	97.0	70.3	73.2	68.7
Unknown whether any care	1.5	1.3	1.7	22.6	20.7	23.7
1977 - Total	100.0	100.0	100.0	100.0	100.0	100.0
No care	0.7	0.4	1.0	6.2	6.5	6.0
Some care	97.8	98.3	97.4	77.0	80.8	75.1
Unknown whether any care	1.5	1.3	1.6	16.8	12.6	18.9

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

Table B4. Reportable* fetal deaths and fetal death ratios, by completed weeks of gestation and race, 1975-1977

Completed Weeks of Gestation**	Total			White			Nonwhite		
	1975	1976	1977	1975	1976	1977	1975	1976	1977
REPORTABLE* FETAL DEATHS									
Total	2,431	835	780	1,226	295	261	1,205	540	519
Under 20	1,355	71	32	802	17	7	553	54	25
20 and over	739	614	674	275	221	226	464	393	448
20-22	135	68	85	59	19	25	76	49	60
23-27	147	141	134	60	46	39	87	95	95
28-36	237	209	245	74	85	84	163	124	161
37 and over	220	196	210	82	71	78	138	125	132
Unknown	337	150	74	149	57	28	188	93	46
FETAL DEATH RATIOS#									
Total	56.1	19.4	17.1	54.3	13.0	11.2	58.0	26.5	23.4
Under 20	31.3	1.6	0.7	35.6	0.8	0.3	26.6	2.6	1.1
20 and over	17.0	14.3	14.8	12.2	9.8	9.7	22.3	19.3	20.2
20-22	3.1	1.6	1.9	2.6	0.8	1.1	3.6	2.4	2.7
23-27	3.4	3.3	2.9	2.6	2.0	1.7	4.2	4.7	4.3
28-36	5.5	4.9	5.4	3.3	3.8	3.6	7.8	6.1	7.3
37 and over	5.1	4.6	4.6	3.6	3.1	3.3	6.6	6.1	6.0
Unknown	7.8	3.5	1.6	6.6	2.5	1.2	9.0	4.6	2.1

* In 1975 all fetal deaths, regardless of whether spontaneous or induced and regardless of length of gestation or weight, were reportable. In 1976 and 1977 fetal death reports were required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Calculated by subtracting the date of the last normal menstrual period prior to delivery from the date of delivery.

# Reportable fetal deaths per 1,000 live births.

DEATHS

Table C1. Deaths and average per day, by month

Year and Month	Deaths	Average per Day	Year and Month	Deaths	Average per Day
1976 - Total	23,124	63	1977 - Total	23,022	63
January	2,096	68	January	2,112	68
February	2,068	71	February	1,972	70
March	2,252	73	March	2,035	66
April	1,884	63	April	1,790	60
May	1,802	58	May	1,891	61
June	1,741	58	June	1,886	63
July	1,822	59	July	1,881	61
August	1,790	58	August	1,857	60
September	1,769	59	September	1,791	60
October	1,925	62	October	1,949	63
November	1,954	65	November	1,785	60
December	2,021	65	December	2,073	67

Table C2. Deaths and percentage distribution, by age and race

Year and Age	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
1976 - Total	23,124	14,307	8,817	100.0	100.0	100.0
Under 1	927	331	596	4.0	2.3	6.8
1-4	158	60	98	0.7	0.4	1.1
5-9	106	52	54	0.4	0.4	0.6
10-14	101	49	52	0.4	0.3	0.6
15-24	601	346	255	2.6	2.4	2.9
25-34	533	277	256	2.3	1.9	2.9
35-44	835	466	369	3.6	3.2	4.2
45-54	1,807	1,142	665	7.8	8.0	7.5
55-64	3,436	2,225	1,211	14.8	15.6	13.7
65-74	5,519	3,504	2,015	23.9	24.5	22.8
75-84	5,657	3,713	1,944	24.5	26.0	22.0
85 and over	3,431	2,140	1,291	14.8	15.0	14.6
Unknown	13	2	11	*	*	0.1
1977 - Total	23,022	14,318	8,704	100.0	100.0	100.0
Under 1	834	285	549	3.6	2.0	6.3
1-4	143	58	85	0.6	0.4	1.0
5-9	100	51	49	0.4	0.4	0.6
10-14	125	53	72	0.5	0.4	0.8
15-24	661	374	287	2.9	2.6	3.3
25-34	583	299	284	2.5	2.1	3.3
35-44	847	468	379	3.7	3.3	4.4
45-54	1,753	1,098	655	7.6	7.7	7.5
55-64	3,349	2,157	1,192	14.5	15.1	13.7
65-74	5,696	3,625	2,071	24.7	25.3	23.8
75-84	5,470	3,600	1,870	23.8	25.1	21.5
85 and over	3,446	2,246	1,200	15.0	15.7	13.8
Unknown	15	4	11	0.1	*	0.1

* Less than 0.06 percent.

Table C3. Deaths, by age, race, and sex, and male/female ratios, by age and race

Year and Age	Total			White			Nonwhite		
	Male	Female	Males per Female	Male	Female	Males per Female	Male	Female	Males per Female
1976 - Total	13,038	10,086	1.29	8,236	6,071	1.36	4,802	4,015	1.20
Under 1	527	400	1.32	191	140	1.36	336	260	1.29
1-4	84	74	1.14	36	24	1.50	48	50	0.96
5-9	56	50	1.12	29	23	1.26	27	27	1.00
10-14	67	34	1.97	33	16	2.06	34	18	1.89
15-24	453	148	3.06	263	83	3.17	190	65	2.92
25-34	394	139	2.83	204	73	2.79	190	66	2.88
35-44	540	295	1.83	304	162	1.88	236	133	1.77
45-54	1,173	634	1.85	798	344	2.32	375	290	1.29
55-64	2,260	1,176	1.92	1,550	675	2.30	710	501	1.42
65-74	3,328	2,191	1.52	2,220	1,284	1.73	1,108	907	1.22
75-84	2,851	2,806	1.02	1,844	1,869	0.99	1,007	937	1.07
85 and over	1,298	2,133	0.61	763	1,377	0.55	535	756	0.71
Unknown	7	6		1	1		6	5	
Median age	67.9	74.5		68.2	76.1		67.3	71.6	
1977 - Total	12,934	10,088	1.28	8,172	6,146	1.33	4,762	3,942	1.21
Under 1	455	379	1.20	155	130	1.19	300	249	1.20
1-4	78	65	1.20	37	21	1.76	41	44	0.93
5-9	62	38	1.63	36	15	2.40	26	23	1.13
10-14	85	40	2.12	36	17	2.12	49	23	2.13
15-24	489	172	2.84	280	94	2.98	209	78	2.68
25-34	397	186	2.13	208	91	2.28	189	95	1.99
35-44	547	300	1.82	310	158	1.96	237	142	1.67
45-54	1,133	620	1.83	750	348	2.16	383	272	1.41
55-64	2,199	1,150	1.91	1,492	665	2.24	707	485	1.46
65-74	3,357	2,339	1.44	2,234	1,391	1.61	1,123	948	1.18
75-84	2,760	2,710	1.02	1,788	1,812	0.99	972	898	1.08
85 and over	1,364	2,082	0.66	843	1,403	0.60	521	679	0.77
Unknown	8	7		3	1		5	6	
Median age	68.0	73.9		68.5	75.8		67.1	70.9	

Table C4. Deaths and percent of total deaths from ten leading causes, by cause and race

Year, Cause, and International Classification Number	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
1976 - Total of ten leading causes	18,019	11,555	6,464	77.9	80.8	73.3
1. Heart diseases (390-398, 402, 404-429)	7,686	5,204	2,482	33.2	36.4	28.2
2. Malignant neoplasms (140-209)	3,733	2,494	1,239	16.1	17.4	14.0
3. Cerebrovascular disease (430-438)	2,789	1,665	1,124	12.1	11.6	12.7
4. Accidents (800-949)	1,476	926	550	6.4	6.5	6.2
5. Influenza and pneumonia (470-486)	680	433	247	2.9	3.0	2.8
6. Certain causes of mortality in early infancy (760-778)	454	176	278	2.0	1.2	3.2
7. Diabetes mellitus (250)	377	182	195	1.6	1.3	2.2
8. Homicide (960-978)	308	82	226	1.3	0.6	2.6
9. Arteriosclerosis (440)	281	193	88	1.2	1.3	1.0
10. Bronchitis, emphysema, asthma (490-493)	235	200	35	1.0	1.4	0.4
1977 - Total of ten leading causes	17,910	11,489	6,421	77.8	80.2	73.8
1. Heart diseases (390-398, 402, 404-429)	7,570	5,159	2,411	32.9	36.0	27.7
2. Malignant neoplasms (140-209)	3,972	2,636	1,336	17.2	18.4	15.3
3. Cerebrovascular disease (430-438)	2,560	1,511	1,049	11.1	10.6	12.0
4. Accidents (800-949)	1,557	940	617	6.8	6.6	7.1
5. Influenza and pneumonia (470-486)	583	398	185	2.5	2.8	2.1
6. Certain causes of mortality in early infancy (760-778)	427	153	274	1.8	1.1	3.1
7. Diabetes mellitus (250)	374	178	196	1.6	1.2	2.2
8. Homicide (960-978)	345	108	237	1.5	0.8	2.7
9. Arteriosclerosis (440)	270	196	74	1.2	1.4	0.8
10. Suicide (950-959)	252	210	42	1.1	1.5	0.5

Table C5-76. Deaths and percent of total deaths from five leading causes, by age and cause, 1976

Age	Cause and International Classification Number	Number	Percent
1-4	All causes	158	100.0
	1. Accidents (800-949)	60	38.0
	2. Congenital anomalies (740-759)	18	11.4
	3. Influenza and pneumonia (470-486)	17	10.8
	4. Malignant neoplasms (140-209)	9	5.7
	5. Heart diseases (390-398, 402, 404-429)	8	5.1
5-14	All causes	207	100.0
	1. Accidents (800-949)	108	52.2
	2. Malignant neoplasms (140-209)	23	11.1
	3. Congenital anomalies (740-759)	11	5.3
	4. Influenza and pneumonia (470-486)	6	2.9
	4. Homicide (960-978)	6	2.9
15-24	All causes	601	100.0
	1. Accidents (800-949)	335	55.7
	2. Homicide (960-978)	71	11.8
	3. Suicide (950-959)	44	7.3
	4. Malignant neoplasms (140-209)	38	6.3
	5. Heart diseases (390-398, 402, 404-429)	16	2.7
25-44	All causes	1,368	100.0
	1. Accidents (800-949)	342	25.0
	2. Heart diseases (390-398, 402, 404-429)	193	14.1
	3. Malignant neoplasms (140-209)	172	12.6
	4. Homicide (960-978)	136	9.9
	5. Suicide (950-959)	64	4.7
45-64	All causes	5,243	100.0
	1. Heart diseases (390-398, 402, 404-429)	1,727	32.9
	2. Malignant neoplasms (140-209)	1,261	24.0
	3. Cerebrovascular disease (430-438)	384	7.3
	4. Accidents (800-949)	299	5.7
	5. Cirrhosis of liver (571)	124	2.4
65 and over	All causes	14,607	100.0
	1. Heart diseases (390-398, 402, 404-429)	5,714	39.1
	2. Cerebrovascular disease (430-438)	2,338	16.0
	3. Malignant neoplasms (140-209)	2,227	15.2
	4. Influenza and pneumonia (470-486)	500	3.4
	5. Accidents (800-949)	289	2.0

Table C5-77. Deaths and percent of total deaths from five leading causes, by age and cause, 1977

Age	Cause and International Classification Number	Number	Percent
1-4	All causes	143	100.0
	1. Accidents (800-949)	56	39.2
	2. Congenital anomalies (740-759)	20	14.0
	3. Malignant neoplasms (140-209)	13	9.1
	4. Influenza and pneumonia (470-486)	8	5.6
	5. Heart diseases (390-398, 402, 404-429)	4	2.8
	5. Homicide (960-978)	4	2.8
5-14	All causes	225	100.0
	1. Accidents (800-949)	134	59.6
	2. Malignant neoplasms (140-209)	22	9.8
	3. Congenital anomalies (740-759)	10	4.4
	4. Homicide (960-978)	7	3.1
	5. Heart diseases (390-398, 402, 404-429)	6	2.7
	5. Influenza and pneumonia (470-486)	6	2.7
15-24	All causes	661	100.0
	1. Accidents (800-949)	380	57.5
	2. Homicide (960-978)	88	13.3
	3. Suicide (950-959)	36	5.4
	4. Malignant neoplasms (140-209)	31	4.7
	5. Heart diseases (390-398, 402, 404-429)	13	2.0
25-44	All causes	1,430	100.0
	1. Accidents (800-949)	372	26.0
	2. Heart diseases (390-398, 402, 404-429)	215	15.0
	3. Malignant neoplasms (140-209)	203	14.2
	4. Homicide (960-978)	137	9.6
	5. Suicide (950-959)	76	5.3
45-64	All causes	5,102	100.0
	1. Heart diseases (390-398, 402, 404-429)	1,651	32.4
	2. Malignant neoplasms (140-209)	1,309	25.6
	3. Cerebrovascular disease (430-438)	311	6.1
	4. Accidents (800-949)	260	5.1
	5. Cirrhosis of liver (571)	109	2.1
65 and over	All causes	14,612	100.0
	1. Heart diseases (390-398, 402, 404-429)	5,666	38.8
	2. Malignant neoplasms (140-209)	2,392	16.4
	3. Cerebrovascular disease (430-438)	2,167	14.8
	4. Influenza and pneumonia (470-486)	411	2.8
	5. Accidents (800-949)	311	2.1

Table C6. Deaths from malignant neoplasms and percentage distribution, by primary site, sex, and race

Year, Primary Site (ranked according to number of deaths among total population) and International Classification Number	Number				Percent			
	Male		Female		Male		Female	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white
1976 - Total	1,453	722	1,041	517	100.0	100.0	100.0	100.0
1. Respiratory system (160-163)	575	202	124	48	39.6	28.0	11.9	9.3
2. Digestive organs and peritoneum (150-159)	334	188	264	147	23.0	26.0	25.4	28.4
3. Genital organs (180-187)	113	150	123	91	7.8	20.8	11.8	17.6
4. Lymphatic and hematopoietic tissue (200-209)	146	52	113	57	10.0	7.2	10.8	11.0
5. Breast (174)	2	0	176	88	0.1	-	16.9	17.0
6. Urinary organs (188, 189)	66	26	33	16	4.5	3.6	3.2	3.1
7. Brain (191)	43	5	32	4	3.0	0.7	3.1	0.8
8. Buccal cavity and pharynx (140-149)	35	12	26	2	2.4	1.7	2.5	0.4
9. Skin (172, 173)	27	5	19	2	1.8	0.7	1.8	0.4
10. Bone and connective tissue (170, 171)	13	5	18	7	0.9	0.7	1.7	1.4
- Other and unspecified sites (190, 192-199)	99	77	113	55	6.8	10.7	10.8	10.6
1977 - Total	1,545	758	1,091	578	100.0	100.0	100.0	100.0
1. Respiratory system (160-163)	631	234	151	53	40.8	30.9	13.8	9.2
2. Digestive organs and peritoneum (150-159)	319	193	303	157	20.6	25.5	27.8	27.2
3. Genital organs (180-187)	158	162	121	105	10.2	21.4	11.1	18.2
4. Lymphatic and hematopoietic tissue (200-209)	140	56	126	52	9.1	7.4	11.5	9.0
5. Breast (174)	0	1	174	95	-	0.1	15.9	16.4
6. Urinary organs (188, 189)	61	22	38	18	3.9	2.9	3.5	3.1
7. Brain (191)	48	5	34	10	3.1	0.6	3.1	1.7
8. Buccal cavity and pharynx (140-149)	44	12	16	7	2.8	1.6	1.5	1.2
9. Skin (172, 173)	30	4	22	5	1.9	0.5	2.0	0.9
10. Bone and connective tissue (170, 171)	12	7	10	8	0.8	0.9	0.9	1.4
- Other and unspecified sites (190, 192-199)	102	62	96	68	6.6	8.2	8.8	11.8

Table C7. Deaths from major chronic respiratory diseases,
1952, 1957, 1962, 1967, 1972, 1977

Cause and International Classification Number	1952	1957	1962	1967	1972	1977
Tuberculosis of respiratory system (010-012)	388	150	119	76	41	41
Malignant neoplasms of respiratory system (160-163)	210	273	427	588	764	1,069
Malignant neoplasms of trachea, bronchus, and lung (162)	186	247	392	556	736	1,019
Chronic and unqualified bronchitis (490, 491)	19	25	40	43	54	39
Emphysema (492)	10	43	111	194	170	146
Asthma (493)	67	59	43	50	22	15
(Adjusted figures*)	(37)	(33)	(30)	(35)		

* Adjusted according to comparability ratios prepared by the National Center for Health Statistics in order to compensate for breaks in comparability caused by revisions of the cause-of-death classification system in 1958 and 1968.

Graph C1. Deaths from tuberculosis and malignant neoplasms of the respiratory system, 1952, 1957, 1962, 1967, 1972, and 1977



Table C8. Deaths and percent of total accidental deaths from five leading causes of accidental death, by cause and race

Year, Type of Accident, and International Classification Number	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
1976 - Total of five leading causes	1,119	718	401	75.8	77.5	72.9
1. Motor vehicle (810-823)	696	472	224	47.2	51.0	40.7
2. Fires and flames (890-899)	144	59	85	9.8	6.4	15.4
3. Falls (880-887)	113	86	27	7.6	9.3	4.9
4. Drowning, except in transport accidents (910)	98	51	47	6.6	5.5	8.5
5. Firearm missiles (922)	68	50	18	4.6	5.4	3.3
1977 - Total of five leading causes	1,219	743	476	78.3	79.0	77.1
1. Motor vehicle (810-823)	771	506	265	49.5	53.8	42.9
2. Falls (880-887)	138	110	28	8.9	11.7	4.5
3. Fires and flames (890-899)	136	48	88	8.7	5.1	14.3
4. Drowning, except in transport accidents (910)	106	42	64	6.8	4.5	10.4
5. Firearm missiles (922)	68	37	31	4.4	3.9	5.0

Table C9-76. Deaths from selected types of accidents, by sex, also by age, 1976

Type of Accident and International Classification Number	Total	Sex		Age								
		Male	Female	Under 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & Over	Unknown
ALL ACCIDENTS	1,476	1,073	403	41	60	108	335	203	139	299	289	2
Motor vehicle (810-823)	696	520	176	7	22	55	208	109	67	134	92	2
Water transport (830-838)	33	31	2	0	0	1	4	8	4	13	3	0
Submersion, drowning (830, 832)	31	29	2	0	0	1	4	8	3	12	3	0
Other (831, 833-838)	2	2	0	0	0	0	0	0	1	1	0	0
Air and space transport (840-845)	11	11	0	0	0	0	0	6	1	3	1	0
Poisoning (850-877)	48	29	19	0	4	3	15	9	5	5	7	0
By drugs and medicaments (850-859)	22	12	10	0	2	1	6	3	3	2	5	0
By other solid and liquid substances (860-869)	11	8	3	0	2	1	1	3	1	2	1	0
By gases and vapors (870-877)	15	9	6	0	0	1	8	3	1	1	1	0
Falls (880-887)	113	64	49	0	0	0	3	4	6	15	85	0
Fires and flames (890-899)	144	83	61	5	18	9	16	9	7	36	44	0
Drowning and submersion (except in transport accidents) (910)	98	82	16	1	3	23	35	14	5	11	6	0
Inhalation and ingestion of food or other object causing obstruction or suffocation (911, 912)	49	26	23	11	5	2	1	4	7	12	7	0
Mechanical suffocation (including in bed or cradle) (913)	22	11	11	15	0	2	2	1	0	1	1	0
Struck by, striking against, and caught in or between objects (916-918)	43	43	0	0	0	1	11	6	9	11	5	0
Caused by firearm missiles (922)	68	59	9	0	4	8	19	8	10	18	1	0
Caused by electric current (925)	23	23	0	0	0	1	6	10	2	2	2	0
Caused by machinery and not elsewhere classifiable (928)	24	24	0	0	0	1	1	4	5	10	3	0

Table C9-77. Deaths from selected types of accidents, by sex, also by age, 1977

Type of Accident and International Classification Number	Total	Sex		Age								
		Male	Female	Under 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & Over	Unknown
ALL ACCIDENTS	1,557	1,140	417	40	56	134	380	205	167	260	311	4
Motor vehicle (810-823)	771	571	200	9	20	60	249	120	96	123	92	2
Water transport (830-838)	32	28	4	0	0	4	13	8	3	4	0	0
Submersion, drowning (830, 832)	31	28	3	0	0	4	13	7	3	4	0	0
Other (831, 833-838)	1	0	1	0	0	0	0	1	0	0	0	0
Air and space transport (840-845)	16	16	0	0	0	0	3	7	0	5	1	0
Poisoning (850-877)	46	31	15	0	4	1	12	5	10	6	8	0
By drugs and medicaments (850-859)	21	12	9	0	2	0	4	2	7	2	4	0
By other solid and liquid substances (860-869)	9	7	2	0	2	0	3	0	2	1	1	0
By gases and vapors (870-877)	16	12	4	0	0	1	5	3	1	3	3	0
Falls (880-887)	138	76	62	1	2	0	6	6	2	15	106	0
Fires and flames (890-899)	136	76	60	6	13	13	5	11	12	29	47	0
Drowning and submersion (except in transport accidents) (910)	106	100	6	1	3	25	42	15	6	11	3	0
Inhalation and ingestion of food or other object causing obstruction or suffocation (911, 912)	57	36	21	13	4	2	4	2	3	15	13	1
Mechanical suffocation (including in bed or cradle) (913)	18	13	5	6	0	0	3	0	4	4	1	0
Struck by, striking against, and caught in or between objects (916-918)	44	40	4	0	0	7	6	6	6	9	10	0
Caused by firearm missiles (922)	68	56	12	0	3	14	18	11	10	10	2	0
Caused by electric current (925)	24	21	3	0	1	1	9	6	4	3	0	0
Caused by machinery and not elsewhere classifiable (928)	12	12	0	0	0	2	0	2	3	4	1	0

Table C10. Motor vehicle accident deaths occurring in Mississippi and rates, also motor vehicle accident deaths of Mississippi residents and rates, by year, 1950, 1955, 1960, 1965, 1970-1977

	Occurrence Data		Residence Data	
Year	Number	Rate*	Number	Rate*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3

* Deaths in Mississippi per 100,000,000 miles of vehicle travel; deaths of residents per 100,000 population.

** Not available.

Graph C2. Motor vehicle accident death rates for deaths occurring in Mississippi and deaths of Mississippi residents, 1965-1977



Table C11. Infant deaths, percentage distribution, and mortality rates, by age and race

Year and Age	Number			Percent			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
1976 - Total under 1 year	927	331	596	100.0	100.0	100.0	21.6	14.6	29.2
Neonatal (under 28 days)	626	243	383	67.5	73.4	64.3	14.6	10.7	18.8
Hebdomadal (under 7 days)	534	207	327	57.6	62.5	54.9	12.4	9.2	16.0
Under 1 day	322	120	202	34.7	36.2	33.9	7.5	5.3	9.9
1-6 days	212	87	125	22.9	26.3	21.0	4.9	3.8	6.1
7-27 days	92	36	56	9.9	10.9	9.4	2.1	1.6	2.7
Postneonatal (28 days to 1 year)	301	88	213	32.5	26.6	35.7	7.0	3.9	10.4
1977 - Total under 1 year	834	285	549	100.0	100.0	100.0	18.3	12.2	24.8
Neonatal (under 28 days)	588	222	366	70.5	77.9	66.7	12.9	9.5	16.5
Hebdomadal (under 7 days)	477	178	299	57.2	62.4	54.5	10.5	7.6	13.5
Under 1 day	311	96	215	37.3	33.7	39.2	6.8	4.1	9.7
1-6 days	166	82	84	19.9	28.8	15.3	3.6	3.5	3.8
7-27 days	111	44	67	13.3	15.4	12.2	2.4	1.9	3.0
Postneonatal (28 days to 1 year)	246	63	183	29.5	22.1	33.3	5.4	2.7	8.2

* Deaths per 1,000 live births.

Table C12. Deaths and mortality rates for six leading causes of infant deaths, by cause and race

Year, Cause, and International Classification Number	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1976 - All causes	927	331	596	21.6	14.6	29.2
1. Congenital anomalies (740-759)	110	56	54	2.6	2.5	2.6
2. Hyaline membrane disease (776.1)	100	41	59	2.3	1.8	2.9
3. Immaturity, unqualified (777)	72	25	47	1.7	1.1	2.3
4. Respiratory distress syndrome (776.2)	68	26	42	1.6	1.2	2.1
4. Asphyxia of newborn, unspecified (776.9)	68	25	43	1.6	1.1	2.1
6. Influenza and pneumonia (470-486)	49	4	45	1.1	0.2	2.2
1977 - All causes	834	285	549	18.3	12.2	24.8
1. Congenital anomalies (740-759)	103	54	49	2.3	2.3	2.2
2. Immaturity, unqualified (777)	90	15	75	2.0	0.6	3.4
3. Hyaline membrane disease (776.1)	74	31	43	1.6	1.3	1.9
4. Asphyxia of newborn, unspecified (776.9)	62	24	38	1.4	1.0	1.7
5. Respiratory distress syndrome (776.2)	57	30	27	1.2	1.3	1.2
6. Influenza and pneumonia (470-486)	41	6	35	0.9	0.2	1.6

* Deaths per 1,000 live births.

Graph C3. Infant mortality rates, by race, 1920-1977



Graph C4. Neonatal and postneonatal mortality rates, by race, 1950-1977



MARRIAGES

Table D1. Marriages and average per day, by month

Year and Month	Marriages	Average per Day	Year and Month	Marriages	Average per Day
1976 - Total	26,772	73	1977 - Total	26,843	74
January	1,728	56	January	1,631	53
February	1,795	62	February	1,749	62
March	1,867	60	March	1,884	61
April	1,961	65	April	2,161	72
May	2,568	83	May	2,434	78
June	2,803	93	June	2,769	92
July	2,915	94	July	2,846	92
August	2,717	88	August	2,599	84
September	1,937	64	September	2,016	67
October	1,891	61	October	1,837	59
November	1,958	65	November	2,054	68
December	2,632	85	December	2,863	92

Table D2. Brides and grooms and percentage distribution, by age and race

Year and Age	Number						Percent					
	Bride			Groom			Bride			Groom		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non white
1976-Total	26,772	18,969	7,803	26,772	18,974	7,798	100.0	100.0	100.0	100.0	100.0	100.0
Under 20	9,607	7,121	2,486	4,377	3,403	974	35.9	37.5	31.8	16.3	17.9	12.5
12	1	1	0	0	0	0	*	*	-	-	-	
13	19	13	6	0	0	0	0.1	0.1	0.1	-	-	
14	135	95	40	1	1	0	0.5	0.5	0.5	*	*	
15	771	621	150	25	22	3	2.9	3.3	1.9	0.1	0.1	*
16	1,352	1,035	317	109	95	14	5.0	5.4	4.1	0.4	0.5	0.2
17	2,068	1,563	505	606	517	89	7.7	8.2	6.5	2.3	2.7	1.1
18	2,769	2,038	731	1,447	1,138	309	10.3	10.7	9.4	5.4	6.0	4.0
19	2,492	1,755	737	2,189	1,630	559	9.3	9.2	9.4	8.2	8.6	7.2
20-24	8,098	5,417	2,681	10,102	6,842	3,260	30.2	28.6	34.4	37.7	36.0	41.8
25-34	4,984	3,514	1,470	6,761	4,765	1,996	18.6	18.5	18.8	25.2	25.1	25.6
35-44	1,968	1,469	499	2,490	1,900	590	7.4	7.7	6.4	9.3	10.0	7.6
45-54	1,172	828	344	1,511	1,123	388	4.4	4.4	4.4	5.6	5.9	5.0
55-64	640	418	222	860	543	317	2.4	2.2	2.8	3.2	2.9	4.1
65-74	263	173	90	505	306	199	1.0	0.9	1.2	1.9	1.6	2.6
75 & over	37	27	10	161	88	73	0.1	0.1	0.1	0.6	0.5	0.9
Unknown	3	2	1	5	4	1	*	*	*	*	*	*
1977-Total	26,843	19,200	7,643	26,843	19,215	7,628	100.0	100.0	100.0	100.0	100.0	100.0
Under 20	9,123	6,804	2,319	3,987	3,149	838	34.0	35.4	30.3	14.8	16.4	11.0
13	15	10	5	0	0	0	*	*	0.1	-	-	-
14	89	71	18	0	0	0	0.3	0.4	0.2	-	-	-
15	695	561	134	6	5	1	2.6	2.9	1.8	*	*	*
16	1,289	987	302	83	76	7	4.8	5.1	4.0	0.3	0.4	0.1
17	1,991	1,509	482	589	506	83	7.4	7.8	6.3	2.2	2.6	1.1
18	2,623	1,948	675	1,359	1,078	281	9.8	10.1	8.8	5.1	5.6	3.7
19	2,421	1,718	703	1,950	1,484	466	9.0	8.9	9.2	7.3	7.7	6.1
20-24	8,246	5,622	2,624	10,114	6,888	3,226	30.7	29.3	34.3	37.7	35.8	42.3
25-34	5,203	3,684	1,519	7,065	5,067	1,998	19.4	19.2	19.9	26.3	26.4	26.2
35-44	2,014	1,479	535	2,507	1,901	606	7.5	7.7	7.0	9.3	9.9	7.9
45-54	1,241	918	323	1,545	1,172	373	4.6	4.8	4.2	5.8	6.1	4.9
55-64	680	479	201	937	624	313	2.5	2.5	2.6	3.5	3.2	4.1
65-74	287	187	100	531	319	212	1.1	1.0	1.3	2.0	1.7	2.8
75 & over	48	26	22	155	93	62	0.2	0.1	0.3	0.6	0.5	0.8
Unknown	1	1	0	2	2	0	*	*	-	*	*	

* Less than 0.06 percent.

Table D3. Median age of bride and groom, for all marriages and first marriages, by race

Year and All and First Marriages	Bride			Groom		
	Total	White	Non-white	Total	White	Non-white
1976						
All marriages	21.8	21.7	22.1	24.3	24.2	24.3
First marriages	19.8	19.3	21.1	22.3	21.9	23.0
1977						
All marriages	22.1	22.0	22.3	24.5	24.6	24.5
First marriages	19.9	19.5	21.3	22.4	22.1	23.1

Table D4. Brides and grooms and percentage distribution, by marriage order and race, also by previous marital status and race

Year, Marriage Order, and Previous Marital Status	Number						Percent					
	Bride			Groom			Bride			Groom		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non white	Total	White	Non white
1976-Total	26,772	18,969	7,803	26,772	18,974	7,798	100.0	100.0	100.0	100.0	100.0	100.0
First	17,335	11,312	6,023	16,872	11,189	5,683	64.8	59.6	77.2	63.0	59.0	72.9
Remarriage	9,425	7,650	1,775	9,889	7,779	2,110	35.2	40.3	22.7	36.9	41.0	27.1
Second	7,041	5,571	1,470	7,450	5,729	1,721	26.3	29.4	18.8	27.8	30.2	22.1
Over two	2,384	2,079	305	2,439	2,050	389	8.9	11.0	3.9	9.1	10.8	5.0
Third	1,889	1,623	266	1,880	1,588	292	7.0	8.6	3.4	7.0	8.4	3.7
Fourth	409	376	33	452	370	82	1.5	2.0	0.4	1.7	2.0	1.0
Fifth	60	56	4	85	72	13	0.2	0.3	##	0.3	0.4	0.2
Sixth	21	19	2	18	16	2	0.1	0.1	##	0.1	0.1	##
Seventh	4	4	0	3	3	0	##	##		##	##	
Eighth	1	1	0	1	1	0	##	##		##	##	
Widowed	1,446	1,059	387	1,179	777	402	5.4	5.6	5.0	4.4	4.1	5.2
Divorced*	7,957	6,586	1,371	8,691	6,995	1,696	29.7	34.7	17.6	32.5	36.9	21.[illegible]
Unknown**	22	5	17	19	7	12	0.1	##	0.2	0.1	##	0.2
Unknown#	12	7	5	11	6	5	##	##	0.1	##	##	0.1
1977-Total	26,843	19,200	7,643	26,843	19,215	7,628	100.0	100.0	100.0	100.0	100.0	100.0
First	17,058	11,245	5,813	16,598	11,106	5,492	63.5	58.6	76.0	61.8	57.8	72.0
Remarriage	9,780	7,954	1,826	10,241	8,107	2,134	36.4	41.4	23.9	38.2	42.2	28.0
Second	7,259	5,712	1,547	7,607	5,886	1,721	27.0	29.8	20.2	28.3	30.6	22.6
Over two	2,521	2,242	279	2,634	2,221	413	9.4	11.7	3.6	9.8	11.6	5.4
Third	1,984	1,753	231	2,088	1,755	333	7.4	9.1	3.0	7.8	9.1	4.4
Fourth	423	381	42	453	382	71	1.6	2.0	0.5	1.7	2.0	0.9
Fifth	82	78	4	71	64	7	0.3	0.4	##	0.3	0.3	0.1
Sixth	19	18	1	19	17	2	0.1	0.1	##	0.1	0.1	##
Seventh	8	7	1	3	3	0	##	##	##	##	##	
Eighth	3	3	0	0	0	0	##	##	-	-	-	
Ninth	1	1	0	0	0	0	##	##	-	-	-	-
Tenth	1	1	0	0	0	0	##	##	-	-	-	
Widowed	1,559	1,133	426	1,211	811	400	5.8	5.9	5.6	4.5	4.2	5.2
Divorced*	8,204	6,816	1,388	9,008	7,287	1,721	30.6	35.5	18.2	33.6	37.9	22.6
Unknown**	17	5	12	22	9	13	0.1	##	0.2	0.1	##	0.2
Unknown#	5	1	4	4	2	2	##	##	##	##	##	##

* Includes those whose last marriage was annulled.

** Unknown whether widowed or divorced.

# Unknown whether any previous marriage.

## Less than 0.06 percent.

Graph D1. First marriages and remarriages of brides, 1960-1977



Table D5. Marriages and percentage distribution, by residence of bride and groom and race of bride

Year and Residence of Groom	Race and Residence of Bride								
	Total			White			Nonwhite		
	Total	Missis-sippi	Other	Total	Missis-sippi	Other	Total	Missis-sippi	Other
1976									
NUMBER									
Total	26,772	24,112	2,660	18,969	16,768	2,201	7,803	7,344	459
Mississippi	23,302	22,664	638	16,167	15,635	532	7,135	7,029	106
Other	3,470	1,448	2,022	2,802	1,133	1,669	668	315	353
PERCENT									
Total	100.0	90.1	9.9	100.0	88.4	11.6	100.0	94.1	5.9
Mississippi	87.0	84.6	2.4	85.2	82.4	2.8	91.4	90.1	1.4
Other	13.0	5.4	7.6	14.8	6.0	8.8	8.6	4.0	4.5
1977									
NUMBER									
Total	26,843	24,387	2,456	19,200	17,201	1,999	7,643	7,186	457
Mississippi	23,594	22,944	650	16,628	16,084	544	6,966	6,860	106
Other	3,249	1,443	1,806	2,572	1,117	1,455	677	326	351
PERCENT									
Total	100.0	90.8	9.1	100.0	89.6	10.4	100.0	94.0	6.0
Mississippi	87.9	85.5	2.4	86.6	83.8	2.8	91.1	89.8	1.4
Other	12.1	5.4	6.7	13.4	5.8	7.6	8.8	4.3	4.6

DIVORCES

Additional Information Needed

The statistical record of divorce authorized by Mississippi law provides only limited information because of the omission of a number of pertinent items which many other states collect and also because of the lack of clarity regarding some of the items which are on the form. No data at all are available concerning place of marriage, date of separation, place of residence of the husband and wife, their ages at marriage and at divorce, previous marriages, and educational level. Information which is presently tabulated on minor children, cause of divorce, and complainant probably is erroneous because of lack of definitions and instructions regarding how such facts should be entered on the form and also because of the poor arrangement of the form. These deficiencies seriously hamper meaningful study of the divorce problem on a state level as well as on a national level. Since Mississippi's record does not contain even what is considered minimum information, this state is not eligible to become part of the National Divorce Registration Area. Revision of the statistical record of divorce would be of great help in providing material for analysis of this serious social problem.

Table E1. Divorces and percentage distribution, by cause and race

Year and Cause	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
1976 - Total	12,243	9,399	2,844	100.0	100.0	100.0
Irreconcilable differences	712	659	53	5.8	7.0	1.9
Cruel and inhuman treatment	9,008	7,515	1,493	73.6	80.0	52.5
Desertion	1,917	786	1,131	15.6	8.4	39.8
Adultery	306	209	97	2.5	2.2	3.4
Drunkenness	179	145	34	1.5	1.5	1.2
Penitentiary	52	32	20	0.4	0.3	0.7
Insanity	3	1	2	*	*	0.1
Annulment	22	20	2	0.2	0.2	0.1
Bigamy	10	7	3	0.1	0.1	0.1
Miscellaneous and other	12	11	1	0.1	0.1	*
Not stated	22	14	8	0.2	0.1	0.3
1977 - Total	12,759	9,921	2,838	100.0	100.0	100.0
Irreconcilable differences	3,365	3,039	326	26.4	30.6	11.5
Cruel and inhuman treatment	7,261	5,843	1,418	56.9	58.9	50.0
Desertion	1,634	671	963	12.8	6.8	33.9
Adultery	261	178	83	2.0	1.8	2.9
Drunkenness	129	105	24	1.0	1.0	0.8
Penitentiary	35	23	12	0.3	0.2	0.4
Insanity	5	4	1	*	*	*
Annulment	25	23	2	0.2	0.2	0.1
Bigamy	18	13	5	0.1	0.1	0.2
Miscellaneous and other	21	17	4	0.2	0.2	0.1
Not stated	5	5	0	*	*	-

* Less than 0.06 percent.

Table E2. Divorces and percentage distribution, by number of minor children and race

Year and Number of Minor Children	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
1976 - Total divorces	12,243	9,399	2,844	100.0	100.0	100.0
None	5,548	4,421	1,127	45.3	47.0	39.6
One	3,057	2,324	733	25.0	24.7	25.8
Two	2,004	1,554	450	16.4	16.5	15.8
Three or more	1,575	1,060	515	12.9	11.3	18.1
Not stated	59	40	19	0.5	0.4	0.7
1977 - Total divorces	12,759	9,921	2,838	100.0	100.0	100.0
None	5,714	4,606	1,108	44.8	46.4	39.0
One	3,284	2,556	728	25.7	25.8	25.6
Two	2,237	1,711	526	17.5	17.2	18.5
Three or more	1,468	1,004	464	11.5	10.1	16.3
Not stated	56	44	12	0.4	0.4	0.4

Table E3. Divorces and percentage distribution, by number of years married and race

Year and Number of Years Married	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
1976 - Total divorces	12,243	9,399	2,844	100.0	100.0	100.0
Under five	5,905	4,881	1,024	48.2	51.9	36.0
Under one	1,062	967	95	8.7	10.3	3.3
One	1,373	1,196	177	11.2	12.7	6.2
Two	1,371	1,098	273	11.2	11.7	9.6
Three	1,116	888	228	9.1	9.4	8.0
Four	983	732	251	8.0	7.8	8.8
Five - nine	2,838	2,091	747	23.2	22.2	26.3
Ten - nineteen	2,145	1,605	540	17.5	17.1	19.0
Twenty and over	1,335	807	528	10.9	8.6	18.6
Not stated	20	15	5	0.2	0.2	0.2
1977 - Total divorces	12,759	9,921	2,838	100.0	100.0	100.0
Under five	5,980	4,991	989	46.9	50.3	34.8
Under one	1,063	967	96	8.3	9.7	3.4
One	1,432	1,249	183	11.2	12.6	6.4
Two	1,333	1,098	235	10.4	11.1	8.3
Three	1,201	965	236	9.4	9.7	8.3
Four	951	712	239	7.4	7.2	8.4
Five - nine	3,140	2,348	792	24.6	23.7	27.9
Ten - nineteen	2,196	1,657	539	17.2	16.7	19.0
Twenty and over	1,425	914	511	11.2	9.2	18.0
Not stated	18	11	7	0.1	0.1	0.2

MAJOR TABLES

1976

TABLE 1-76

LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE, ALSO LIVE BIRTHS, BY PLACE OF RESIDENCE AND RACE, (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE, URBAN, RURAL), MISSISSIPPI, 1976

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
STATE	42,691	22,562	20,129	42,983	22,605	20,378
Adams	1,418	691	727	645	250	395
Alcorn	226	191	35	430	366	64
Amite	14	2	12	226	89	137
Attala	257	148	109	307	137	170
Benton	1	0	1	114	53	61
Bolivar	1,890	359	1,531	1,052	277	775
Calhoun	64	36	28	237	156	81
Carroll	5	1	4	120	43	77
Chickasaw	306	141	165	322	164	158
Choctaw	93	25	68	141	85	56
Claiborne	53	11	42	227	42	185
Clarke	32	16	16	278	151	127
Clay	348	149	199	376	151	225
Coahoma	779	322	457	756	181	575
Copiah	371	166	205	479	197	282
Covington	120	81	39	305	146	159
DeSoto	2	1	1	827	607	220
Forrest	2,036	1,491	545	1,020	654	366
Franklin	2	0	2	126	63	63
George	232	191	41	298	263	35
Greene	69	45	24	191	131	60
Grenada	275	107	168	315	144	171
Hancock	56	44	12	285	242	43
Harrison	3,410	2,625	785	2,930	2,201	729
Hinds	5,477	1,963	3,514	4,133	1,797	2,336
Holmes	456	62	394	495	95	400
Humphreys	243	24	219	303	70	233
Issaquena	1	0	1	56	15	41
Itawamba	1	1	0	218	196	22
Jackson	2,036	1,508	528	2,318	1,758	560
Jasper	1	1	0	324	113	211
Jefferson	41	3	38	181	24	157
Jeff Davis	10	0	10	234	62	172
Jones	1,679	663	1,016	927	600	327
Kemper	47	17	30	172	53	119
Lafayette	468	293	175	352	200	152
Lamar	82	69	13	328	277	51
Lauderdale	2,293	1,269	1,024	1,320	765	555
Lawrence	10	4	6	215	122	93
Leake	93	52	41	280	121	159
Lee	1,497	1,113	384	980	671	309
Leflore	1,041	373	668	882	256	626

Table 1-76 - Page 2
Live Births - Mississippi - 1976

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
Lincoln	197	124	73	462	269	193
Lowndes	975	665	310	981	563	418
Madison	163	48	115	731	207	524
Marion	28	22	6	385	230	155
Marshall	61	9	52	505	211	294
Monroe	933	646	287	563	330	233
Montgomery	266	87	179	237	98	139
Neshoba	260	107	153	384	203	181
Newton	148	96	52	309	174	135
Noxubee	301	49	252	244	69	175
Oktibbeha	590	286	304	514	236	278
Panola	714	242	472	623	238	385
Pearl River	407	326	81	506	396	110
Perry	134	106	28	187	134	53
Pike	1,074	655	419	635	305	330
Pontotoc	144	102	42	255	207	48
Prentiss	362	309	53	312	265	47
Quitman	225	25	200	318	103	215
Rankin	1,692	1,380	312	981	728	253
Scott	172	128	44	446	240	206
Sharkey	78	7	71	194	40	154
Simpson	135	94	41	384	221	163
Smith	24	21	3	213	131	82
Stone	1	0	1	143	101	42
Sunflower	306	70	236	705	161	544
Tallahatchie	288	68	220	359	104	255
Tate	3	1	2	312	139	173
Tippah	315	195	120	263	203	60
Tishomingo	116	110	6	210	201	9
Tunica	168	6	162	235	40	195
Union	401	302	99	332	262	70
Walthall	251	120	131	230	98	132
Warren	1,594	609	985	901	470	431
Washington	1,411	671	740	1,563	502	1,061
Wayne	317	173	144	320	174	146
Webster	206	125	81	148	102	46
Wilkinson	190	88	102	149	41	108
Winston	226	117	109	310	142	168
Yalobusha	85	34	51	201	95	106
Yazoo	195	81	114	508	184	324
Out of state	2,090	1,465	625	1,798	1,422	376

Table 1-76 - Page 3
Live Births - Mississippi - 1976

	Occurrence Data			Residence Data		
Town*	Total	White	Non-white	Total	White	Non-white
Biloxi	1,822	1,526	296	950	752	198
Brookhaven	196	123	73	209	94	115
Canton	143	48	95	270	51	219
Clarksdale	775	322	453	438	117	321
Cleveland	579	272	307	315	124	191
Columbus	703	463	240	444	198	246
Corinth	1	1	0	145	98	47
Greenville	1,070	608	462	912	279	633
Greenwood	1,002	373	629	451	162	289
Gulfport	1,579	1,095	484	924	545	379
Hattiesburg	2,035	1,490	545	643	342	301
Jackson	4,726	1,412	3,314	3,067	1,244	1,823
Laurel	1,675	659	1,016	408	192	216
McComb	1,000	635	365	217	103	114
Meridian	2,275	1,254	1,021	803	407	396
Moss Point	17	0	17	438	117	321
Natchez	1,418	691	727	383	125	258
Oxford	461	291	170	119	77	42
Pascagoula	1,780	1,281	499	755	601	154
Pearl	1	1	0	264	258	6
Picayune	403	323	80	177	111	66
Starkville	587	286	301	218	124	94
Tupelo	1,451	1,082	369	390	280	110
Vicksburg	1,594	609	985	528	212	316
Yazoo City	181	81	100	243	72	171
Total urban**	35,580	18,872	16,708	18,282	9,067	9,215
Total rural	7,111	3,690	3,421	24,701	13,538	11,163

* Towns of 10,000 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

** All incorporated towns of 2,500 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

TABLE 2-76
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE, AND ATTENDANT, ALSO BY COUNTY OF RESIDENCE AND SEX, MISSISSIPPI, 1976

County	Total	White				Nonwhite				Sex	
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
STATE	42,983	22,605	22,530	8	67	20,378	19,829	38	511	22,035	20,948
Adams	645	250	250	0	0	395	394	0	1	314	331
Alcorn	430	366	365	0	1	64	64	0	0	239	191
Amite	226	89	87	0	2	137	125	0	12	107	119
Attala	307	137	135	1	1	170	114	0	56	142	165
Benton	114	53	53	0	0	61	60	0	1	61	53
Bolivar	1,052	277	277	0	0	775	771	4	0	517	535
Calhoun	237	156	156	0	0	81	80	0	1	108	129
Carroll	120	43	42	0	1	77	73	0	4	54	66
Chickasaw	322	164	164	0	0	158	158	0	0	163	159
Choctaw	141	85	85	0	0	56	53	0	3	56	85
Claiborne	227	42	42	0	0	185	184	1	0	124	103
Clarke	278	151	151	0	0	127	127	0	0	151	127
Clay	376	151	151	0	0	225	221	1	3	196	180
Coahoma	756	181	181	0	0	575	571	0	4	390	366
Copiah	479	197	196	0	1	282	279	3	0	248	231
Covington	305	146	144	0	2	159	156	1	2	157	148
DeSoto	827	607	604	0	3	220	219	0	1	423	404
Forrest	1,020	654	652	0	2	366	363	0	3	521	499
Franklin	126	63	63	0	0	63	62	1	0	55	71
George	298	263	262	1	0	35	35	0	0	157	141
Greene	191	131	131	0	0	60	59	0	1	103	88
Grenada	315	144	144	0	0	171	169	0	2	153	162
Hancock	285	242	241	0	1	43	43	0	0	136	149
Harrison	2,930	2,201	2,185	2	14	729	688	2	39	1,477	1,453

Table 2-76 - Page 2
Live Births - Mississippi - 1976

County	Total	White				Nonwhite				Sex	
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Hinds	4,133	1,797	1,793	2	2	2,336	2,322	6	8	2,107	2,026
Holmes	495	95	95	0	0	400	390	1	9	253	242
Humphreys	303	70	70	0	0	233	232	0	1	154	149
Issaquena	56	15	15	0	0	41	40	0	1	25	31
Itawamba	218	196	196	0	0	22	22	0	0	112	106
Jackson	2,318	1,758	1,750	0	8	560	539	0	21	1,181	1,137
Jasper	324	113	112	0	1	211	211	0	0	161	163
Jefferson	181	24	24	0	0	157	157	0	0	91	90
Jeff Davis	234	62	62	0	0	172	168	1	3	141	93
Jones	927	600	595	0	5	327	327	0	0	465	462
Kemper	172	53	53	0	0	119	119	0	0	100	72
Lafayette	352	200	198	1	1	152	147	0	5	177	175
Lamar	328	277	277	0	0	51	51	0	0	178	150
Lauderdale	1,320	765	765	0	0	555	555	0	0	673	647
Lawrence	215	122	120	0	2	93	93	0	0	116	99
Leake	280	121	121	0	0	159	147	2	10	164	116
Lee	980	671	670	0	1	309	304	1	4	507	473
Leflore	882	256	256	0	0	626	577	2	47	449	433
Lincoln	462	269	269	0	0	193	193	0	0	244	218
Lowndes	981	563	561	0	2	418	344	1	73	522	459
Madison	731	207	206	1	0	524	495	1	28	359	372
Marion	385	230	230	0	0	155	153	0	2	202	183
Marshall	505	211	211	0	0	294	284	1	9	261	244
Monroe	563	330	328	0	2	233	231	0	2	303	260
Montgomery	237	98	98	0	0	139	131	1	7	118	119
Neshoba	384	203	203	0	0	181	181	0	0	199	185
Newton	309	174	174	0	0	135	135	0	0	139	170
Noxubee	244	69	69	0	0	175	160	0	15	131	113
Oktibbeha	514	236	236	0	0	278	274	0	4	267	247
Panola	623	238	237	0	1	385	368	0	17	303	320

Table 2-76 - Page 3
Live Births - Mississippi - 1976

County	Total	White				Nonwhite				Sex	
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Pearl River	506	396	393	0	3	110	109	0	1	276	230
Perry	187	134	134	0	0	53	53	0	0	87	100
Pike	635	305	301	0	4	330	312	1	17	339	296
Pontotoc	255	207	207	0	0	48	48	0	0	137	118
Prentiss	312	265	264	0	1	47	47	0	0	171	141
Quitman	318	103	103	0	0	215	213	0	2	161	157
Rankin	981	728	727	0	1	253	252	1	0	498	483
Scott	446	240	240	0	0	206	202	0	4	236	210
Sharkey	194	40	40	0	0	154	154	0	0	106	88
Simpson	384	221	221	0	0	163	157	2	4	188	196
Smith	213	131	131	0	0	82	81	0	1	113	100
Stone	143	101	101	0	0	42	42	0	0	76	67
Sunflower	705	161	160	0	1	544	537	1	6	367	338
Tallahatchie	359	104	104	0	0	255	228	0	27	190	169
Tate	312	139	139	0	0	173	171	1	1	171	141
Tippah	263	203	203	0	0	60	60	0	0	141	122
Tishomingo	210	201	201	0	0	9	9	0	0	93	117
Tunica	235	40	40	0	0	195	192	0	3	117	118
Union	332	262	262	0	0	70	70	0	0	147	185
Walthall	230	98	94	0	4	132	115	0	17	128	102
Warren	901	470	470	0	0	431	431	0	0	477	424
Washington	1,563	502	502	0	0	1,061	1,058	0	3	801	762
Wayne	320	174	174	0	0	146	146	0	0	172	148
Webster	148	102	102	0	0	46	46	0	0	70	78
Wilkinson	149	41	41	0	0	108	106	0	2	73	76
Winston	310	142	142	0	0	168	167	1	0	163	147
Yalobusha	201	95	95	0	0	106	104	0	2	112	89
Yazoo	508	184	184	0	0	324	301	1	22	271	237

TABLE 3A-76
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1976

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	42,983	398	11,169	15,187	10,343	3,919	1,504	433	23	7
Adams	645	4	180	235	145	53	20	8	0	0
Alcorn	430	1	93	158	126	38	12	2	0	0
Amite	226	2	51	75	62	22	8	6	0	0
Attala	307	2	61	108	73	40	10	13	0	0
Benton	114	2	32	49	19	7	3	2	0	0
Bolivar	1,052	23	348	341	222	79	29	10	0	0
Calhoun	237	0	65	100	45	18	6	2	0	1
Carroll	120	1	36	43	22	8	8	2	0	0
Chickasaw	322	4	86	120	75	31	5	0	1	0
Choctaw	141	0	36	50	32	16	6	1	0	0
Claiborne	227	1	56	94	42	16	16	2	0	0
Clarke	278	2	68	109	68	18	11	2	0	0
Clay	376	8	98	135	84	30	15	6	0	0
Coahoma	756	12	247	260	142	55	25	15	0	0
Copiah	479	7	139	171	104	32	21	5	0	0
Covington	305	1	90	110	66	25	12	1	0	0
DeSoto	827	3	157	286	245	88	41	4	3	0
Forrest	1,020	10	245	346	285	93	34	7	0	0
Franklin	126	1	23	49	43	7	2	1	0	0
George	298	0	80	116	64	24	12	2	0	0
Greene	191	2	54	68	38	21	5	3	0	0
Grenada	315	1	98	106	78	18	12	2	0	0
Hancock	285	1	66	99	78	33	7	1	0	0
Harrison	2,930	13	742	1,090	719	268	72	23	2	1
Hinds	4,133	40	929	1,379	1,190	428	139	27	1	0
Holmes	495	7	149	174	86	43	27	9	0	0
Humphreys	303	3	110	99	57	22	9	3	0	0
Issaquena	56	3	21	18	7	3	4	0	0	0
Itawamba	218	1	45	81	63	19	5	4	0	0
Jackson	2,318	15	490	920	598	214	67	13	1	0
Jasper	324	5	91	107	75	25	17	3	1	0
Jefferson	181	2	52	70	27	21	6	3	0	0
Jeff Davis	234	1	66	77	46	31	9	4	0	0
Jones	927	4	244	318	251	81	19	10	0	0
Kemper	172	0	52	60	29	19	8	4	0	0
Lafayette	352	1	87	129	88	32	13	2	0	0
Lamar	328	3	82	115	76	35	13	3	1	0
Lauderdale	1,320	16	313	501	332	110	36	9	3	0
Lawrence	215	2	57	78	49	16	10	3	0	0
Leake	280	1	60	114	63	21	16	4	1	0
Lee	980	4	224	379	245	92	25	11	0	0
Leflore	882	16	278	296	179	72	33	8	0	0

Table 3A-76 - Page 2
Total Live Births - Mississippi - 1976

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	462	3	116	176	102	43	21	1	0	0
Lowndes	981	6	227	385	245	75	31	10	0	2
Madison	731	12	189	247	158	69	45	10	1	0
Marion	385	4	101	145	95	24	10	6	0	0
Marshall	505	5	154	193	97	36	13	7	0	0
Monroe	563	7	155	181	121	57	34	7	1	0
Montgomery	237	1	74	79	50	20	7	5	0	1
Neshoba	384	2	100	134	84	39	21	3	1	0
Newton	309	6	78	109	72	23	14	7	0	0
Noxubee	244	3	66	83	63	20	6	3	0	0
Oktibbeha	514	6	128	190	117	51	18	2	2	0
Panola	623	4	173	191	144	76	22	13	0	0
Pearl River	506	1	132	188	123	50	10	2	0	0
Perry	187	1	51	71	39	16	5	4	0	0
Pike	635	6	171	213	147	64	27	7	0	0
Pontotoc	255	1	48	103	67	24	9	3	0	0
Prentiss	312	1	69	99	85	37	19	2	0	0
Quitman	318	8	101	102	54	33	16	3	1	0
Rankin	981	5	197	321	320	112	26	0	0	0
Scott	446	4	139	141	92	43	22	5	0	0
Sharkey	194	4	74	59	29	19	6	3	0	0
Simpson	384	2	103	131	101	32	11	4	0	0
Smith	213	0	51	98	41	13	8	2	0	0
Stone	143	2	40	49	33	12	5	1	0	1
Sunflower	705	12	221	233	147	60	23	8	1	0
Tallahatchie	359	5	116	117	74	29	14	4	0	0
Tate	312	3	80	111	72	30	12	4	0	0
Tippah	263	0	59	104	63	25	9	3	0	0
Tishomingo	210	0	50	80	44	25	7	4	0	0
Tunica	235	2	84	78	46	10	10	5	0	0
Union	332	1	75	124	87	32	10	3	0	0
Walthall	230	2	66	86	37	24	12	3	0	0
Warren	901	11	209	305	234	98	37	7	0	0
Washington	1,563	23	499	494	333	137	55	22	0	0
Wayne	320	2	95	114	66	28	8	7	0	0
Webster	148	3	36	52	35	18	4	0	0	0
Wilkinson	149	2	48	53	32	7	6	1	0	0
Winston	310	3	82	97	86	26	13	2	0	1
Yalobusha	201	2	47	55	70	18	7	2	0	0
Yazoo	508	8	164	163	100	40	23	8	2	0

TABLE 3B-76
WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1976

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Unknown
STATE	22,605	55	4,345	8,462	6,648	2,301	651	139	4	0
Adams	250	0	47	105	66	26	4	2	0	0
Alcorn	366	0	70	135	117	32	11	1	0	0
Amite	89	0	11	30	35	10	1	2	0	0
Attala	137	0	17	54	39	18	7	2	0	0
Benton	53	0	16	19	13	2	2	1	0	0
Bolivar	277	2	47	114	81	27	5	1	0	0
Calhoun	156	0	32	72	33	13	5	1	0	0
Carroll	43	0	6	18	15	3	1	0	0	0
Chickasaw	164	0	33	57	49	20	4	0	1	0
Choctaw	85	0	20	35	18	9	3	0	0	0
Claiborne	42	0	6	17	12	5	2	0	0	0
Clarke	151	0	33	51	47	11	7	2	0	0
Clay	151	2	31	53	47	13	4	1	0	0
Coahoma	181	1	33	66	58	17	4	2	0	0
Copiah	197	1	41	74	58	14	8	1	0	0
Covington	146	0	33	59	35	11	7	1	0	0
DeSoto	607	0	87	213	206	73	26	2	0	0
Forrest	654	3	116	224	225	63	19	4	0	0
Franklin	63	0	6	29	22	4	1	1	0	0
George	263	0	70	100	62	22	8	1	0	0
Greene	131	0	30	51	26	19	3	2	0	0
Grenada	144	0	29	52	48	8	6	1	0	0
Hancock	242	1	54	85	68	29	5	0	0	0
Harrison	2,201	4	520	848	571	194	50	14	0	0
Hinds	1,797	3	217	586	690	240	55	6	0	0
Holmes	95	1	16	38	27	10	3	0	0	0
Humphreys	70	0	14	32	20	3	1	0	0	0
Issaquena	15	0	6	6	3	0	0	0	0	0
Itawamba	196	1	40	71	58	19	3	4	0	0
Jackson	1,758	9	322	704	497	171	46	8	1	0
Jasper	113	0	23	35	37	10	7	1	0	0
Jefferson	24	0	3	13	6	2	0	0	0	0
Jeff Davis	62	0	7	28	16	10	0	1	0	0
Jones	600	1	136	203	180	64	11	5	0	0
Kemper	53	0	9	22	10	7	2	3	0	0
Lafayette	200	0	29	70	67	25	8	1	0	0
Lamar	277	0	64	101	68	30	11	3	0	0
Lauderdale	765	3	132	301	231	76	18	3	1	0
Lawrence	122	1	30	47	29	9	5	1	0	0
Leake	121	0	26	52	30	11	2	0	0	0
Lee	671	1	122	263	196	67	18	4	0	0
Leflore	256	1	44	98	75	31	6	1	0	0

Table 3B-76 - Page 2
White Live Births - Mississippi - 1976

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	269	0	47	119	67	25	11	0	0	0
Lowndes	563	0	84	242	176	45	11	5	0	0
Madison	207	0	31	66	78	21	10	1	0	0
Marion	230	0	51	98	61	16	4	0	0	0
Marshall	211	1	51	91	49	13	2	4	0	0
Monroe	330	3	76	114	79	36	19	3	0	0
Montgomery	98	0	21	33	28	10	3	3	0	0
Neshoba	203	0	47	77	51	19	8	1	0	0
Newton	174	1	37	66	50	13	5	2	0	0
Noxubee	69	0	7	33	19	9	1	0	0	0
Oktibbeha	236	0	26	106	65	30	7	1	1	0
Panola	238	1	49	80	73	31	3	1	0	0
Pearl River	396	0	92	151	101	43	7	2	0	0
Perry	134	0	38	49	32	8	4	3	0	0
Pike	305	0	66	107	86	30	14	2	0	0
Pontotoc	207	1	35	85	54	21	8	3	0	0
Prentiss	265	0	53	85	74	34	17	2	0	0
Quitman	103	2	21	39	23	15	2	1	0	0
Rankin	728	1	109	245	268	85	20	0	0	0
Scott	240	0	56	84	60	25	13	2	0	0
Sharkey	40	0	11	17	8	4	0	0	0	0
Simpson	221	1	50	81	66	18	4	1	0	0
Smith	131	0	23	64	30	8	5	1	0	0
Stone	101	0	25	38	25	10	2	1	0	0
Sunflower	161	0	36	59	44	19	2	1	0	0
Tallahatchie	104	1	19	40	33	8	3	0	0	0
Tate	139	0	24	54	41	16	3	1	0	0
Tippah	203	0	44	83	49	22	4	1	0	0
Tishomingo	201	0	48	76	42	24	7	4	0	0
Tunica	40	0	10	15	12	0	2	1	0	0
Union	262	1	58	94	74	25	8	2	0	0
Walthall	98	0	25	43	17	8	4	1	0	0
Warren	470	3	75	162	156	58	15	1	0	0
Washington	502	1	100	181	153	49	14	4	0	0
Wayne	174	1	44	72	38	14	4	1	0	0
Webster	102	0	20	37	29	12	4	0	0	0
Wilkinson	41	0	14	17	8	2	0	0	0	0
Winston	142	0	30	43	46	17	6	0	0	0
Yalobusha	95	2	23	20	38	10	2	0	0	0
Yazoo	184	0	41	65	54	20	4	0	0	0

TABLE 3C-76
NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1976

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	20,378	343	6,824	6,725	3,695	1,618	853	294	19	7
Adams	395	4	133	130	79	27	16	6	0	0
Alcorn	64	1	23	23	9	6	1	1	0	0
Amite	137	2	40	45	27	12	7	4	0	0
Attala	170	2	44	54	34	22	3	11	0	0
Benton	61	2	16	30	6	5	1	1	0	0
Bolivar	775	21	301	227	141	52	24	9	0	0
Calhoun	81	0	33	28	12	5	1	1	0	1
Carroll	77	1	30	25	7	5	7	2	0	0
Chickasaw	158	4	53	63	26	11	1	0	0	0
Choctaw	56	0	16	15	14	7	3	1	0	0
Claiborne	185	1	50	77	30	11	14	2	0	0
Clarke	127	2	35	58	21	7	4	0	0	0
Clay	225	6	67	82	37	17	11	5	0	0
Coahoma	575	11	214	194	84	38	21	13	0	0
Copiah	282	6	98	97	46	18	13	4	0	0
Covington	159	1	57	51	31	14	5	0	0	0
DeSoto	220	3	70	73	39	15	15	2	3	0
Forrest	366	7	129	122	60	30	15	3	0	0
Franklin	63	1	17	20	21	3	1	0	0	0
George	35	0	10	16	2	2	4	1	0	0
Greene	60	2	24	17	12	2	2	1	0	0
Grenada	171	1	69	54	30	10	6	1	0	0
Hancock	43	0	12	14	10	4	2	1	0	0
Harrison	729	9	222	242	148	74	22	9	2	1
Hinds	2,336	37	712	793	500	188	84	21	1	0
Holmes	400	6	133	136	59	33	24	9	0	0
Humphreys	233	3	96	67	37	19	8	3	0	0
Issaquena	41	3	15	12	4	3	4	0	0	0
Itawamba	22	0	5	10	5	0	2	0	0	0
Jackson	560	6	168	216	101	43	21	5	0	0
Jasper	211	5	68	72	38	15	10	2	1	0
Jefferson	157	2	49	57	21	19	6	3	0	0
Jeff Davis	172	1	59	49	30	21	9	3	0	0
Jones	327	3	108	115	71	17	8	5	0	0
Kemper	119	0	43	38	19	12	6	1	0	0
Lafayette	152	1	58	59	21	7	5	1	0	0
Lamar	51	3	18	14	8	5	2	0	1	0
Lauderdale	555	13	181	200	101	34	18	6	2	0
Lawrence	93	1	27	31	20	7	5	2	0	0
Leake	159	1	34	62	33	10	14	4	1	0
Lee	309	3	102	116	49	25	7	7	0	0
Leflore	626	15	234	198	104	41	27	7	0	0

Table 3C-76 - Page 2
Nonwhite Live Births - Mississippi - 1976

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	193	3	69	57	35	18	10	1	0	0
Lowndes	418	6	143	143	69	30	20	5	0	2
Madison	524	12	158	181	80	48	35	9	1	0
Marion	155	4	50	47	34	8	6	6	0	0
Marshall	294	4	103	102	48	23	11	3	0	0
Monroe	233	4	79	67	42	21	15	4	1	0
Montgomery	139	1	53	46	22	10	4	2	0	1
Neshoba	181	2	53	57	33	20	13	2	1	0
Newton	135	5	41	43	22	10	9	5	0	0
Noxubee	175	3	59	50	44	11	5	3	0	0
Oktibbeha	278	6	102	84	52	21	11	1	1	0
Panola	385	3	124	111	71	45	19	12	0	0
Pearl River	110	1	40	37	22	7	3	0	0	0
Perry	53	1	13	22	7	8	1	1	0	0
Pike	330	6	105	106	61	34	13	5	0	0
Pontotoc	48	0	13	18	13	3	1	0	0	0
Prentiss	47	1	16	14	11	3	2	0	0	0
Quitman	215	6	80	63	31	18	14	2	1	0
Rankin	253	4	88	76	52	27	6	0	0	0
Scott	206	4	83	57	32	18	9	3	0	0
Sharkey	154	4	63	42	21	15	6	3	0	0
Simpson	163	1	53	50	35	14	7	3	0	0
Smith	82	0	28	34	11	5	3	1	0	0
Stone	42	2	15	11	8	2	3	0	0	1
Sunflower	544	12	185	174	103	41	21	7	1	0
Tallahatchie	255	4	97	77	41	21	11	4	0	0
Tate	173	3	56	57	31	14	9	3	0	0
Tippah	60	0	15	21	14	3	5	2	0	0
Tishomingo	9	0	2	4	2	1	0	0	0	0
Tunica	195	2	74	63	34	10	8	4	0	0
Union	70	0	17	30	13	7	2	1	0	0
Walthall	132	2	41	43	20	16	8	2	0	0
Warren	431	8	134	143	78	40	22	6	0	0
Washington	1,061	22	399	313	180	88	41	18	0	0
Wayne	146	1	51	42	28	14	4	6	0	0
Webster	46	3	16	15	6	6	0	0	0	0
Wilkinson	108	2	34	36	24	5	6	1	0	0
Winston	168	3	52	54	40	9	7	2	0	1
Yalobusha	106	0	24	35	32	8	5	2	0	0
Yazoo	324	8	123	98	46	20	19	8	2	0

TABLE 4-76
ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1976

	Number			Percent		
County	Total	White	Non-white	Total	White	Non-white
STATE	10,470	981	9,489	24.4	4.3	46.6
Adams	220	16	204	34.1	6.4	51.6
Alcorn	33	10	23	7.7	2.7	35.9
Amite	60	0	60	26.5	-	43.8
Attala	63	1	62	20.5	0.7	36.5
Benton	26	4	22	22.8	7.5	36.1
Bolivar	488	18	470	46.4	6.5	60.6
Calhoun	41	3	38	17.3	1.9	46.9
Carroll	29	2	27	24.2	4.6	35.1
Chickasaw	70	12	58	21.7	7.3	36.7
Choctaw	30	4	26	21.3	4.7	46.4
Claiborne	83	1	82	36.6	2.4	44.3
Clarke	49	4	45	17.6	2.6	35.4
Clay	113	7	106	30.0	4.6	47.1
Coahoma	317	6	311	41.9	3.3	54.1
Copiah	134	11	123	28.0	5.6	43.6
Covington	71	11	60	23.3	7.5	37.7
DeSoto	128	19	109	15.5	3.1	49.5
Forrest	211	37	174	20.7	5.6	47.5
Franklin	33	0	33	26.2	-	52.4
George	28	16	12	9.4	6.1	34.3
Greene	36	3	33	18.8	2.3	55.0
Grenada	92	5	87	29.2	3.5	50.9
Hancock	35	16	19	12.3	6.6	44.2
Harrison	397	111	286	13.5	5.0	39.2
Hinds	1,117	68	1,049	27.0	3.8	44.9
Holmes	218	4	214	44.0	4.2	53.5
Humphreys	124	1	123	40.9	1.4	52.8
Issaquena	24	1	23	42.8	6.7	56.1
Itawamba	11	6	5	5.0	3.1	22.7
Jackson	297	86	211	12.8	4.9	37.7
Jasper	88	3	85	27.2	2.6	40.3
Jefferson	83	0	83	45.8	-	52.9
Jeff Davis	71	3	68	30.3	4.8	39.5
Jones	162	22	140	17.5	3.7	42.8
Kemper	41	1	40	23.8	1.9	33.6
Lafayette	75	6	69	21.3	3.0	45.4
Lamar	36	11	25	11.0	4.0	49.0
Lauderdale	257	34	223	19.5	4.4	40.2
Lawrence	42	4	38	19.5	3.3	40.9
Leake	46	2	44	16.4	1.6	27.7
Lee	147	28	119	15.0	4.2	38.5
Leflore	350	12	338	39.7	4.7	54.0

Table 4-76 - Page 2
Illegitimate Live Births - Mississippi - 1976

	Number			Percent		
County	Total	White	Non-white	Total	White	Non-white
Lincoln	98	10	88	21.2	3.7	45.6
Lowndes	223	21	202	22.7	3.7	48.3
Madison	263	6	257	36.0	2.9	49.0
Marion	67	13	54	17.4	5.6	34.8
Marshall	160	13	147	31.7	6.2	50.0
Monroe	117	13	104	20.8	3.9	44.6
Montgomery	64	3	61	27.0	3.1	43.9
Neshoba	64	13	51	16.7	6.4	28.2
Newton	51	7	44	16.5	4.0	32.6
Noxubee	89	5	84	36.5	7.2	48.0
Oktibbeha	151	6	145	29.4	2.5	52.2
Panola	181	8	173	29.0	3.4	44.9
Pearl River	67	12	55	13.2	3.0	50.0
Perry	32	9	23	17.1	6.7	43.4
Pike	161	18	143	25.4	5.9	43.3
Pontotoc	26	12	14	10.2	5.8	29.2
Prentiss	30	7	23	9.6	2.6	48.9
Quitman	112	4	108	35.2	3.9	50.2
Rankin	134	33	101	13.6	4.5	39.9
Scott	83	7	76	18.6	2.9	36.9
Sharkey	95	2	93	49.0	5.0	60.4
Simpson	73	10	63	19.0	4.5	38.6
Smith	34	4	30	16.0	3.0	36.6
Stone	20	1	19	14.0	1.0	45.2
Sunflower	295	9	286	41.8	5.6	52.6
Tallahatchie	137	5	132	38.2	4.8	51.8
Tate	81	3	78	26.0	2.2	45.1
Tippah	26	10	16	9.9	4.9	26.7
Tishomingo	6	5	1	2.8	2.5	11.1
Tunica	117	3	114	49.8	7.5	58.5
Union	30	12	18	9.0	4.6	25.7
Walthall	63	11	52	27.4	11.2	39.4
Warren	239	21	218	26.5	4.5	50.6
Washington	645	22	623	41.3	4.4	58.7
Wayne	71	14	57	22.2	8.0	39.0
Webster	23	4	19	15.5	3.9	41.3
Wilkinson	60	0	60	40.3	-	55.6
Winston	74	3	71	23.9	2.1	42.3
Yalobusha	49	5	44	24.4	5.3	41.5
Yazoo	183	8	175	36.0	4.3	54.0

TABLE 5A-76
TOTAL ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1976

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	10,470	354	5,577	2,838	1,026	373	222	75	1	4
Adams	220	3	112	67	27	8	3	0	0	0
Alcorn	33	0	18	12	3	0	0	0	0	0
Amite	60	2	26	22	7	1	2	0	0	0
Attala	63	2	32	17	7	2	0	3	0	0
Benton	26	2	15	8	0	1	0	0	0	0
Bolivar	488	21	269	124	47	18	6	3	0	0
Calhoun	41	0	23	10	5	1	1	1	0	0
Carroll	29	1	19	9	0	0	0	0	0	0
Chickasaw	70	3	40	20	7	0	0	0	0	0
Choctaw	30	0	14	9	4	2	0	1	0	0
Claiborne	83	1	38	28	8	4	3	1	0	0
Clarke	49	2	25	16	2	2	2	0	0	0
Clay	113	5	44	36	15	5	6	2	0	0
Coahoma	317	11	168	96	23	10	4	5	0	0
Copiah	134	5	77	30	16	3	2	1	0	0
Covington	71	1	43	19	6	0	2	0	0	0
DeSoto	128	3	68	39	12	5	1	0	0	0
Forrest	211	9	119	55	16	8	3	1	0	0
Franklin	33	1	14	11	6	1	0	0	0	0
George	28	0	18	9	0	0	1	0	0	0
Greene	36	2	23	5	6	0	0	0	0	0
Grenada	92	1	57	22	11	0	1	0	0	0
Hancock	35	1	18	10	5	0	1	0	0	0
Harrison	397	12	220	105	33	18	4	4	0	1
Hinds	1,117	38	590	307	111	41	26	4	0	0
Holmes	218	5	97	79	22	6	7	2	0	0
Humphreys	124	3	74	29	8	5	4	1	0	0
Issaquena	24	3	15	5	0	0	1	0	0	0
Itawamba	11	0	6	4	0	0	1	0	0	0
Jackson	297	11	154	90	29	8	5	0	0	0
Jasper	88	5	47	22	9	4	0	1	0	0
Jefferson	83	2	40	27	4	6	3	1	0	0
Jeff Davis	71	1	40	17	8	2	2	1	0	0
Jones	162	4	81	50	17	8	2	0	0	0
Kemper	41	0	22	10	6	3	0	0	0	0
Lafayette	75	1	51	20	3	0	0	0	0	0
Lamar	36	3	23	6	4	0	0	0	0	0
Lauderdale	257	15	130	77	25	6	3	1	0	0
Lawrence	42	1	21	12	5	1	2	0	0	0
Leake	46	1	22	15	5	0	3	0	0	0
Lee	147	3	77	36	15	9	4	3	0	0
Leflore	350	14	186	103	33	4	9	1	0	0

Table 5A-76 - Page 2
Total Illegitimate Live Births - Mississippi - 1976

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	98	2	55	23	11	5	2	0	0	0
Lowndes	223	6	121	65	14	9	5	1	0	2
Madison	263	12	124	77	26	12	10	2	0	0
Marion	67	4	41	13	7	2	0	0	0	0
Marshall	160	5	86	40	14	10	3	2	0	0
Monroe	117	4	63	27	11	4	6	2	0	0
Montgomery	64	1	37	14	8	1	2	0	0	1
Neshoba	64	2	32	14	6	5	5	0	0	0
Newton	51	4	30	9	5	2	0	1	0	0
Noxubee	89	3	48	20	14	2	2	0	0	0
Oktibbeha	151	6	81	46	12	3	1	1	1	0
Panola	181	3	86	50	19	15	5	3	0	0
Pearl River	67	1	38	18	8	2	0	0	0	0
Perry	32	1	12	10	5	3	0	1	0	0
Pike	161	6	90	38	17	4	4	2	0	0
Pontotoc	26	1	15	7	3	0	0	0	0	0
Prentiss	30	1	11	13	5	0	0	0	0	0
Quitman	112	6	59	27	8	8	3	1	0	0
Rankin	134	4	82	33	10	4	1	0	0	0
Scott	83	4	55	13	4	3	4	0	0	0
Sharkey	95	4	55	21	7	7	0	1	0	0
Simpson	73	2	41	14	14	1	0	1	0	0
Smith	34	0	20	11	3	0	0	0	0	0
Stone	20	2	10	5	2	1	0	0	0	0
Sunflower	295	11	154	73	38	11	6	2	0	0
Tallahatchie	137	5	78	31	12	5	5	1	0	0
Tate	81	3	46	18	6	4	4	0	0	0
Tippah	26	0	16	5	5	0	0	0	0	0
Tishomingo	6	0	5	0	0	0	0	1	0	0
Tunica	117	2	61	34	11	5	2	2	0	0
Union	30	1	13	9	6	1	0	0	0	0
Walthall	63	2	37	17	3	2	2	0	0	0
Warren	239	10	111	73	25	9	10	1	0	0
Washington	645	22	353	158	69	21	13	9	0	0
Wayne	71	1	42	18	6	3	1	0	0	0
Webster	23	3	10	4	4	2	0	0	0	0
Wilkinson	60	2	25	24	4	3	2	0	0	0
Winston	74	2	39	20	9	2	1	1	0	0
Yalobusha	49	1	23	12	6	3	3	1	0	0
Yazoo	183	7	96	46	19	7	6	2	0	0

TABLE 5B-76
WHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1976

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	981	29	586	244	79	25	12	6	0	0
Adams	16	0	10	6	0	0	0	0	0	0
Alcorn	10	0	6	3	1	0	0	0	0	0
Amite	0	0	0	0	0	0	0	0	0	0
Attala	1	0	1	0	0	0	0	0	0	0
Benton	4	0	4	0	0	0	0	0	0	0
Bolivar	18	1	10	3	2	2	0	0	0	0
Calhoun	3	0	0	1	2	0	0	0	0	0
Carroll	2	0	1	1	0	0	0	0	0	0
Chickasaw	12	0	8	4	0	0	0	0	0	0
Choctaw	4	0	3	1	0	0	0	0	0	0
Claiborne	1	0	0	0	0	1	0	0	0	0
Clarke	4	0	2	2	0	0	0	0	0	0
Clay	7	0	4	3	0	0	0	0	0	0
Coahoma	6	0	4	2	0	0	0	0	0	0
Copiah	11	0	9	2	0	0	0	0	0	0
Covington	11	0	6	2	2	0	1	0	0	0
DeSoto	19	0	15	2	0	2	0	0	0	0
Forrest	37	2	27	7	1	0	0	0	0	0
Franklin	0	0	0	0	0	0	0	0	0	0
George	16	0	12	4	0	0	0	0	0	0
Greene	3	0	3	0	0	0	0	0	0	0
Grenada	5	0	4	1	0	0	0	0	0	0
Hancock	16	1	8	4	3	0	0	0	0	0
Harrison	111	3	65	27	10	4	1	1	0	0
Hinds	68	3	37	17	6	2	2	1	0	0
Holmes	4	0	1	3	0	0	0	0	0	0
Humphreys	1	0	1	0	0	0	0	0	0	0
Issaquena	1	0	1	0	0	0	0	0	0	0
Itawamba	6	0	5	1	0	0	0	0	0	0
Jackson	86	5	47	21	8	4	1	0	0	0
Jasper	3	0	2	1	0	0	0	0	0	0
Jefferson	0	0	0	0	0	0	0	0	0	0
Jeff Davis	3	0	2	1	0	0	0	0	0	0
Jones	22	1	12	6	1	1	1	0	0	0
Kemper	1	0	1	0	0	0	0	0	0	0
Lafayette	6	0	4	2	0	0	0	0	0	0
Lamar	11	0	8	1	2	0	0	0	0	0
Lauderdale	34	2	17	11	0	1	2	1	0	0
Lawrence	4	0	2	2	0	0	0	0	0	0
Leake	2	0	0	1	1	0	0	0	0	0
Lee	28	1	11	8	5	1	2	0	0	0
Leflore	12	0	3	7	2	0	0	0	0	0

Table 5B-76 - Page 2
White Illegitimate Live Births - Mississippi - 1976

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	10	0	3	3	4	0	0	0	0	0
Lowndes	21	0	13	5	2	1	0	0	0	0
Madison	6	0	5	1	0	0	0	0	0	0
Marion	13	0	9	2	2	0	0	0	0	0
Marshall	13	1	7	2	2	0	0	1	0	0
Monroe	13	1	11	0	1	0	0	0	0	0
Montgomery	3	0	1	1	0	1	0	0	0	0
Neshoba	13	0	6	5	1	1	0	0	0	0
Newton	7	0	5	1	1	0	0	0	0	0
Noxubee	5	0	4	1	0	0	0	0	0	0
Oktibbeha	6	0	3	3	0	0	0	0	0	0
Panola	8	1	3	3	0	1	0	0	0	0
Pearl River	12	0	9	2	1	0	0	0	0	0
Perry	9	0	4	3	1	0	0	1	0	0
Pike	18	0	14	4	0	0	0	0	0	0
Pontotoc	12	1	8	3	0	0	0	0	0	0
Prentiss	7	0	3	4	0	0	0	0	0	0
Quitman	4	0	2	2	0	0	0	0	0	0
Rankin	33	0	20	8	2	2	1	0	0	0
Scott	7	0	5	2	0	0	0	0	0	0
Sharkey	2	0	2	0	0	0	0	0	0	0
Simpson	10	1	5	2	2	0	0	0	0	0
Smith	4	0	3	1	0	0	0	0	0	0
Stone	1	0	1	0	0	0	0	0	0	0
Sunflower	9	0	6	2	1	0	0	0	0	0
Tallahatchie	5	1	2	1	1	0	0	0	0	0
Tate	3	0	1	2	0	0	0	0	0	0
Tippah	10	0	6	0	4	0	0	0	0	0
Tishomingo	5	0	4	0	0	0	0	1	0	0
Tunica	3	0	2	1	0	0	0	0	0	0
Union	12	1	6	2	3	0	0	0	0	0
Walthall	11	0	8	3	0	0	0	0	0	0
Warren	21	2	10	7	1	0	1	0	0	0
Washington	22	0	15	4	3	0	0	0	0	0
Wayne	14	0	9	4	0	1	0	0	0	0
Webster	4	0	3	0	1	0	0	0	0	0
Wilkinson	0	0	0	0	0	0	0	0	0	0
Winston	3	0	2	1	0	0	0	0	0	0
Yalobusha	5	1	4	0	0	0	0	0	0	0
Yazoo	8	0	6	2	0	0	0	0	0	0

TABLE 5C-76
NONWHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1976

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	9,489	325	4,991	2,594	947	348	210	69	1	4
Adams	204	3	102	61	27	8	3	0	0	0
Alcorn	23	0	12	9	2	0	0	0	0	0
Amite	60	2	26	22	7	1	2	0	0	0
Attala	62	2	31	17	7	2	0	3	0	0
Benton	22	2	11	8	0	1	0	0	0	0
Bolivar	470	20	259	121	45	16	6	3	0	0
Calhoun	38	0	23	9	3	1	1	1	0	0
Carroll	27	1	18	8	0	0	0	0	0	0
Chickasaw	58	3	32	16	7	0	0	0	0	0
Choctaw	26	0	11	8	4	2	0	1	0	0
Claiborne	82	1	38	28	8	3	3	1	0	0
Clarke	45	2	23	14	2	2	2	0	0	0
Clay	106	5	40	33	15	5	6	2	0	0
Coahoma	311	11	164	94	23	10	4	5	0	0
Copiah	123	5	68	28	16	3	2	1	0	0
Covington	60	1	37	17	4	0	1	0	0	0
DeSoto	109	3	53	37	12	3	1	0	0	0
Forrest	174	7	92	48	15	8	3	1	0	0
Franklin	33	1	14	11	6	1	0	0	0	0
George	12	0	6	5	0	0	1	0	0	0
Greene	33	2	20	5	6	0	0	0	0	0
Grenada	87	1	53	21	11	0	1	0	0	0
Hancock	19	0	10	6	2	0	1	0	0	0
Harrison	286	9	155	78	23	14	3	3	0	1
Hinds	1,049	35	553	290	105	39	24	3	0	0
Holmes	214	5	96	76	22	6	7	2	0	0
Humphreys	123	3	73	29	8	5	4	1	0	0
Issaquena	23	3	14	5	0	0	1	0	0	0
Itawamba	5	0	1	3	0	0	1	0	0	0
Jackson	211	6	107	69	21	4	4	0	0	0
Jasper	85	5	45	21	9	4	0	1	0	0
Jefferson	83	2	40	27	4	6	3	1	0	0
Jeff Davis	68	1	38	16	8	2	2	1	0	0
Jones	140	3	69	44	16	7	1	0	0	0
Kemper	40	0	21	10	6	3	0	0	0	0
Lafayette	69	1	47	18	3	0	0	0	0	0
Lamar	25	3	15	5	2	0	0	0	0	0
Lauderdale	223	13	113	66	25	5	1	0	0	0
Lawrence	38	1	19	10	5	1	2	0	0	0
Leake	44	1	22	14	4	0	3	0	0	0
Lee	119	2	66	28	10	8	2	3	0	0
Leflore	338	14	183	96	31	4	9	1	0	0

Table 5C-76 - Page 2
Nonwhite Illegitimate Live Births - Mississippi - 1976

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	88	2	52	20	7	5	2	0	0	0
Lowndes	202	6	108	60	12	8	5	1	0	2
Madison	257	12	119	76	26	12	10	2	0	0
Marion	54	4	32	11	5	2	0	0	0	0
Marshall	147	4	79	38	12	10	3	1	0	0
Monroe	104	3	52	27	10	4	6	2	0	0
Montgomery	61	1	36	13	8	0	2	0	0	1
Neshoba	51	2	26	9	5	4	5	0	0	0
Newton	44	4	25	8	4	2	0	1	0	0
Noxubee	84	3	44	19	14	2	2	0	0	0
Oktibbeha	145	6	78	43	12	3	1	1	1	0
Panola	173	2	83	47	19	14	5	3	0	0
Pearl River	55	1	29	16	7	2	0	0	0	0
Perry	23	1	8	7	4	3	0	0	0	0
Pike	143	6	76	34	17	4	4	2	0	0
Pontotoc	14	0	7	4	3	0	0	0	0	0
Prentiss	23	1	8	9	5	0	0	0	0	0
Quitman	108	6	57	25	8	8	3	1	0	0
Rankin	101	4	62	25	8	2	0	0	0	0
Scott	76	4	50	11	4	3	4	0	0	0
Sharkey	93	4	53	21	7	7	0	1	0	0
Simpson	63	1	36	12	12	1	0	1	0	0
Smith	30	0	17	10	3	0	0	0	0	0
Stone	19	2	9	5	2	1	0	0	0	0
Sunflower	286	11	148	71	37	11	6	2	0	0
Tallahatchie	132	4	76	30	11	5	5	1	0	0
Tate	78	3	45	16	6	4	4	0	0	0
Tippah	16	0	10	5	1	0	0	0	0	0
Tishomingo	1	0	1	0	0	0	0	0	0	0
Tunica	114	2	59	33	11	5	2	2	0	0
Union	18	0	7	7	3	1	0	0	0	0
Walthall	52	2	29	14	3	2	2	0	0	0
Warren	218	8	101	66	24	9	9	1	0	0
Washington	623	22	338	154	66	21	13	9	0	0
Wayne	57	1	33	14	6	2	1	0	0	0
Webster	19	3	7	4	3	2	0	0	0	0
Wilkinson	60	2	25	24	4	3	2	0	0	0
Winston	71	2	37	19	9	2	1	1	0	0
Yalobusha	44	0	19	12	6	3	3	1	0	0
Yazoo	175	7	90	44	19	7	6	2	0	0

TABLE 6-76
REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE, ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1976

County	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	852	310	542	835	295	540	19.4	13.0	26.5
Adams	45	18	27	21	6	15	32.6	24.0	38.0
Alcorn	4	3	1	8	5	3	18.6	13.7	46.9
Amite	1	0	1	3	0	3	13.3	-	21.9
Attala	5	3	2	6	1	5	19.5	7.3	29.4
Benton	0	0	0	1	1	0	8.8	18.9	-
Bolivar	48	3	45	36	1	35	34.2	3.6	45.2
Calhoun	4	0	4	6	2	4	25.3	12.8	49.4
Carroll	1	0	1	3	1	2	25.0	23.2	26.0
Chickasaw	3	2	1	4	2	2	12.4	12.2	12.6
Choctaw	5	1	4	7	2	5	49.6	23.5	89.3
Claiborne	1	0	1	8	1	7	35.2	23.8	37.8
Clarke	1	0	1	7	3	4	25.2	19.9	31.5
Clay	6	1	5	8	1	7	21.3	6.6	31.1
Coahoma	20	4	16	16	4	12	21.2	22.1	20.9
Copiah	7	2	5	12	4	8	25.0	20.3	28.4
Covington	2	0	2	6	2	4	19.7	13.7	25.2
DeSoto	0	0	0	9	4	5	10.9	6.6	22.7
Forrest	31	20	11	16	9	7	15.7	13.8	19.1
Franklin	3	0	3	4	0	4	31.7	-	63.5
George	2	1	1	3	3	0	10.1	11.4	-
Greene	0	0	0	1	0	1	5.2	-	16.7
Grenada	2	0	2	2	0	2	6.3	-	11.7
Hancock	1	1	0	7	5	2	24.6	20.7	46.5
Harrison	48	28	20	36	20	16	12.3	9.1	21.9
Hinds	150	42	108	97	37	60	23.5	20.6	25.7
Holmes	11	1	10	15	3	12	30.3	31.6	30.0
Humphreys	5	0	5	6	1	5	19.8	14.3	21.4
Issaquena	0	0	0	1	0	1	17.8	-	24.4
Itawamba	0	0	0	2	1	1	9.2	5.1	45.4
Jackson	24	15	9	33	22	11	14.2	12.5	19.6
Jasper	0	0	0	7	0	7	21.6	-	33.2
Jefferson	1	0	1	4	0	4	22.1	-	25.5
Jeff Davis	1	0	1	5	1	4	21.4	16.1	23.2
Jones	44	13	31	23	10	13	24.8	16.7	39.6
Kemper	1	0	1	5	0	5	29.1	-	42.0
Lafayette	6	3	3	5	2	3	14.2	10.0	19.7
Lamar	2	1	1	6	3	3	18.3	10.8	58.8
Lauderdale	48	16	32	22	8	14	16.7	10.4	25.2
Lawrence	0	0	0	5	1	4	23.2	8.2	43.0
Leake	3	0	3	13	2	11	46.4	16.5	69.2
Lee	12	10	2	9	9	0	9.2	13.4	-
Leflore	16	3	13	16	3	13	18.1	11.7	20.8

Table 6-76 - Page 2
Fetal Deaths - Mississippi - 1976

	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	2	2	0	7	4	3	15.2	14.9	15.5
Lowndes	17	9	8	20	9	11	20.4	16.0	26.3
Madison	11	1	10	22	4	18	30.1	19.3	34.4
Marion	1	0	1	7	2	5	18.2	8.7	32.2
Marshall	0	0	0	5	1	4	9.9	4.7	13.6
Monroe	11	9	2	3	2	1	5.3	6.1	4.3
Montgomery	2	1	1	1	0	1	4.2	-	7.2
Neshoba	2	2	0	3	0	3	7.8	-	16.6
Newton	6	2	4	8	2	6	25.9	11.5	44.4
Noxubee	10	1	9	6	1	5	24.6	14.5	28.6
Oktibbeha	14	5	9	13	3	10	25.3	12.7	36.0
Panola	12	3	9	10	2	8	16.0	8.4	20.8
Pearl River	4	3	1	8	6	2	15.8	15.2	18.2
Perry	0	0	0	2	1	1	10.7	7.5	18.9
Pike	22	7	15	15	3	12	23.6	9.8	36.4
Pontotoc	2	0	2	5	3	2	19.6	14.5	41.7
Prentiss	9	6	3	3	2	1	9.6	7.5	21.3
Quitman	5	0	5	12	3	9	37.7	29.1	41.9
Rankin	29	23	6	16	10	6	16.3	13.7	23.7
Scott	6	1	5	9	3	6	20.2	12.5	29.1
Sharkey	0	0	0	4	0	4	20.6	-	26.0
Simpson	5	3	2	13	7	6	33.8	31.7	36.8
Smith	0	0	0	2	0	2	9.4	-	24.4
Stone	0	0	0	3	3	0	21.0	29.7	-
Sunflower	10	0	10	17	0	17	24.1	-	31.2
Tallahatchie	7	2	5	10	2	8	27.8	19.2	31.4
Tate	0	0	0	0	0	0	-	-	-
Tippah	10	5	5	7	5	2	26.6	24.6	33.3
Tishomingo	1	1	0	4	3	1	19.0	14.9	111.1
Tunica	4	0	4	7	0	7	29.8	-	35.9
Union	9	7	2	9	7	2	27.1	26.7	28.6
Walthall	5	2	3	3	0	3	13.0	-	22.7
Warren	28	9	19	17	7	10	18.9	14.9	23.2
Washington	16	6	10	15	4	11	9.6	8.0	10.4
Wayne	8	2	6	11	5	6	34.4	28.7	41.1
Webster	5	3	2	5	5	0	33.8	49.0	-
Wilkinson	4	0	4	6	0	6	40.3	-	55.6
Winston	5	0	5	7	1	6	22.6	7.0	35.7
Yalobusha	2	2	0	6	2	4	29.8	21.0	37.7
Yazoo	4	2	2	10	3	7	19.7	16.3	21.6
Out of state	26	12	14	43	27	16			

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Reportable fetal deaths per 1,000 live births.

TABLE 7-76
DEATHS, BY PLACE OF OCCURRENCE AND RACE, ALSO DEATHS, BY PLACE OF RESIDENCE AND RACE, (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE, URBAN, RURAL), MISSISSIPPI, 1976

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
STATE	22,806	14,052	8,754	23,124	14,307	8,817
Adams	479	245	234	379	169	210
Alcorn	248	216	32	301	259	42
Amite	36	16	20	139	87	52
Attala	244	157	87	260	164	96
Benton	28	19	9	74	43	31
Bolivar	430	121	309	507	166	341
Calhoun	100	76	24	167	131	36
Carroll	31	17	14	103	59	44
Chickasaw	174	109	65	196	114	82
Choctaw	65	45	20	105	86	19
Claiborne	86	17	69	129	31	98
Clarke	108	69	39	191	114	77
Clay	164	90	74	210	114	96
Coahoma	500	171	329	460	134	326
Copiah	184	96	88	323	178	145
Covington	129	90	39	174	118	56
DeSoto	113	60	53	262	175	87
Forrest	877	643	234	647	460	187
Franklin	95	57	38	104	64	40
George	101	96	5	125	120	5
Greene	55	41	14	96	82	14
Grenada	281	176	105	214	120	94
Hancock	162	132	30	207	172	35
Harrison	1,387	1,123	264	1,152	926	226
Hinds	3,074	1,810	1,264	1,823	1,052	771
Holmes	246	67	179	314	92	222
Humphreys	146	28	118	151	49	102
Issaquena	12	4	8	27	10	17
Itawamba	137	124	13	171	157	14
Jackson	580	467	113	641	520	121
Jasper	112	74	38	167	101	66
Jefferson	76	13	63	108	30	78
Jeff Davis	101	56	45	141	82	59
Jones	684	492	192	626	483	143
Kemper	88	46	42	138	68	70
Lafayette	201	140	61	174	112	62
Lamar	71	56	15	149	125	24
Lauderdale	1,026	665	361	775	497	278
Lawrence	106	65	41	151	105	46
Leake	164	106	58	217	144	73
Lee	691	512	179	492	365	127
Leflore	512	222	290	455	194	261

Table 7-76 - Page 2
Deaths - Mississippi - 1976

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
Lincoln	299	219	80	316	229	87
Lowndes	422	285	137	420	255	165
Madison	270	112	158	336	136	200
Marion	198	128	70	267	174	93
Marshall	166	87	79	257	131	126
Monroe	374	252	122	369	258	111
Montgomery	180	106	74	173	117	56
Neshoba	151	100	51	237	175	62
Newton	180	112	68	238	155	83
Noxubee	123	36	87	131	49	82
Oktibbeha	240	142	98	242	135	107
Panola	268	123	145	316	170	146
Pearl River	248	208	40	278	225	53
Perry	74	62	12	116	86	30
Pike	440	270	170	416	257	159
Pontotoc	130	116	14	213	186	27
Prentiss	157	137	20	235	206	29
Quitman	57	18	39	155	72	83
Rankin	356	225	131	366	267	99
Scott	220	153	67	256	168	88
Sharkey	49	19	30	90	36	54
Simpson	203	165	38	233	182	51
Smith	49	32	17	139	107	32
Stone	96	80	16	88	71	17
Sunflower	311	121	190	366	151	215
Tallahatchie	173	64	109	238	101	137
Tate	87	44	43	193	121	72
Tippah	191	161	30	187	153	34
Tishomingo	111	109	2	158	152	6
Tunica	100	29	71	116	42	74
Union	228	180	48	227	188	39
Walthall	140	97	43	140	99	41
Warren	642	314	328	516	252	264
Washington	810	334	476	719	281	438
Wayne	167	109	58	185	125	60
Webster	112	83	29	132	100	32
Wilkinson	128	62	66	114	36	78
Winston	188	121	67	222	140	82
Yalobusha	104	69	35	155	100	55
Yazoo	260	139	121	324	147	177
Out of state	1,270	963	307	952	708	244

Table 7-76 - Page 3
Deaths - Mississippi - 1976

	Occurrence Data			Residence Data		
Town*	Total	White	Non-white	Total	White	Non-white
Biloxi	721	604	117	347	287	60
Brookhaven	272	204	68	136	86	50
Canton	192	87	105	144	64	80
Clarksdale	441	163	278	307	98	209
Cleveland	226	90	136	151	64	87
Columbus	379	256	123	257	140	117
Corinth	26	17	9	141	110	31
Greenville	622	290	332	447	186	261
Greenwood	433	200	233	277	133	144
Gulfport	512	394	118	368	291	77
Hattiesburg	834	613	221	406	257	149
Jackson	2,629	1,528	1,101	1,434	845	589
Laurel	582	408	174	287	188	99
McComb	314	197	117	166	117	49
Meridian	928	593	335	547	336	211
Moss Point	14	5	9	129	63	66
Natchez	448	236	212	251	109	142
Oxford	171	130	41	48	32	16
Pascagoula	453	352	101	214	171	43
Pearl	8	7	1	65	64	1
Picayune	159	128	31	91	56	35
Starkville	183	116	67	109	75	34
Tupelo	580	417	163	199	137	62
Vicksburg	596	287	309	358	176	182
Yazoo City	201	112	89	170	70	100
Total urban**	16,592	10,402	6,190	9,992	5,980	4,012
Total rural	6,214	3,650	2,564	13,132	8,327	4,805

* Towns of 10,000 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

** All incorporated towns of 2,500 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

TABLE 8-76
DEATHS, BY CAUSE AND RACE, MISSISSIPPI RESIDENTS, 1976

International Classification Number*	Cause*	Total	White	Non-white
000-999	ALL CAUSES	23,124	14,307	8,817
000-136	INFECTIVE AND PARASITIC DISEASES	285	129	156
000-009	Intestinal infectious diseases	68	25	43
002,003	Paratyphoid fever and other Salmonella infections	3	2	1
003	Other Salmonella infections	3	2	1
004,006	Bacillary dysentery and amebiasis	2	1	1
004	Bacillary dysentery	1	0	1
006	Amebiasis	1	1	0
008,009	Enteritis and other diarrheal diseases	63	22	41
008	Enteritis due to other specified organism	5	4	1
009	Diarrheal disease	58	18	40
010-019	Tuberculosis, all forms	52	20	32
010-012	Respiratory	39	16	23
011	Pulmonary	35	15	20
012	Other respiratory	4	1	3
013-018	Other forms	6	1	5
015	Bones and joints	1	0	1
018	Disseminated	5	1	4
019	Late effects of tuberculosis	7	3	4
020-027	Zoonotic bacterial diseases	0	0	0
030-039	Other bacterial diseases	98	51	47
031	Other diseases due to mycobacteria	1	0	1
033	Whooping cough	1	1	0
034	Streptococcal sore throat and scarlet fever	1	0	1
036	Meningococcal infection	5	2	3
037	Tetanus	1	0	1
038	Septicemia	70	34	36
039	Other bacterial diseases	19	14	5
040-046	Poliomyelitis and other enterovirus diseases of central nervous system	4	1	3
044	Late effects of acute poliomyelitis	1	1	0
045	Aseptic meningitis due to enterovirus	2	0	2
046	Other enterovirus diseases of central nervous system	1	0	1
050-057	Viral diseases accompanied by exanthem	4	3	1
052	Chickenpox	1	1	0
053	Herpes zoster	2	2	0
054	Herpes simplex	1	0	1
060-068	Arthropod-borne viral diseases	18	9	9
062-065	Viral encephalitis	17	8	9
062	Mosquito-borne	11	6	5
065	Unspecified	6	2	4
066	Late effects of viral encephalitis	1	1	0
070-079	Other viral diseases	21	9	12
070	Infectious hepatitis	15	7	8
074	Specific diseases due to Coxsackie virus	2	0	2

Table 8-76 - Page 2
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total	White	Non-white
079	Other viral diseases	4	2	2
080-089	Rickettsioses and other arthropod-borne diseases	2	1	1
080-083	Typhus and other rickettsioses	2	1	1
082	Tick-borne rickettsioses	1	0	1
083	Other rickettsioses	1	1	0
090-099	Syphilis and other venereal diseases	1	0	1
090-097	Syphilis and its sequelae	1	0	1
093	Cardiovascular	1	0	1
100-104	Other spirochetal diseases	0	0	0
110-117	Mycoses	6	4	2
115	Histoplasmosis	2	2	0
116	Blastomycosis	2	1	1
117	Other systemic mycosis	2	1	1
120-129	Helminthiases	0	0	0
130-136	Other infective and parasitic diseases	11	6	5
130	Toxoplasmosis	1	0	1
135	Sarcoidosis	3	1	2
136	Other and unspecified infective and parasitic diseases	7	5	2
140-239	NEOPLASMS	3,757	2,506	1,251
140-209	Malignant neoplasms	3,733	2,494	1,239
140-149	Buccal cavity and pharynx	75	61	14
141	Tongue	22	20	2
142	Salivary gland	5	5	0
143	Gum	3	3	0
144	Floor of mouth	2	2	0
145	Other and unspecified parts of mouth	10	5	5
146	Oropharynx	9	8	1
147	Nasopharynx	9	7	2
148	Hypopharynx	8	6	2
149	Pharynx, unspecified	7	5	2
150-159	Digestive organs and peritoneum	933	598	335
150	Esophagus	79	38	41
151	Stomach	150	71	79
152	Small intestine, including duodenum	3	2	1
153	Large intestine, except rectum	342	248	94
154	Rectum and rectosigmoid junction	61	40	21
155	Liver and intrahepatic bile ducts, specified as primary	30	17	13
156	Gallbladder and bile ducts	24	18	6
157	Pancreas	224	148	76
158	Peritoneum and retroperitoneal tissue	7	5	2
159	Unspecified digestive organs	13	11	2
160-163	Respiratory system	949	699	250
160	Nose, nasal cavities, middle ear, and accessory sinuses	1	1	0
161	Larynx	24	19	5
162	Trachea, bronchus, and lung	914	671	243
163	Other and unspecified respiratory organs	10	8	2

Table 8-76 - Page 3
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total	White	Non-white
170-174	Bone, connective tissue, skin, and breast	362	255	107
170	Bone	26	20	6
171	Connective and other soft tissue	17	11	6
172	Melanoma of skin	34	31	3
173	Skin, other	19	15	4
174	Breast	266	178	88
180-189	Genitourinary organs	618	335	283
(180-187)	(Genital organs)	477	236	241
180	Cervix uteri	75	37	38
181	Chorionepithelioma	1	0	1
182	Uterus, other	53	28	25
183	Ovary, fallopian tube, and broad ligament	72	49	23
184	Other and unspecified female genital organs	13	9	4
185	Prostate	258	109	149
186	Testis	4	4	0
187	Other and unspecified male genital organs	1	0	1
(188,189)	(Urinary organs)	141	99	42
188	Bladder	75	54	21
189	Other and unspecified urinary organs	66	45	21
190-199	Other and unspecified sites	428	287	141
190	Eye	4	2	2
191	Brain	84	75	9
192	Other parts of nervous system	23	20	3
193	Thyroid gland	11	7	4
194	Other endocrine glands	1	1	0
195	Ill-defined sites	31	15	16
196	Lymph nodes, secondary and unspecified	1	0	1
197	Respiratory and digestive systems, secondary	97	60	37
198	Other secondary	18	11	7
199	Site unspecified	158	96	62
200-209	Lymphatic and hematopoietic tissue	368	259	109
200	Lymphosarcoma and reticulum-cell sarcoma	44	34	10
201	Hodgkin's disease	28	20	8
202	Lymphoid tissue, other	42	40	2
203	Multiple myeloma	71	30	41
208	Polycythemia vera	6	6	0
209	Myelofibrosis	12	8	4
(204-207)	(Leukemia)	165	121	44
204	Lymphatic	54	35	19
205	Myeloid	71	58	13
206	Monocytic	2	2	0
207	Other and unspecified	38	26	12
210-228	Benign neoplasms	14	8	6
212	Benign neoplasm of respiratory system	1	1	0
215	Other benign neoplasm of muscular and connective tissue	1	0	1
216	Benign neoplasm of skin	1	1	0
217	Benign neoplasm of breast	1	0	1
218	Uterine fibroma	1	0	1
225	Benign neoplasm of brain and other parts of nervous system	5	4	1

Table 8-76 - Page 4
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total	White	Non-white
226	Benign neoplasm of endocrine glands	2	1	1
227	Hemangioma and lymphangioma	2	1	1
230-239	Neoplasms of unspecified nature	10	4	6
231	Respiratory organs	1	1	0
237	Other genitourinary organs	1	0	1
238	Eye, brain, and other parts of nervous system	7	3	4
239	Other and unspecified organs	1	0	1
240-279	ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES	476	235	241
240-246	Diseases of thyroid gland	5	2	3
242	Thyrotoxicosis with or without goiter	2	0	2
244	Myxedema	2	1	1
245	Thyroiditis	1	1	0
250-258	Diseases of other endocrine glands	398	194	204
250	Diabetes mellitus	377	182	195
251	Disorders of pancreatic internal secretion other than diabetes mellitus	4	3	1
252	Diseases of parathyroid gland	1	1	0
253	Diseases of pituitary gland	3	1	2
255	Diseases of adrenal glands	4	0	4
256	Ovarian dysfunction	1	1	0
258	Polyglandular dysfunction and other diseases of endocrine glands	8	6	2
260-269	Avitaminoses and other nutritional deficiency	38	18	20
263	Other vitamin B deficiency	1	0	1
266	Other vitamin deficiency states	1	1	0
268	Nutritional marasmus	5	2	3
269	Other nutritional deficiency	31	15	16
270-279	Other metabolic diseases	35	21	14
273	Other and unspecified congenital disorders of metabolism	10	7	3
274	Gout	3	2	1
275	Plasma protein abnormalities	2	0	2
276	Amyloidosis	1	0	1
277	Obesity not specified as of endocrine origin	15	9	6
279	Other and unspecified metabolic diseases	4	3	1
280-289	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	67	33	34
280-285	Anemias	45	22	23
281	Other deficiency	3	3	0
282	Hereditary hemolytic	6	3	3
283	Acquired hemolytic	1	1	0
284	Aplastic	11	7	4
285	other and unspecified	24	8	16
286	Coagulation defects	8	3	5
287	Purpura and other hemorrhagic conditions	9	5	4
288	Agranulocytosis	1	1	0
289	Other diseases of blood and blood-forming organs	4	2	2

Table 8-76 - Page 5
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total	White	Non-white
290-315	MENTAL DISORDERS	97	58	39
290-299	Psychoses	21	12	9
290	Senile and presenile dementia	5	4	1
291	Alcoholic psychosis	9	5	4
293	Psychosis associated with other cerebral condition	1	1	0
294	Psychosis associated with other physical conditions	1	1	0
295	Schizophrenia	2	0	2
296	Affective psychoses	1	0	1
299	Unspecified psychosis	2	1	1
300-309	Neuroses, personality disorders, and other non-psychotic mental disorders	71	44	27
303	Alcoholism	48	29	19
306	Special symptoms not elsewhere classified	1	0	1
309	Mental disorders not specified as psychotic associated with physical conditions	22	15	7
310-315	Mental retardation	5	2	3
313	Severe	2	0	2
315	Unspecified	3	2	1
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	188	114	74
320-324	Inflammatory diseases of central nervous system	50	26	24
320	Meningitis	37	17	20
321	Phlebitis and thrombophlebitis of intracranial venous sinuses	1	1	0
322	Intracranial and intraspinal abscess	3	3	0
323	Encephalitis, myelitis, and encephalomyelitis	8	4	4
324	Late effects of intracranial abscess or pyogenic infection	1	1	0
330-333	Hereditary and familial diseases of nervous system	13	10	3
330	Hereditary neuromuscular disorders	8	6	2
331	Hereditary diseases of the striatopallidal system	5	4	1
340-349	Other diseases of central nervous system	115	71	44
340	Multiple sclerosis	8	7	1
341	Other demyelinating diseases of central nervous system	1	0	1
342	Paralysis agitans	21	17	4
343	Cerebral spastic infantile paralysis	6	3	3
344	Other cerebral paralysis	6	3	3
345	Epilepsy	26	3	23
347	Other diseases of brain	24	16	8
348	Motor neurone disease	22	22	0
349	Other diseases of spinal cord	1	0	1
350-358	Diseases of nerves and peripheral ganglia	5	4	1
354	Polyneuritis and polyradiculitis	3	3	0
357	Other diseases of peripheral nerves except autonomic	2	1	1

Table 8-76 - Page 6
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total	White	Non-white
360-369	Inflammatory diseases of the eye	0	0	0
370-379	Other diseases and conditions of eye	2	0	2
379	Blindness	2	0	2
380-389	Diseases of the ear and mastoid process	3	3	0
381-383	Otitis media and mastoiditis	3	3	0
381	Otitis media without mention of mastoiditis	2	2	0
383	Mastoiditis without mention of otitis media	1	1	0
390-458	DISEASES OF THE CIRCULATORY SYSTEM	11,400	7,421	3,979
390-392	Active rheumatic fever	4	0	4
391	Rheumatic fever with heart involvement	4	0	4
393-398	Chronic rheumatic heart disease	68	42	26
394	Diseases of mitral valve	24	15	9
395	Diseases of aortic valve	29	21	8
396	Diseases of mitral and aortic valves	7	3	4
397	Diseases of other endocardial structures	2	0	2
398	Other heart disease, specified as rheumatic	6	3	3
400-404	Hypertensive disease	231	89	142
400,401, 403	Hypertension	111	41	70
400	Malignant hypertension	21	3	18
401	Essential benign hypertension	28	9	19
403	Hypertensive renal disease	62	29	33
402,404	Hypertensive heart disease with or without renal disease	120	48	72
402	Hypertensive heart disease	85	27	58
404	Hypertensive heart and renal disease	35	21	14
410-414	Ischemic heart disease	6,463	4,523	1,940
410	Acute myocardial infarction	3,706	2,766	940
411	Other acute and subacute forms of ischemic heart disease	61	35	26
412	Chronic ischemic heart disease	2,695	1,722	973
413	Angina pectoris	1	0	1
420-429	Other forms of heart disease	1,031	591	440
421	Acute and subacute endocarditis	3	3	0
422	Acute myocarditis	9	6	3
423	Chronic disease of pericardium, nonrheumatic	12	8	4
424	Chronic disease of endocardium	15	8	7
425	Cardiomyopathy	28	12	16
426	Pulmonary heart disease	7	5	2
427	Symptomatic heart disease	636	375	261
428	Other myocardial insufficiency	44	28	16
429	Ill-defined heart disease	277	146	131
430-438	Cerebrovascular disease	2,789	1,665	1,124
430	Subarachnoid hemorrhage	74	56	18
431	Cerebral hemorrhage	353	206	147
432	Occlusion of precerebral arteries	25	19	6
433	Cerebral thrombosis	537	345	192
434	Cerebral embolism	5	4	1

Table 8-76 - Page 7
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total	White	Non-white
435	Transient cerebral ischemia	1	0	1
436	Acute but ill-defined cerebrovascular disease	1,350	731	619
437	Generalized ischemic cerebrovascular disease	407	280	127
438	Other and ill-defined cerebrovascular disease	37	24	13
440-448	Diseases of arteries, arterioles, and capillaries	523	358	165
440	Arteriosclerosis	281	193	88
441-448	Other diseases of arteries, arterioles, and capillaries	242	165	77
441	Aortic aneurysm (nonsyphilitic)	118	93	25
442	Other aneurysm	15	9	6
443	Other peripheral vascular disease	9	3	6
444	Arterial embolism and thrombosis	57	42	15
445	Gangrene	31	13	18
446	Polyarteritis nodosa and allied conditions	6	3	3
447	Other diseases of arteries and arterioles	5	1	4
448	Diseases of capillaries	1	1	0
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system	291	153	138
450-453	Venous thrombosis and embolism	269	141	128
450	Pulmonary embolism and infarction	222	111	111
451	Phlebitis and thrombophlebitis	33	25	8
452	Portal vein thrombosis	2	2	0
453	Other venous embolism and thrombosis	12	3	9
454-458	Other diseases of the circulatory system	22	12	10
454	Varicose veins of lower extremities	3	2	1
455	Hemorrhoids	1	1	0
456	Varicose veins of other sites	4	3	1
457	Noninfective disease of lymphatic channels	1	1	0
458	Other diseases of circulatory system	13	5	8
460-519	DISEASES OF THE RESPIRATORY SYSTEM	1,234	880	354
460-466	Acute respiratory infections, except influenza	15	7	8
460	Acute nasopharyngitis (common cold)	1	0	1
463	Acute tonsillitis	2	0	2
464	Acute laryngitis and tracheitis	1	0	1
465	Acute upper respiratory infection of multiple or unspecified sites	4	2	2
466	Acute bronchitis and bronchiolitis	7	5	2
470-474	Influenza	122	83	39
470	Unqualified	45	31	14
471	With pneumonia	74	51	23
472	With other respiratory manifestations	3	1	2
480-486	Pneumonia	558	350	208
480	Viral	24	15	9
481,482	Bacterial	53	35	18
481	Pneumococcal	36	23	13
482	Other bacterial	17	12	5
483	Due to other specified organism	4	2	2
484	Acute interstitial, organism unspecified	2	1	1
485	Broncho, organism unspecified	110	73	37

Table 8-76 - Page 8
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total	White	Non-white
486	Unspecified	365	224	141
490-493	Bronchitis, emphysema, and asthma	235	200	35
490,491	Chronic and unqualified bronchitis	35	30	5
490	Unqualified	7	6	1
491	Chronic	28	24	4
492	Emphysema	181	159	22
493	Asthma	19	11	8
500-508	Other diseases of upper respiratory tract	3	1	2
500	Hypertrophy of tonsils and adenoids	1	0	1
503	Chronic sinusitis	1	0	1
508	Other diseases of upper respiratory tract	1	1	0
510-519	Other diseases of respiratory system	301	239	62
510	Empyema	6	4	2
511	Pleurisy	3	2	1
512	Spontaneous pneumothorax	1	0	1
513	Abscess of lung	10	7	3
514	Pulmonary congestion and hypostasis	13	8	5
515	Pneumoconiosis due to silica and silicates	2	1	1
517	Other chronic interstitial pneumonia	32	24	8
518	Bronchiectasis	12	8	4
519	Other diseases of respiratory system	222	185	37
520-577	DISEASES OF THE DIGESTIVE SYSTEM	651	453	198
520-529	Diseases of oral cavity, salivary glands, and jaws	2	0	2
520-525	Diseases of teeth and supporting structures	1	0	1
523	Periodontal diseases	1	0	1
528	Diseases of the oral soft tissues, excluding gingiva and tongue	1	0	1
530-537	Diseases of esophagus, stomach, and duodenum	101	73	28
530	Diseases of esophagus	8	7	1
531-533	Peptic ulcer	71	50	21
531	Ulcer of stomach	30	19	11
532	Ulcer of duodenum	25	19	6
533	Peptic ulcer, site unspecified	16	12	4
534	Gastrojejunal ulcer	11	8	3
535	Gastritis and duodenitis	5	2	3
536	Disorders of function of stomach	1	1	0
537	Other diseases of stomach and duodenum	5	5	0
540-543	Appendicitis	15	6	9
540	Acute appendicitis	12	4	8
541	Appendicitis, unqualified	3	2	1
550-553	Hernia of abdominal cavity	23	13	10
550	Inguinal, without mention of obstruction	2	1	1
551	Other, of abdominal cavity without mention of obstruction	8	4	4
552	Inguinal, with obstruction	4	2	2
553	Other, of abdominal cavity with obstruction	9	6	3
560-569	Other diseases of intestine and peritoneum	152	108	44

Table 8-76 - Page 9
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total	White	Non-white
560	Intestinal obstruction without mention of hernia	44	30	14
562	Diverticula of intestine	32	27	5
563	Chronic enteritis and ulcerative colitis	4	2	2
564	Functional disorders of intestines	1	1	0
566	Abscess of anal and rectal regions	2	1	1
567	Peritonitis	9	6	3
568	Peritoneal adhesions	1	1	0
569	Other diseases of intestines and peritoneum	59	40	19
570-577	Diseases of liver, gallbladder, and pancreas	358	253	105
570	Acute and subacute necrosis of liver	5	1	4
571	Cirrhosis of liver	221	169	52
572	Suppurative hepatitis and liver abscess	3	1	2
573	Other diseases of liver	29	18	11
574,575	Cholelithiasis, cholecystitis, and cholangitis	42	31	11
574	Cholelithiasis	18	12	6
575	Cholecystitis and cholangitis, without mention of calculus	24	19	5
576	Other diseases of gallbladder and biliary ducts	10	5	5
577	Diseases of pancreas	48	28	20
580-629	DISEASES OF THE GENITOURINARY SYSTEM	416	210	206
580-584	Nephritis and nephrosis	150	55	95
580,581	Acute nephritis and nephrotic syndrome	41	20	21
580	Acute nephritis	32	15	17
581	Nephrotic syndrome	9	5	4
582-584	Chronic and unqualified nephritis and renal sclerosis	109	35	74
582	Chronic nephritis	103	32	71
583	Nephritis, unqualified	5	2	3
584	Renal sclerosis, unqualified	1	1	0
590-599	Other diseases of urinary system	229	130	99
590	Infections of kidney	78	50	28
591	Hydronephrosis	2	2	0
592,594	Calculus of urinary system	5	3	2
592	Of kidney and ureter	4	3	1
594	Of other parts of urinary system	1	0	1
593	Other diseases of kidney and ureter	86	39	47
596	Other diseases of bladder	5	4	1
598	Stricture of urethra	1	1	0
599	Other diseases of urinary tract	52	31	21
600-607	Diseases of male genital organs	29	18	11
600	Hyperplasia of prostate	23	13	10
601	Prostatitis	2	1	1
602	Other diseases of prostate	2	2	0
607	Other diseases of male genital organs	2	2	0
610-616	Diseases of breast, ovary, fallopian tube, and parametrium	1	1	0
616	Diseases of parametrium and pelvic peritoneum (female)	1	1	0

Table 8-76 - Page 10
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total	White	Non-white
620-629	Diseases of uterus and other female genital organs	7	6	1
621	Other diseases of cervix	1	1	0
623	Uterovaginal prolapse	1	1	0
625	Other diseases of uterus	2	1	1
629	Other diseases of female genital organs	3	3	0
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	8	4	4
630-634	Complications of pregnancy	3	0	3
631	Ectopic pregnancy	2	0	2
634	Other complications of pregnancy	1	0	1
635-639	Urinary infections and toxemias of pregnancy and the puerperium	4	3	1
636-639	Toxemias of pregnancy and the puerperium, except abortion with toxemia	4	3	1
637	Pre-eclampsia, eclampsia, and toxemia, unspecified	4	3	1
640-645	Abortion	0	0	0
650-662	Delivery	0	0	0
670-678	Complications of the puerperium	1	1	0
670,671, 673	Sepsis of childbirth and the puerperium	1	1	0
673	Puerperal pulmonary embolism	1	1	0
680-709	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	34	16	18
680-686	Infections of skin and subcutaneous tissue	5	3	2
682	Other cellulitis and abscess	4	2	2
686	Other local infections of skin and subcutaneous tissue	1	1	0
690-698	Other inflammatory conditions of skin and subcutaneous tissue	11	5	6
692	Other eczema and dermatitis	1	1	0
694	Pemphigus	2	1	1
695	Erythematous conditions	6	1	5
696	Psoriasis and similar disorders	2	2	0
700-709	Other diseases of skin and subcutaneous tissue	18	8	10
707	Chronic ulcer of skin	18	8	10
710-738	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	70	49	21
710-718	Arthritis and rheumatism, except rheumatic fever	37	24	13
710-715	Arthritis and spondylitis	33	23	10
710	Acute arthritis due to pyogenic organisms	1	0	1
712	Rheumatoid arthritis and allied conditions	18	15	3
713	Osteoarthritis and allied conditions	8	4	4
715	Arthritis, unspecified	6	4	2

Table 8-76 - Page 11
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total	White	Non-white
716-718	Nonarticular rheumatism and rheumatism unspecified	4	1	3
716	Polymyositis and dermatomyositis	3	1	2
718	Rheumatism, unspecified	1	0	1
720-729	Osteomyelitis and other diseases of bone and joint	11	7	4
720	Osteomyelitis and periostitis	4	2	2
721	Osteitis deformans	1	0	1
723	Other diseases of bone	1	1	0
725	Displacement of intervertebral disc	1	1	0
729	Other diseases of joint	4	3	1
730-738	Other diseases of musculoskeletal system	22	18	4
730	Bunion	1	1	0
732	Infective myositis and other inflammatory diseases of tendon and fascia	1	0	1
733	Other diseases of muscle, tendon, and fascia	4	3	1
734	Diffuse diseases of connective tissue	14	12	2
738	Other deformities	2	2	0
740-759	CONGENITAL ANOMALIES	176	105	71
740-743	Nervous system	31	14	17
740	Anencephalus	9	5	4
741	Spina bifida	5	3	2
742	Congenital hydrocephalus	11	4	7
743	Other congenital anomalies of nervous system	6	2	4
745	Ear, face, and neck	1	0	1
746,747	Circulatory system	84	55	29
746	Heart	68	43	25
747	Other of circulatory system	16	12	4
748	Respiratory system	12	5	7
749-751	Digestive system	12	6	6
750	Other congenital anomalies of upper alimentary tract	3	2	1
751	Other congenital anomalies of digestive system	9	4	5
752,753	Genitourinary system	11	11	0
752	Genital organs	1	1	0
753	Urinary system	10	10	0
754-756	Musculoskeletal system	4	3	1
756	Other congenital anomalies of musculoskeletal system	4	3	1
757	Skin, hair, and nails	1	0	1
758	Other and unspecified	3	1	2
759	Congenital syndromes affecting multiple systems	17	10	7
760-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	454	176	278
761	Other maternal conditions unrelated to pregnancy	3	2	1
762	Toxemia of pregnancy	1	0	1
763	Maternal ante- and intrapartum infection	4	0	4
764-768	Difficult labor	3	1	2

Table 8-76 - Page 12
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total	White	Non-white
765	With disproportion, but no mention of abnormality of pelvis	1	0	1
766	With malposition of fetus	1	1	0
767	With abnormality of forces of labor	1	0	1
769	Other complications of pregnancy and childbirth	50	25	25
770,771	Conditions of placenta and cord	20	8	12
770	Of placenta	14	6	8
771	Of umbilical cord	6	2	4
772	Birth injury without mention of cause	13	7	6
774,775	Hemolytic disease of newborn	5	4	1
775	Without mention of kernicterus	5	4	1
776	Anoxic and hypoxic conditions not elsewhere classifiable	247	95	152
777	Immaturity, unqualified	72	25	47
778	Other conditions of fetus or newborn	36	9	27
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	1,766	703	1,063
780-789	Symptoms referable to systems or organs	105	62	43
780	Certain symptoms referable to nervous system and special senses	1	0	1
782	Symptoms referable to cardiovascular and lymphatic system	93	58	35
783	Symptoms referable to respiratory system	2	0	2
784	Symptoms referable to upper gastrointestinal tract	1	1	0
785	Symptoms referable to abdomen and lower gastro-intestinal tract	1	0	1
788	Other general symptoms	7	3	4
790-796	Senility and ill-defined diseases	1,661	641	1,020
790	Nervousness and debility	2	1	1
792	Uremia	7	3	4
794	Senility without mention of psychosis	39	12	27
795	Sudden death (cause unknown)	78	22	56
796	Other ill-defined and unknown causes	1,535	603	932
800-999	ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE)	2,045	1,215	830
800-949	Accidents	1,476	926	550
800-807	Railway	8	3	5
802	Involving derailment without antecedent collision	1	0	1
804	Fall in, on, or from train	1	0	1
805	Hit by rolling stock	6	3	3
810-823	Motor vehicle	696	472	224
(810-819)	(Traffic)	679	461	218
810	Involving collision with train	25	22	3
812	Involving collision with another motor vehicle	243	178	65

Table 8-76 - Page 13
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total	White	Non-white
813	Involving collision with other vehicle	8	5	3
814	Involving collision with pedestrian	95	43	52
815	Other involving collision	34	25	9
816	Noncollision due to loss of control	189	137	52
818	Other noncollision	9	6	3
819	Of unspecified nature	76	45	31
(820-823)	(Nontraffic)	17	11	6
820	Involving collision with moving object	10	5	5
821	Involving collision with stationary object	1	0	1
823	Of other and unspecified nature	6	6	0
825-827	Other road vehicle	2	1	1
826	Pedal cycle	1	0	1
827	Other nonmotor road vehicle	1	1	0
830-838	Water transport	33	27	6
830	Accident to watercraft causing submersion	13	11	2
831	Accident to watercraft causing other injury	1	1	0
832	Other submersion or drowning in water transport	18	14	4
838	Other and unspecified water transport accident	1	1	0
840-845	Air and space transport	11	9	2
841	Accident to powered aircraft, other and unspecified	8	7	1
844	Other specified air transport accidents	3	2	1
850-877	Poisoning	48	26	22
(850-859)	(By drugs and medicaments)	22	14	8
852	Primarily systemic and hematologic agents	1	0	1
853	Analgesics and antipyretics	7	4	3
854	Other sedatives and hypnotics	3	3	0
856	Other central nervous system depressants and stimulants	2	1	1
857	Cardiovascular drugs	3	2	1
859	Other and unspecified drugs and medicaments	6	4	2
(860-869)	(By other solid and liquid substances)	11	5	6
860	Alcohol	1	0	1
862	Disinfectants	1	1	0
864	Petroleum products and other solvents	1	0	1
865	Pesticides, fertilizers or plant foods	2	0	2
869	Other and unspecified solid and liquid substances	6	4	2
(870-877)	(By gases and vapors)	15	7	8
873	Motor vehicle exhaust gas	13	6	7
875	Other carbon monoxide	1	0	1
876	Other gases and vapors	1	1	0
880-887	Falls	113	86	27
880	On or from stairs and steps	3	1	2
881	On or from ladders or scaffolding	2	1	1
882	From or out of building or other structure	6	4	2
883	Into hole or other opening in surface	2	0	2
884	Other from one level to another	3	1	2
887	Other and unspecified fall	97	79	18
890-899	Caused by fires and flames	144	59	85
890	Conflagration in private dwelling	109	37	72

Table 8-76 - Page 14
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total	White	Non-white
891	Conflagration in other building or structure	1	1	0
892	Conflagration not in building or structure	1	0	1
893	Ignition of clothing	13	7	6
894	Ignition of highly inflammable material	2	1	1
895	Controlled fire in private dwelling	4	3	1
897	Controlled fire not in building or structure	1	1	0
898	Other specified fires or flames	4	4	0
899	Unspecified fire	9	5	4
900-909	Due to natural and environmental factors	27	11	16
900	Excessive heat	2	2	0
901	Excessive cold	7	4	3
904	Hunger, thirst, exposure, and neglect	11	2	9
905	Bites and stings of venomous animals and insects	1	0	1
906	Other accidents caused by animals	2	1	1
908	Cataclysm	4	2	2
910-929	Other accidents	372	222	150
910	Drowning and submersion	98	51	47
911	Inhalation and ingestion of food causing obstruction or suffocation	35	18	17
912	Inhalation and ingestion of other object causing obstruction or suffocation	14	6	8
913	Mechanical suffocation	22	11	11
915	Foreign body accidentally entering other orifice	3	2	1
916	Struck by falling object	21	13	8
917	Striking against or struck by objects	20	14	6
918	Caught in or between objects	2	1	1
919	Over-exertion and strenuous movements	1	0	1
920	Caused by cutting or piercing instruments	2	1	1
921	Caused by explosion of pressure vessel	1	1	0
922	Caused by firearm missiles	68	50	18
923	Caused by explosive material	3	2	1
924	Caused by hot substance, corrosive liquid, and steam	4	2	2
925	Caused by electric current	23	18	5
927	Vehicle accidents not elsewhere classifiable	1	1	0
928	Machinery accidents not elsewhere classifiable	24	16	8
929	Other and unspecified accidents	30	15	15
930-936	Surgical and medical complications and misadventures	16	6	10
930	In operative therapeutic procedures	3	0	3
931	In other and unspecified therapeutic procedures	10	4	6
934	In prophylaxis with other vaccines	1	1	0
935	In other prophylactic procedures	2	1	1
940-949	Late effects of accidental injury	6	4	2
940	Of motor vehicle accident	1	0	1
943	Of accidental fall	1	1	0
946	Of other accident	3	2	1
949	Of other surgical and medical procedures	1	1	0

Table 8-76 - Page 15
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total	White	Non-white
950-959	Suicide and self-inflicted injury	217	181	36
950-952	By poisoning	12	11	1
950	By solid or liquid substances	8	7	1
952	By other gases	4	4	0
953	By hanging, strangulation, and suffocation	17	14	3
954	By submersion (drowning)	3	3	0
955	By firearms and explosives	179	148	31
956	By cutting and piercing instruments	3	3	0
957	By jumping from high place	2	2	0
958	By other and unspecified means	1	0	1
960-978	Homicide and injury purposely inflicted by other persons; legal intervention	308	82	226
960-969	Homicide and injury purposely inflicted by other persons	306	80	226
960	Fight, brawl, rape	1	1	0
963	Assault by hanging and strangulation	8	6	2
965	Assault by firearms and explosives	227	55	172
966	Assault by cutting and piercing instruments	47	10	37
968	Assault by other and unspecified means	23	8	15
970-978	Legal intervention	2	2	0
970	Injury by firearms	2	2	0
980-989	Injury undetermined whether accidentally or purposely inflicted	44	26	18
980	Poisoning by solid or liquid substances	5	3	2
984	Submersion (drowning)	2	1	1
985	Injury by firearms and explosives	24	16	8
986	Injury by cutting and piercing instruments	1	0	1
988	Injury by other and unspecified means	12	6	6
990-999	Injury resulting from operations of war	0	0	0

* Numbers and causes are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

TABLE 9-76
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE, ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1976

International Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
000-999	ALL CAUSES	23,124	9.8	W	14,307	M	8,236	191	36	29	33	263	204	304	798	1,550	4,827	1
						F	6,071	140	24	23	16	83	73	162	344	675	4,530	1
				NW	8,817	M	4,802	336	48	27	34	190	190	236	375	710	2,650	6
						F	4,015	260	50	27	18	65	66	133	290	501	2,600	5
000-136	Infective and parasitic diseases	285	12.0	W	129	M	74	11	2	0	0	0	1	4	5	14	37	0
						F	55	9	0	1	1	1	1	2	5	3	32	0
				NW	156	M	76	24	4	0	1	1	3	2	7	7	27	0
						F	80	23	3	2	0	2	4	5	6	5	30	0
008,009	Enteritis and other diarrheal diseases	63	2.7	W	22	M	6	1	1	0	0	0	0	0	1	2	1	0
						F	16	1	0	1	0	0	1	0	0	2	11	0
				NW	41	M	17	10	2	0	0	0	0	0	0	1	4	0
						F	24	10	1	1	0	1	0	0	0	0	11	0
010-019	Tuberculosis	52	2.2	W	20	M	17	0	0	0	0	0	0	1	1	7	8	0
						F	3	0	0	0	0	0	0	0	1	0	2	0
				NW	32	M	20	0	0	0	0	0	3	1	2	4	10	0
						F	12	0	0	0	0	0	2	2	2	2	4	0
070	Infectious hepatitis	15	0.6	W	7	M	5	0	0	0	0	0	0	1	2	0	2	0
						F	2	0	0	0	0	0	0	1	0	0	1	0
				NW	8	M	2	0	0	0	0	0	0	0	0	1	1	0
						F	6	0	0	0	0	0	1	1	1	0	3	0
140-209	Malignant neoplasms	3,733	157.8	W	2,494	M	1,453	1	5	4	2	9	20	45	170	366	831	0
						F	1,041	2	2	8	3	9	17	42	130	213	615	0
				NW	1,239	M	722	0	0	1	3	12	4	15	55	157	475	0
						F	517	0	2	1	1	8	12	17	70	100	306	0

Table 9-76 - Page 2
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Age Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
210-239	Benign and unspecified neoplasms	24	1.0	W	12	M	4	0	0	0	0	0	0	0	2	0	2	0
						F	8	0	0	0	0	0	0	1	1	1	5	0
				NW	12	M	7	0	0	1	0	1	0	0	1	1	3	0
						F	5	0	0	0	0	0	0	0	2	0	3	0
240-279	Endocrine, nutritional, and metabolic diseases	476	20.1	W	235	M	96	1	0	0	0	4	1	7	9	16	58	0
						F	139	1	0	2	2	0	1	4	10	18	101	0
				NW	241	M	86	4	0	1	0	3	5	6	10	12	45	0
						F	155	3	0	1	0	0	1	5	10	31	104	0
250	Diabetes mellitus	377	15.9	W	182	M	72	0	0	0	0	0	1	7	3	12	49	0
						F	110	0	0	0	2	0	0	2	6	15	85	0
				NW	195	M	61	0	0	1	0	1	3	3	8	10	35	0
						F	134	0	0	0	0	0	1	4	9	29	91	0
260-269	Avitaminoses and other nutritional deficiency	38	1.6	W	18	M	7	0	0	0	0	0	0	0	1	1	5	0
						F	11	1	0	0	0	0	0	0	0	0	10	0
				NW	20	M	14	4	0	0	0	1	0	0	0	0	9	0
						F	6	1	0	0	0	0	0	0	0	0	5	0
280-289	Diseases of the blood and blood-forming organs	67	2.8	W	33	M	16	1	0	0	0	0	0	1	0	4	10	0
						F	17	0	0	0	0	0	1	2	1	1	12	0
				NW	34	M	14	3	1	1	2	1	1	0	0	0	5	0
						F	20	2	1	0	0	2	1	1	1	2	10	0
280-285	Anemias	45	1.9	W	22	M	9	0	0	0	0	0	0	0	0	2	7	0
						F	13	0	0	0	0	0	0	2	0	1	10	0
				NW	23	M	9	1	0	0	2	1	1	0	0	0	4	0
						F	14	1	0	0	0	2	1	0	0	1	9	0
290-315	Mental disorders	97	4.1	W	58	M	38	0	0	0	0	1	1	4	13	11	7	1
						F	20	0	0	0	0	0	2	2	5	2	9	0
				NW	39	M	27	0	0	0	0	2	3	7	7	5	3	0
						F	12	0	0	0	0	0	0	1	2	0	9	0

Table 9-76 - Page 3
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
303	Alcoholism	48	2.0	W	29	M	21	0	0	0	0	1	0	3	11	5	1	0
						F	8	0	0	0	0	0	1	1	5	1	0	0
				NW	19	M	17	0	0	0	0	1	3	6	5	2	0	0
						F	2	0	0	0	0	0	0	0	1	0	1	0
320-389	Diseases of the nervous system and sense organs	188	7.9	W	114	M	69	8	5	5	1	3	3	2	8	12	22	0
						F	45	2	1	0	0	1	2	1	4	8	26	0
				NW	74	M	32	5	2	0	1	2	5	1	6	5	5	0
						F	42	8	3	2	0	3	1	7	4	0	14	0
320	Meningitis	37	1.6	W	17	M	14	6	3	1	0	1	0	1	1	0	1	0
						F	3	1	1	0	0	1	0	0	0	0	0	0
				NW	20	M	7	3	2	0	1	0	1	0	0	0	0	0
						F	13	5	1	0	0	1	1	1	2	0	2	0
345	Epilepsy	26	1.1	W	3	M	1	0	0	0	0	0	0	0	0	0	1	0
						F	2	0	0	0	0	0	0	0	0	0	2	0
				NW	23	M	14	0	0	0	0	1	4	1	4	3	1	0
						F	9	0	0	1	0	2	0	3	1	0	2	0
390-458	Diseases of the circulatory system	11,400	482.0	W	7,421	M	4,036	4	3	1	0	6	13	85	344	726	2,854	0
						F	3,385	3	0	0	1	4	9	45	96	266	2,960	1
				NW	3,979	M	1,992	13	3	1	3	8	18	61	139	330	1,411	5
						F	1,987	3	3	0	2	13	11	46	120	241	1,544	4
390-398, 402, 404-429	Heart diseases	7,686	325.0	W	5,204	M	3,032	3	2	1	0	1	10	77	305	624	2,009	0
						F	2,172	1	0	0	0	0	4	24	61	177	1,905	0
				NW	2,482	M	1,263	10	3	0	2	5	11	31	88	225	884	4
						F	1,219	2	3	0	2	10	4	32	81	166	916	3
400,401, 403	Hypertension	111	4.7	W	41	M	24	0	0	0	0	0	0	1	3	3	17	0
						F	17	0	0	0	0	0	0	1	0	2	13	1
				NW	70	M	35	0	0	0	0	0	1	5	4	4	21	0
						F	35	0	0	0	0	0	1	5	4	3	22	0

Table 9-76 - Page 4
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Age Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
430-438	Cerebrovascular disease	2,789	117.9	W	1,665	M	741	0	1	0	0	4	2	6	29	66	633	0
						F	924	1	0	0	0	3	4	12	21	73	810	0
				NW	1,124	M	527	1	0	1	1	0	3	18	32	85	386	0
						F	597	1	0	0	0	1	2	5	25	53	509	1
440	Arteriosclerosis	281	11.9	W	193	M	76	0	0	0	0	0	0	0	0	4	72	0
						F	117	0	0	0	0	0	0	0	1	3	113	0
				NW	88	M	45	0	0	0	0	0	0	0	2	2	40	1
						F	43	0	0	0	0	0	0	0	0	3	40	0
460-519	Diseases of the respiratory system	1,234	52.2	W	880	M	542	6	2	1	0	6	7	11	29	88	392	0
						F	338	2	2	1	0	2	1	7	16	36	271	0
				NW	354	M	202	31	11	2	2	5	4	6	11	23	107	0
						F	152	23	8	2	2	1	3	4	2	16	91	0
470-474	Influenza	122	5.2	W	83	M	46	0	0	0	0	0	0	3	1	5	37	0
						F	37	0	0	0	0	0	0	0	0	2	35	0
				NW	39	M	18	0	1	0	0	1	1	1	2	1	11	0
						F	21	1	0	0	0	0	0	0	0	4	16	0
480-486	Pneumonia	558	23.6	W	350	M	176	3	2	0	0	4	0	6	8	19	134	0
						F	174	1	1	1	0	1	1	2	2	12	153	0
				NW	208	M	108	26	6	1	2	2	2	3	5	6	55	0
						F	100	18	7	0	2	1	2	4	1	6	59	0
490,491	Chronic and unqualified bronchitis	35	1.5	W	30	M	18	1	0	0	0	0	1	0	0	5	11	0
						F	12	1	0	0	0	0	0	0	1	3	7	0
				NW	5	M	4	0	1	0	0	0	0	0	0	1	2	0
						F	1	0	0	0	0	0	0	0	0	1	0	0
492	Emphysema	181	7.6	W	159	M	123	0	0	0	0	0	2	0	5	28	88	0
						F	36	0	0	0	0	0	0	0	6	4	26	0
				NW	22	M	20	0	0	0	0	0	0	0	1	5	14	0
						F	2	0	0	0	0	0	0	0	0	0	2	0

Table 9-76 - Page 5
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
493	Asthma	19	0.8	W	11	M	2	0	0	0	0	0	0	0	0	0	2	0
						F	9	0	0	0	0	0	0	0	1	1	7	0
				NW	8	M	3	0	0	0	0	0	0	1	0	0	2	0
						F	5	0	0	1	0	0	0	0	0	2	2	0
520-577	Diseases of the digestive system	651	27.5	W	453	M	264	1	0	0	0	2	6	17	45	66	127	0
						F	189	1	0	0	0	2	2	10	16	32	126	0
				NW	198	M	109	3	0	3	1	0	2	13	21	15	51	0
						F	89	3	1	0	0	0	2	10	18	15	40	0
531-533	Peptic ulcer	71	3.0	W	50	M	34	0	0	0	0	0	0	1	4	7	22	0
						F	16	1	0	0	0	0	0	0	0	1	14	0
				NW	21	M	12	0	0	0	0	0	0	0	0	2	10	0
						F	9	0	0	0	0	0	0	0	0	1	8	0
550-553, 560	Hernia and intestinal obstruction	67	2.8	W	43	M	19	0	0	0	0	1	0	0	1	3	14	0
						F	24	0	0	0	0	0	1	0	0	1	22	0
				NW	24	M	14	2	0	0	0	0	0	1	0	1	10	0
						F	10	1	0	0	0	0	0	0	1	2	6	0
571	Cirrhosis of liver	221	9.3	W	169	M	108	0	0	0	0	0	4	11	29	38	26	0
						F	61	0	0	0	0	1	1	8	12	18	21	0
				NW	52	M	31	0	0	1	0	0	1	7	12	3	7	0
						F	21	1	0	0	0	0	1	4	9	3	3	0
580-629	Diseases of the genitourinary system	416	17.6	W	210	M	115	0	0	0	0	0	2	2	2	17	92	0
						F	95	1	0	0	0	2	2	2	2	11	75	0
				NW	206	M	119	1	0	0	1	1	3	1	9	15	88	0
						F	87	0	0	0	0	1	2	3	10	12	59	0
580-584	Nephritis and nephrosis	150	6.3	W	55	M	29	0	0	0	0	0	1	1	1	9	17	0
						F	26	1	0	0	0	1	0	1	1	3	19	0
				NW	95	M	44	0	0	0	0	0	2	0	7	8	27	0
						F	51	0	0	0	0	1	2	0	10	7	31	0

Table 9-76 - Page 6
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Age: Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
590	Infections of kidney	78	3.3	W	50	M	18	0	0	0	0	0	0	0	0	2	16	0
						F	32	0	0	0	0	0	0	0	0	4	28	0
				NW	28	M	17	0	0	0	0	1	0	0	0	2	14	0
						F	11	0	0	0	0	0	0	1	0	2	8	0
630-678	Complications of pregnancy, childbirth, and the puerperium	8	18.6	W	4	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	4	0	0	0	0	3	0	1	0	0	0	0
				NW	4	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	4	0	0	0	0	1	1	2	0	0	0	0
680-709	Diseases of the skin and subcutaneous tissue	34	1.4	W	16	M	6	0	0	0	0	1	0	0	1	0	4	0
						F	10	0	0	0	0	0	0	0	0	2	8	0
				NW	18	M	5	0	0	0	0	0	0	0	0	1	4	0
						F	13	0	0	0	0	1	0	2	0	2	8	0
710-738	Diseases of the musculoskeletal system and connective tissue	70	3.0	W	49	M	22	0	0	1	1	0	2	3	1	5	9	0
						F	27	0	0	0	0	0	1	2	3	6	15	0
				NW	21	M	10	0	0	0	0	1	0	1	0	1	7	0
						F	11	0	0	0	2	0	1	3	0	0	5	0
740-759	Congenital anomalies	176	7.4	W	105	M	50	29	5	2	1	2	2	1	2	3	3	0
						F	55	27	6	1	2	2	3	1	2	4	7	0
				NW	71	M	36	29	2	2	1	1	0	0	0	0	1	0
						F	35	25	5	2	0	1	0	0	1	0	1	0
760-778	Certain causes of mortality in early infancy	454	10.6	W	176	M	106	106	0	0	0	0	0	0	0	0	0	0
						F	70	70	0	0	0	0	0	0	0	0	0	0
				NW	278	M	167	167	0	0	0	0	0	0	0	0	0	0
						F	111	111	0	0	0	0	0	0	0	0	0	0
780-796	Symptoms and ill-defined conditions	1,766	74.7	W	703	M	447	17	0	1	0	4	2	28	48	108	239	0
						F	256	13	2	0	0	0	3	13	17	35	173	0
				NW	1,063	M	579	47	7	2	0	7	14	26	47	89	340	0
						F	484	39	1	0	0	3	6	14	33	54	334	0

Table 9-76 - Page 7
Deaths - Mississippi - 1976

International Classification Number*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Age Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
800-999	Accidents, poisonings, and violence	2,045	86.5	W	1,215	M	898	6	14	14	28	225	144	94	119	114	140	0
						F	317	9	11	10	7	57	28	27	36	37	95	0
				NW	830	M	619	9	18	13	19	145	128	97	62	49	78	1
						F	211	20	23	17	11	29	21	13	11	23	42	1
810-823	Motor vehicle accidents	696	29.4	W	472	M	354	0	7	8	16	119	60	35	35	33	41	0
						F	118	3	5	6	3	36	11	7	13	11	23	0
				NW	224	M	166	1	3	6	5	43	31	25	14	16	21	1
						F	58	3	7	10	1	10	7	0	5	7	7	1
800-807, 825-949	All other accidents	780	33.0	W	454	M	335	6	6	6	11	61	56	31	50	44	64	0
						F	119	5	4	4	2	9	6	7	8	12	62	0
				NW	326	M	218	8	14	6	10	48	27	27	22	15	41	0
						F	108	15	14	7	7	9	5	7	1	13	30	0
950-959	Suicide	217	9.2	W	181	M	136	0	0	0	1	28	17	17	22	22	29	0
						F	45	0	0	0	1	7	6	7	10	9	5	0
				NW	36	M	30	0	0	0	0	6	9	6	4	2	3	0
						F	6	0	0	0	0	3	1	1	0	0	1	0
960-978	Homicide	308	13.0	W	82	M	56	0	0	0	0	16	9	10	9	9	3	0
						F	26	1	2	0	0	4	5	5	1	4	4	0
				NW	226	M	191	0	1	1	3	44	57	37	21	16	11	0
						F	35	2	2	0	2	7	8	5	4	2	3	0

* Numbers and causes are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Total deaths per 1,000 population. Deaths from specific causes per 100,000 population, except deaths from maternal causes (classification numbers 630-678) are per 100,000 live births and deaths from certain causes of mortality in early infancy (classification numbers 760-778) are per 1,000 live births.

TABLE 10-76
INFANT AND NEONATAL DEATHS*, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1976, AND INFANT AND NEONATAL MORTALITY RATES, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1972-1976 (5-YEAR AVERAGE)

County	Infant Deaths						Neonatal Deaths					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	927	331	596	23.8	16.5	31.9	626	243	383	16.5	12.5	20.8
Adams	15	1	14	22.5	13.9	28.5	8	1	7	17.1	11.1	21.2
Alcorn	4	4	0	19.4	18.6	24.0	3	3	0	12.7	12.8	12.0
Amite	3	0	3	27.2	13.8	36.5	2	0	2	17.8	9.2	23.8
Attala	6	3	3	19.6	13.0	25.7	3	3	0	12.0	9.1	14.7
Benton	1	0	1	25.4	26.0	24.6	1	0	1	18.1	16.3	20.5
Bolivar	31	6	25	27.9	20.0	30.4	21	3	18	19.3	14.3	20.8
Calhoun	6	2	4	24.2	16.1	36.6	4	2	2	17.0	14.7	20.3
Carroll	6	1	5	22.9	7.0	34.0	4	1	3	14.3	7.0	19.4
Chickasaw	9	2	7	29.9	18.6	42.0	8	1	7	23.9	13.9	34.6
Choctaw	2	1	1	13.6	10.0	19.1	2	1	1	12.1	10.0	15.3
Claiborne	6	1	5	44.3	22.1	48.9	4	1	3	31.1	22.1	33.0
Clarke	7	3	4	23.0	13.6	32.8	4	2	2	15.4	10.6	20.3
Clay	12	4	8	26.6	21.5	29.5	11	4	7	21.4	20.0	22.1
Coahoma	34	7	27	29.7	16.8	33.6	25	6	19	20.1	14.7	21.7
Copiah	11	3	8	26.2	15.9	32.0	8	3	5	15.3	12.2	17.0
Covington	4	1	3	16.3	7.4	24.2	3	1	2	7.1	3.0	10.8
DeSoto	7	4	3	14.6	11.1	23.9	4	3	1	9.5	8.4	12.4
Forrest	33	16	17	24.0	17.9	35.1	24	11	13	17.2	13.8	23.4
Franklin	4	1	3	20.0	13.4	25.6	3	1	2	13.8	10.0	17.0
George	5	5	0	17.6	14.9	33.2	3	3	0	9.9	8.3	19.0
Greene	6	4	2	29.5	23.8	41.0	5	3	2	19.3	15.3	27.3
Grenada	9	2	7	27.1	11.0	40.8	5	2	3	18.0	9.8	25.1
Hancock	3	1	2	21.8	21.6	22.9	2	1	1	16.0	16.4	13.8
Harrison	52	25	27	19.2	15.6	30.9	36	16	20	13.1	10.6	21.3

Table 10-76 - Page 2
Infant and Neonatal Deaths - Mississippi - 1976

County	Infant Deaths						Neonatal Deaths					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Hinds	72	21	51	17.9	12.4	22.2	51	16	35	13.0	10.2	15.3
Holmes	13	4	9	27.2	17.7	29.0	5	3	2	16.8	12.6	17.6
Humphreys	11	1	10	32.5	5.4	40.9	7	1	6	22.3	2.7	28.4
Issaquena	3	2	1	70.4	82.0	65.8	3	2	1	42.2	82.0	26.3
Itawamba	0	0	0	20.9	19.4	38.1	0	0	0	15.5	14.3	28.6
Jackson	34	23	11	18.4	14.3	31.1	25	16	9	13.0	10.4	21.2
Jasper	8	0	8	29.6	17.4	36.2	7	0	7	23.4	17.4	26.7
Jefferson	2	0	2	22.9	-	25.8	1	0	1	17.2	-	19.3
Jeff Davis	3	1	2	24.9	16.8	28.8	1	1	0	13.2	12.0	13.8
Jones	19	13	6	22.7	19.1	29.6	17	12	5	17.5	14.8	22.7
Kemper	6	0	6	38.0	16.5	45.4	5	0	5	18.0	8.2	21.3
Lafayette	8	4	4	25.2	16.1	38.0	2	1	1	18.8	11.0	29.6
Lamar	3	2	1	16.6	13.7	30.1	0	0	0	13.0	11.5	20.1
Lauderdale	29	8	21	25.5	18.8	34.3	22	6	16	19.4	15.5	24.5
Lawrence	8	3	5	17.7	14.6	21.6	6	3	3	13.3	12.9	13.8
Leake	7	1	6	28.9	19.8	36.0	4	1	3	18.8	16.8	20.4
Lee	17	10	7	26.4	24.7	30.1	12	10	2	19.2	20.3	16.7
Leflore	30	6	24	37.4	27.6	41.7	20	5	15	28.2	23.9	30.0
Lincoln	9	3	6	22.7	14.9	33.5	7	3	4	16.9	13.6	21.4
Lowndes	19	6	13	20.0	11.5	31.5	12	4	8	13.6	8.0	21.1
Madison	15	1	14	22.1	7.6	27.7	11	1	10	13.3	5.7	16.3
Marion	6	1	5	26.8	17.5	40.0	4	1	3	17.8	10.4	28.6
Marshall	16	7	9	23.9	17.0	28.0	8	3	5	14.0	11.0	15.7
Monroe	15	9	6	36.2	28.8	46.0	11	7	4	27.0	22.2	33.4
Montgomery	6	1	5	28.3	17.0	35.9	5	1	4	23.1	14.9	28.7
Neshoba	8	3	5	20.0	18.4	22.1	5	3	2	14.6	15.1	14.0
Newton	10	6	4	33.3	33.1	33.6	7	5	2	23.2	24.2	22.0
Noxubee	12	1	11	48.1	20.9	56.9	10	1	9	30.6	17.9	34.7
Oktibbeha	11	4	7	23.4	10.9	36.1	8	2	6	13.6	6.2	21.2
Panola	12	3	9	32.1	20.5	38.4	6	1	5	22.1	15.6	25.6

Table 10-76 - Page 3
Infant and Neonatal Deaths - Mississippi - 1976

County	Infant Deaths						Neonatal Deaths					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Pearl River	9	8	1	20.9	18.1	30.2	5	4	1	15.8	13.0	25.1
Perry	8	5	3	19.6	15.6	27.2	7	5	2	14.4	12.5	18.1
Pike	9	4	5	24.7	14.3	33.5	7	4	3	17.6	10.0	23.9
Pontotoc	3	2	1	25.0	20.2	46.2	2	1	1	19.3	16.7	30.8
Prentiss	10	7	3	30.2	27.4	43.8	7	6	1	21.1	19.5	29.2
Quitman	11	0	11	36.2	15.4	44.8	8	0	8	24.8	13.4	29.6
Rankin	13	10	3	15.0	13.8	18.6	8	6	2	11.1	10.2	14.2
Scott	6	3	3	20.8	11.1	31.6	5	2	3	12.2	6.8	18.2
Sharkey	4	0	4	21.8	8.4	25.6	2	0	2	13.2	8.4	14.6
Simpson	0	0	0	17.0	11.0	24.3	0	0	0	10.5	11.0	9.9
Smith	7	1	6	20.4	8.8	39.5	1	0	1	11.8	7.5	18.7
Stone	1	1	0	13.2	6.2	25.6	0	0	0	3.9	2.0	7.3
Sunflower	19	3	16	28.9	12.4	33.9	14	3	11	16.9	10.1	19.0
Tallahatchie	14	0	14	35.7	15.3	43.0	8	0	8	19.1	15.3	20.5
Tate	8	6	2	19.6	14.4	24.0	5	3	2	13.1	9.6	16.0
Tippah	7	4	3	23.6	17.6	43.8	4	3	1	16.2	12.3	29.2
Tishomingo	3	3	0	14.7	13.4	44.4	2	2	0	9.2	8.6	22.2
Tunica	9	1	8	27.4	29.7	26.9	4	1	3	16.4	21.2	15.4
Union	7	5	2	28.5	21.2	52.6	5	3	2	20.9	15.9	37.6
Walthall	5	1	4	21.1	10.6	29.1	3	1	2	14.7	8.5	19.4
Warren	20	8	12	30.8	20.6	41.0	15	5	10	24.0	15.3	32.7
Washington	30	9	21	23.4	18.5	25.7	16	6	10	15.4	14.4	15.9
Wayne	8	1	7	26.0	16.1	38.3	6	1	5	20.3	12.6	29.8
Webster	4	1	3	26.7	20.3	41.0	2	1	1	19.1	18.4	20.5
Wilkinson	1	0	1	20.8	13.3	23.6	1	0	1	15.9	8.8	18.5
Winston	6	2	4	24.8	18.5	29.6	4	2	2	17.3	18.5	16.4
Yalobusha	4	1	3	23.8	17.1	29.6	2	1	1	16.7	13.3	19.7
Yazoo	13	4	9	29.2	17.7	35.5	8	2	6	17.7	12.2	20.8

*Infant deaths are those of children under one year of age; neonatal deaths are those of infants under 28 days of age.

**Deaths per 1,000 live births.

TABLE 11-76
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE, ALSO MORTALITY RATES FOR SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1976

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
ALL CAUSES	927	21.6	W	331	243	120	87	21	7	8	88
			NW	596	383	202	125	24	19	13	213
Diarrheal disease (009)	22	0.5	W	2	2	0	0	1	1	0	0
			NW	20	9	1	1	4	1	2	11
Septicemia (038)	29	0.7	W	12	11	0	8	2	1	0	1
			NW	17	14	1	7	1	3	2	3
Other infective and parasitic diseases (000-008, 010-037, 039-136)	16	0.4	W	6	0	0	0	0	0	0	6
			NW	10	3	0	1	1	1	0	7
Meningitis (320)	15	0.3	W	7	2	0	0	0	2	0	5
			NW	8	1	0	0	0	1	0	7
Acute upper respiratory infections (460-465)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	0	0	0	0	0	0	2
Bronchitis and bronchiolitis (466, 490, 491)	4	0.1	W	2	0	0	0	0	0	0	2
			NW	2	0	0	0	0	0	0	2
Influenza and pneumonia (470-486)	49	1.1	W	4	1	0	1	0	0	0	3
			NW	45	9	1	6	2	0	0	36
Hernia and intestinal obstruction (550-553, 560)	3	0.1	W	0	0	0	0	0	0	0	0
			NW	3	2	0	2	0	0	0	1
Congenital anomalies (740-759)	110	2.6	W	56	41	13	16	8	0	4	15
			NW	54	40	17	16	2	3	2	14
Maternal conditions unrelated to pregnancy (760, 761)	3	0.1	W	2	2	2	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0
Toxemia of pregnancy (762)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
Maternal antepartum and intrapartum infection (763)	4	0.1	W	0	0	0	0	0	0	0	0
			NW	4	4	4	0	0	0	0	0
Difficult labor (764-768)	3	0.1	W	1	1	1	0	0	0	0	0
			NW	2	2	1	1	0	0	0	0
Other complications of pregnancy and childbirth (769)	50	1.2	W	25	25	18	7	0	0	0	0
			NW	25	25	22	3	0	0	0	0

Table 11-76 - Page 2
Infant Deaths - Mississippi - 1976

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
Conditions of placenta (770)	14	0.3	W	6	6	5	1	0	0	0	0
			NW	8	8	4	4	0	0	0	0
Conditions of umbilical cord (771)	6	0.1	W	2	2	2	0	0	0	0	0
			NW	4	4	3	1	0	0	0	0
Birth injury without mention of cause (772)	13	0.3	W	7	7	1	4	0	0	2	0
			NW	6	6	0	2	3	1	0	0
Hemolytic disease of newborn (774, 775)	5	0.1	W	4	4	3	1	0	0	0	0
			NW	1	1	0	1	0	0	0	0
Hyaline membrane disease (776.1)	100	2.3	W	41	41	16	20	5	0	0	0
			NW	59	59	28	26	3	2	0	0
Respiratory distress syndrome (776.2)	68	1.6	W	26	24	12	9	2	1	0	2
			NW	42	41	23	14	3	0	1	1
Asphyxia of newborn, unspecified (776.9)	68	1.6	W	25	25	20	4	1	0	0	0
			NW	43	43	33	10	0	0	0	0
Other anoxic and hypoxic conditions not elsewhere classifiable (776.0, 776.3, 776.4)	11	0.2	W	3	3	1	1	1	0	0	0
			NW	8	8	2	6	0	0	0	0
Immaturity, unqualified (777)	72	1.7	W	25	25	18	7	0	0	0	0
			NW	47	46	38	5	2	0	1	1
Hemorrhagic disease of newborn (778.2)	4	0.1	W	1	1	0	1	0	0	0	0
			NW	3	3	0	2	0	1	0	0
Other conditions of newborn (778.0, 778.1, 778.3, 778.9)	32	0.7	W	8	8	5	3	0	0	0	0
			NW	24	24	14	8	0	1	1	0
Symptoms and ill-defined conditions (780-796)	116	2.7	W	30	3	0	2	0	1	0	27
			NW	86	18	6	2	2	4	4	68
Accidents (800-949)	41	1.0	W	14	1	0	0	1	0	0	13
			NW	27	3	0	3	0	0	0	24
All other causes	66	1.5	W	22	8	3	2	0	1	2	14
			NW	44	8	3	3	1	1	0	36

* Deaths of children under 1 year of age.

** Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Deaths per 1,000 live births.

## Less than 0.06.

TABLE 12-76

MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE, ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE, ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE, MISSISSIPPI, 1976

County	Licensure Data			Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	26,772	18,969	7,803	26,772	18,969	7,803	24,112	16,768	7,344
Adams	457	307	150	456	302	154	400	252	148
Alcorn	481	436	45	493	448	45	307	274	33
Amite	146	91	55	156	101	55	124	71	53
Attala	207	128	79	206	123	83	187	113	74
Benton	54	33	21	75	55	20	73	50	23
Bolivar	440	228	212	397	193	204	408	199	209
Calhoun	152	111	41	174	125	49	155	111	44
Carroll	71	39	32	81	43	38	73	36	37
Chickasaw	247	156	91	227	152	75	219	142	77
Choctaw	97	70	27	82	61	21	66	41	25
Claiborne	95	28	67	98	26	72	94	29	65
Clarke	129	84	45	143	98	45	128	81	47
Clay	190	111	79	192	109	83	183	101	82
Coahoma	380	175	205	378	176	202	330	142	188
Copiah	265	135	130	280	149	131	286	153	133
Covington	140	101	39	155	115	40	167	120	47
DeSoto	782	584	198	785	576	209	363	296	67
Forrest	960	747	213	855	657	198	810	617	193
Franklin	80	53	27	84	60	24	72	44	28
George	246	229	17	231	216	15	170	160	10
Greene	81	71	10	107	92	15	83	64	19
Grenada	229	154	75	225	145	80	212	141	71
Hancock	296	268	28	306	279	27	171	156	15
Harrison	2,191	1,853	338	2,184	1,850	334	1,872	1,574	298
Hinds	2,733	1,797	936	2,479	1,605	874	2,495	1,630	865
Holmes	185	67	118	196	70	126	222	87	135
Humphreys	119	44	75	118	42	76	122	44	78
Issaquena	9	5	4	9	6	3	4	2	2
Itawamba	180	172	8	188	180	8	145	137	8
Jackson	1,488	1,254	234	1,494	1,255	239	1,292	1,089	203
Jasper	149	79	70	155	81	74	150	86	64
Jefferson	84	13	71	89	18	71	83	16	67
Jeff Davis	115	56	59	122	59	63	105	55	50
Jones	625	504	121	634	514	120	617	504	113
Kemper	70	40	30	75	47	28	62	36	26
Lafayette	206	142	64	204	140	64	194	131	63
Lamar	143	121	22	203	172	31	210	181	29
Lauderdale	783	570	213	742	526	216	738	536	202
Lawrence	117	82	35	137	96	41	160	101	59
Leake	155	103	52	154	97	57	161	98	63
Lee	687	554	133	675	552	123	694	557	137
Leflore	402	197	205	411	209	202	405	201	204

Table 12-76 - Page 2
Marriages - Mississippi - 1976

	Licensure Data			Occurrence Data			Residence Data		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	284	199	85	287	202	85	244	172	72
Lowndes	524	366	158	518	360	158	476	323	153
Madison	309	139	170	334	145	189	299	134	165
Marion	318	231	87	295	216	79	286	210	76
Marshall	352	226	126	336	206	130	226	124	102
Monroe	306	238	68	345	257	88	293	224	69
Montgomery	144	86	58	151	99	52	149	90	59
Neshoba	205	154	51	213	161	52	176	127	49
Newton	146	92	54	193	135	58	213	148	65
Noxubee	119	46	73	116	43	73	121	45	76
Oktibbeha	266	162	104	271	170	101	269	170	99
Panola	287	179	108	304	191	113	275	170	105
Pearl River	387	365	22	399	376	23	331	302	29
Perry	104	87	17	109	90	19	101	86	15
Pike	356	225	131	378	239	139	369	232	137
Pontotoc	216	181	35	235	200	35	198	172	26
Prentiss	249	230	19	218	199	19	239	222	17
Quitman	126	67	59	133	72	61	133	63	70
Rankin	482	388	94	550	452	98	567	471	96
Scott	267	169	98	247	155	92	259	176	83
Sharkey	85	38	47	87	37	50	87	37	50
Simpson	274	191	83	284	203	81	254	170	84
Smith	106	91	15	142	121	21	119	90	29
Stone	113	100	13	91	79	12	96	84	12
Sunflower	297	126	171	328	148	180	300	131	169
Tallahatchie	143	83	60	139	79	60	122	63	59
Tate	215	139	76	186	122	64	182	125	57
Tippah	211	174	37	214	181	33	214	178	36
Tishomingo	343	338	5	331	326	5	178	176	2
Tunica	119	48	71	116	46	70	94	38	56
Union	210	178	32	201	170	31	192	162	30
Walthall	148	91	57	148	95	53	103	60	43
Warren	536	361	175	528	365	163	481	323	158
Washington	784	458	326	800	461	339	741	422	319
Wayne	189	137	52	187	139	48	144	105	39
Webster	113	89	24	113	93	20	138	112	26
Wilkinson	207	149	58	208	146	62	80	30	50
Winston	181	127	54	181	125	56	165	115	50
Yalobusha	123	92	31	132	100	32	134	97	37
Yazoo	262	137	125	267	145	122	252	131	121
Not reported				2	0	2			
Out of state	*	*	*	*	*	*	2,660	2,201	459

* Information on Mississippi brides who obtained licenses and/or married in other states is not available.

TABLE 13-76
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE, MISSISSIPPI, 1976

County	Total	White	Non-white	County	Total	White	Non-white
STATE	12,243	9,399	2,844				
Adams	225	149	76	Lincoln	107	79	28
Alcorn	143	127	16	Lowndes	246	192	54
Amite	47	36	11	Madison	160	88	72
Attala	86	60	26	Marion	165	135	30
Benton	34	29	5	Marshall	221	149	72
Bolivar	193	115	78	Monroe	174	133	41
Calhoun	61	50	11	Montgomery	49	35	14
Carroll	19	16	3	Neshoba	122	94	28
Chickasaw	71	56	15	Newton	65	42	23
Choctaw	19	14	5	Noxubee	26	17	9
Claiborne	48	14	34	Oktibbeha	111	83	28
Clarke	75	57	18	Panola	126	95	31
Clay	67	37	30	Pearl River	197	181	16
Coahoma	185	91	94	Perry	37	32	5
Copiah	94	54	40	Pike	183	134	49
Covington	75	57	18	Pontotoc	99	86	13
DeSoto	434	409	25	Prentiss	124	119	5
Forrest	530	430	100	Quitman	71	39	32
Franklin	24	16	8	Rankin	333	291	42
George	69	65	4	Scott	128	89	39
Greene	27	24	3	Sharkey	39	19	20
Grenada	101	70	31	Simpson	112	90	22
Hancock	82	77	5	Smith	77	74	3
Harrison	1,093	942	151	Stone	50	38	12
Hinds	1,157	824	333	Sunflower	100	49	51
Holmes	63	26	37	Tallahatchie	51	30	21
Humphreys	38	19	19	Tate	96	75	21
Issaquena	8	3	5	Tippah	87	73	14
Itawamba	75	71	4	Tishomingo	77	75	2
Jackson	805	687	118	Tunica	39	22	17
Jasper	56	34	22	Union	76	68	8
Jefferson	26	5	21	Walthall	32	20	12
Jeff Davis	38	29	9	Warren	283	204	79
Jones	321	258	63	Washington	331	223	108
Kemper	29	21	8	Wayne	60	44	16
Lafayette	119	90	29	Webster	32	24	8
Lamar	118	109	9	Wilkinson	45	21	24
Lauderdale	446	378	68	Winston	51	35	16
Lawrence	59	43	16	Yalobusha	37	29	8
Leake	74	51	23	Yazoo	92	49	43
Lee	350	290	60				
Leflore	148	91	57				

NOTE:

Table 14-76 extends from page 101 through page 121 with identical data for each county as well as for the state.

TABLE 14-76
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	Adams County			Alcorn County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	1	0	1
Malignant neoplasms (140-209)	69	33	36	49	44	5
Diabetes mellitus (250)	10	2	8	4	3	1
Heart diseases (390-398, 402, 404-429)	130	57	73	120	103	17
Hypertension (400, 401, 403)	2	1	1	2	1	1
Cerebrovascular disease (430-438)	26	15	11	28	22	6
Arteriosclerosis (440)	2	1	1	3	3	0
Influenza and pneumonia (470-486)	20	11	9	20	18	2
Bronchitis, emphysema, asthma (490-493)	5	4	1	5	4	1
Cirrhosis of liver (571)	2	1	1	2	2	0
Nephritis and nephrosis (580-584)	4	1	3	0	0	0
Infections of kidney (590)	0	0	0	3	3	0
Maternal causes (630-678)	1	0	1	1	1	0
Congenital anomalies (740-759)	5	2	3	2	2	0
Certain causes of mortality in early infancy (760-778)	4	1	3	2	2	0
Accidents (800-949)	25	7	18	17	16	1
Motor vehicle accidents (810-823)	12	5	7	8	7	1
Suicide (950-959)	4	4	0	3	1	2
Homicide (960-978)	8	2	6	2	1	1
Ill-defined and unknown# (780-796)	16	3	13	7	7	0

	Amite County			Attala County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	29	17	12	41	27	14
Diabetes mellitus (250)	2	0	2	5	2	3
Heart diseases (390-398, 402, 404-429)	40	28	12	97	66	31
Hypertension (400, 401, 403)	0	0	0	2	0	2
Cerebrovascular disease (430-438)	9	6	3	42	23	19
Arteriosclerosis (440)	0	0	0	4	1	3
Influenza and pneumonia (470-486)	4	3	1	5	3	2
Bronchitis, emphysema, asthma (490-493)	0	0	0	3	3	0
Cirrhosis of liver (571)	2	2	0	2	2	0
Nephritis and nephrosis (580-584)	0	0	0	3	2	1
Infections of kidney (590)	1	1	0	1	0	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	0	0	0
Certain causes of mortality in early infancy (760-778)	1	0	1	3	3	0
Accidents (800-949)	12	10	2	13	9	4
Motor vehicle accidents (810-823)	9	7	2	7	5	2
Suicide (950-959)	0	0	0	2	2	0
Homicide (960-978)	2	0	2	3	1	2
Ill-defined and unknown# (780-796)	20	7	13	18	8	10

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	Benton County			Bolivar County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	10	5	5	69	32	37
Diabetes mellitus (250)	1	0	1	4	0	4
Heart diseases (390-398, 402, 404-429)	25	18	7	158	60	98
Hypertension (400, 401, 403)	0	0	0	3	2	1
Cerebrovascular disease (430-438)	7	3	4	66	13	53
Arteriosclerosis (440)	1	1	0	4	3	1
Influenza and pneumonia (470-486)	3	3	0	13	7	6
Bronchitis, emphysema, asthma (490-493)	0	0	0	2	2	0
Cirrhosis of liver (571)	0	0	0	1	0	1
Nephritis and nephrosis (580-584)	0	0	0	6	3	3
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	5	3	2
Certain causes of mortality in early infancy (760-778)	0	0	0	16	2	14
Accidents (800-949)	1	0	1	41	17	24
Motor vehicle accidents (810-823)	0	0	0	20	10	10
Suicide (950-959)	3	3	0	2	0	2
Homicide (960-978)	1	0	1	10	1	9
Ill-defined and unknown# (780-796)	18	9	9	51	3	48

	Calhoun County			Carroll County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	28	21	7	15	8	7
Diabetes mellitus (250)	3	2	1	0	0	0
Heart diseases (390-398, 402, 404-429)	54	47	7	37	22	15
Hypertension (400, 401, 403)	0	0	0	3	1	2
Cerebrovascular disease (430-438)	25	19	6	10	7	3
Arteriosclerosis (440)	0	0	0	0	0	0
Influenza and pneumonia (470-486)	1	1	0	1	1	0
Bronchitis, emphysema, asthma (490-493)	3	3	0	2	2	0
Cirrhosis of liver (571)	0	0	0	2	2	0
Nephritis and nephrosis (580-584)	0	0	0	1	0	1
Infections of kidney (590)	2	2	0	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	1	0	1
Certain causes of mortality in early infancy (760-778)	2	0	2	1	1	0
Accidents (800-949)	9	7	2	11	5	6
Motor vehicle accidents (810-823)	2	2	0	4	1	3
Suicide (950-959)	1	1	0	1	1	0
Homicide (960-978)	4	1	3	0	0	0
Ill-defined and unknown# (780-796)	10	7	3	8	4	4

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	Chickasaw County			Choctaw County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	34	17	17	17	15	2
Diabetes mellitus (250)	3	1	2	3	2	1
Heart diseases (390-398, 402, 404-429)	60	38	22	41	35	6
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	29	14	15	13	12	1
Arteriosclerosis (440)	0	0	0	1	1	0
Influenza and pneumonia (470-486)	6	5	1	2	2	0
Bronchitis, emphysema, asthma (490-493)	0	0	0	1	0	1
Cirrhosis of liver (571)	0	0	0	3	2	1
Nephritis and nephrosis (580-584)	1	0	1	1	1	0
Infections of kidney (590)	0	0	0	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	1	1	0
Certain causes of mortality in early infancy (760-778)	7	1	6	0	0	0
Accidents (800-949)	6	5	1	4	2	2
Motor vehicle accidents (810-823)	3	3	0	3	1	2
Suicide (950-959)	2	2	0	3	3	0
Homicide (960-978)	1	1	0	0	0	0
Ill-defined and unknown# (780-796)	28	20	8	2	1	1

	Claiborne County			Clarke County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	0	0	0
Malignant neoplasms (140-209)	18	7	11	39	22	17
Diabetes mellitus (250)	1	1	0	1	1	0
Heart diseases (390-398, 402, 404-429)	56	10	46	61	41	20
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	9	5	4	30	15	15
Arteriosclerosis (440)	6	0	6	1	1	0
Influenza and pneumonia (470-486)	7	0	7	5	4	1
Bronchitis, emphysema, asthma (490-493)	2	1	1	0	0	0
Cirrhosis of liver (571)	1	1	0	1	0	1
Nephritis and nephrosis (580-584)	0	0	0	4	1	3
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	0	0	0
Certain causes of mortality in early infancy (760-778)	3	1	2	4	2	2
Accidents (800-949)	7	4	3	9	5	4
Motor vehicle accidents (810-823)	2	2	0	7	3	4
Suicide (950-959)	1	0	1	2	2	0
Homicide (960-978)	0	0	0	2	1	1
Ill-defined and unknown# (780-796)	8	0	8	15	7	8

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	Clay County			Coahoma County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	4	0	4
Malignant neoplasms (140-209)	34	22	12	61	17	44
Diabetes mellitus (250)	2	0	2	9	3	6
Heart diseases (390-398, 402, 404-429)	79	44	35	110	47	63
Hypertension (400, 401, 403)	0	0	0	4	0	4
Cerebrovascular disease (430-438)	18	10	8	48	16	32
Arteriosclerosis (440)	2	0	2	6	1	5
Influenza and pneumonia (470-486)	6	3	3	11	3	8
Bronchitis, emphysema, asthma (490-493)	2	2	0	1	1	0
Cirrhosis of liver (571)	0	0	0	1	0	1
Nephritis and nephrosis (580-584)	2	0	2	1	0	1
Infections of kidney (590)	0	0	0	7	4	3
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	3	1	2	2	1	1
Certain causes of mortality in early infancy (760-778)	6	3	3	18	3	15
Accidents (800-949)	17	7	10	26	6	20
Motor vehicle accidents (810-823)	9	3	6	7	2	5
Suicide (950-959)	0	0	0	1	0	1
Homicide (960-978)	5	2	3	6	0	6
Ill-defined and unknown# (780-796)	13	4	9	96	11	85

	Copiah County			Covington County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	2	1	1
Malignant neoplasms (140-209)	62	34	28	22	15	7
Diabetes mellitus (250)	2	0	2	2	2	0
Heart diseases (390-398, 402, 404-429)	105	66	39	52	41	11
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	45	23	22	33	21	12
Arteriosclerosis (440)	3	2	1	4	4	0
Influenza and pneumonia (470-486)	13	6	7	3	1	2
Bronchitis, emphysema, asthma (490-493)	2	1	1	0	0	0
Cirrhosis of liver (571)	4	3	1	0	0	0
Nephritis and nephrosis (580-584)	4	2	2	0	0	0
Infections of kidney (590)	1	0	1	1	0	1
Maternal causes (630-678)	1	0	1	0	0	0
Congenital anomalies (740-759)	1	1	0	2	2	0
Certain causes of mortality in early infancy (760-778)	6	2	4	3	1	2
Accidents (800-949)	17	13	4	14	7	7
Motor vehicle accidents (810-823)	6	6	0	9	5	4
Suicide (950-959)	2	2	0	0	0	0
Homicide (960-978)	2	0	2	1	0	1
Ill-defined and unknown# (780-796)	25	9	16	18	11	7

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	DeSoto County			Forrest County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	4	3	1
Malignant neoplasms (140-209)	60	49	11	89	70	19
Diabetes mellitus (250)	3	2	1	9	8	1
Heart diseases (390-398, 402, 404-429)	66	47	19	208	161	47
Hypertension (400, 401, 403)	1	1	0	5	2	3
Cerebrovascular disease (430-438)	24	14	10	70	48	22
Arteriosclerosis (440)	0	0	0	9	9	0
Influenza and pneumonia (470-486)	7	2	5	28	23	5
Bronchitis, emphysema, asthma (490-493)	2	0	2	9	8	1
Cirrhosis of liver (571)	3	2	1	9	7	2
Nephritis and nephrosis (580-584)	1	1	0	3	2	1
Infections of kidney (590)	1	1	0	3	3	0
Maternal causes (630-678)	1	1	0	0	0	0
Congenital anomalies (740-759)	5	3	2	6	5	1
Certain causes of mortality in early infancy (760-778)	2	2	0	20	9	11
Accidents (800-949)	25	15	10	37	29	8
Motor vehicle accidents (810-823)	13	11	2	14	11	3
Suicide (950-959)	3	3	0	4	3	1
Homicide (960-978)	2	2	0	8	1	7
Ill-defined and unknown# (780-796)	32	12	20	67	33	34

	Franklin County			George County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	2	1	1	0	0	0
Malignant neoplasms (140-209)	12	8	4	24	24	0
Diabetes mellitus (250)	4	1	3	5	5	0
Heart diseases (390-398, 402, 404-429)	42	30	12	48	47	1
Hypertension (400, 401, 403)	2	0	2	0	0	0
Cerebrovascular disease (430-438)	7	4	3	9	8	1
Arteriosclerosis (440)	3	3	0	2	1	1
Influenza and pneumonia (470-486)	2	0	2	1	1	0
Bronchitis, emphysema, asthma (490-493)	1	1	0	1	1	0
Cirrhosis of liver (571)	0	0	0	1	1	0
Nephritis and nephrosis (580-584)	2	0	2	0	0	0
Infections of kidney (590)	0	0	0	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	1	1	1	1	0
Certain causes of mortality in early infancy (760-778)	0	0	0	3	3	0
Accidents (800-949)	7	5	2	12	11	1
Motor vehicle accidents (810-823)	4	3	1	5	4	1
Suicide (950-959)	2	2	0	0	0	0
Homicide (960-978)	0	0	0	1	1	0
Ill-defined and unknown# (780-796)	6	4	2	2	1	1

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	Greene County			Grenada County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	1	0	1
Malignant neoplasms (140-209)	14	13	1	35	19	16
Diabetes mellitus (250)	4	4	0	2	2	0
Heart diseases (390-398, 402, 404-429)	39	33	6	71	47	24
Hypertension (400, 401, 403)	0	0	0	2	0	2
Cerebrovascular disease (430-438)	7	6	1	33	19	14
Arteriosclerosis (440)	3	3	0	0	0	0
Influenza and pneumonia (470-486)	4	3	1	4	4	0
Bronchitis, emphysema, asthma (490-493)	2	2	0	0	0	0
Cirrhosis of liver (571)	1	1	0	0	0	0
Nephritis and nephrosis (580-584)	0	0	0	2	0	2
Infections of kidney (590)	1	1	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	2	2	0
Certain causes of mortality in early infancy (760-778)	5	3	2	1	1	0
Accidents (800-949)	9	7	2	11	6	5
Motor vehicle accidents (810-823)	1	1	0	5	2	3
Suicide (950-959)	1	1	0	2	1	1
Homicide (960-978)	0	0	0	1	0	1
Ill-defined and unknown# (780-796)	0	0	0	31	11	20

Cause and International Classification Number*	Hancock County			Harrison County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	1	0	2	1	1
Malignant neoplasms (140-209)	32	28	4	234	191	43
Diabetes mellitus (250)	10	5	5	20	13	7
Heart diseases (390-398, 402, 404-429)	65	55	10	424	364	60
Hypertension (400, 401, 403)	0	0	0	9	5	4
Cerebrovascular disease (430-438)	20	17	3	102	83	19
Arteriosclerosis (440)	5	5	0	11	10	1
Influenza and pneumonia (470-486)	10	10	0	25	21	4
Bronchitis, emphysema, asthma (490-493)	1	1	0	14	12	2
Cirrhosis of liver (571)	3	2	1	24	21	3
Nephritis and nephrosis (580-584)	1	0	1	3	2	1
Infections of kidney (590)	2	1	1	1	1	0
Maternal causes (630-678)	0	0	0	1	0	1
Congenital anomalies (740-759)	1	0	1	13	8	5
Certain causes of mortality in early infancy (760-778)	1	1	0	26	10	16
Accidents (800-949)	12	11	1	70	53	17
Motor vehicle accidents (810-823)	5	5	0	28	23	5
Suicide (950-959)	1	1	0	19	19	0
Homicide (960-978)	3	2	1	23	14	9
Ill-defined and unknown# (780-796)	21	18	3	29	23	6

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	Hinds County			Holmes County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	4	0	4	0	0	0
Malignant neoplasms (140-209)	342	200	142	40	17	23
Diabetes mellitus (250)	27	11	16	7	0	7
Heart diseases (390-398, 402, 404-429)	600	376	224	92	29	63
Hypertension (400, 401, 403)	5	2	3	1	0	1
Cerebrovascular disease (430-438)	198	115	83	59	17	42
Arteriosclerosis (440)	18	12	6	5	1	4
Influenza and pneumonia (470-486)	62	33	29	8	3	5
Bronchitis, emphysema, asthma (490-493)	20	18	2	5	2	3
Cirrhosis of liver (571)	25	15	10	1	1	0
Nephritis and nephrosis (580-584)	10	4	6	2	0	2
Infections of kidney (590)	7	4	3	1	0	1
Maternal causes (630-678)	1	1	0	0	0	0
Congenital anomalies (740-759)	26	13	13	2	0	2
Certain causes of mortality in early infancy (760-778)	32	10	22	5	3	2
Accidents (800-949)	121	80	41	25	7	18
Motor vehicle accidents (810-823)	51	35	16	15	6	9
Suicide (950-959)	23	19	4	2	1	1
Homicide (960-978)	42	6	36	1	0	1
Ill-defined and unknown# (780-796)	13	5	8	29	0	29

	Humphreys County			Issaquena County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	26	14	12	3	0	3
Diabetes mellitus (250)	3	1	2	0	0	0
Heart diseases (390-398, 402, 404-429)	57	16	41	6	2	4
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	5	1	4	3	1	2
Arteriosclerosis (440)	3	2	1	0	0	0
Influenza and pneumonia (470-486)	2	0	2	0	0	0
Bronchitis, emphysema, asthma (490-493)	3	1	2	1	0	1
Cirrhosis of liver (571)	0	0	0	0	0	0
Nephritis and nephrosis (580-584)	0	0	0	0	0	0
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	3	1	2	0	0	0
Certain causes of mortality in early infancy (760-778)	4	0	4	3	2	1
Accidents (800-949)	18	3	15	3	2	1
Motor vehicle accidents (810-823)	4	0	4	0	0	0
Suicide (950-959)	0	0	0	0	0	0
Homicide (960-978)	4	0	4	0	0	0
Ill-defined and unknown# (780-796)	8	3	5	7	2	5

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	Itawamba County			Jackson County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	3	2	1
Malignant neoplasms (140-209)	34	31	3	105	87	18
Diabetes mellitus (250)	1	1	0	8	8	0
Heart diseases (390-398, 402, 404-429)	71	68	3	212	167	45
Hypertension (400, 401, 403)	0	0	0	3	2	1
Cerebrovascular disease (430-438)	26	23	3	42	39	3
Arteriosclerosis (440)	3	3	0	10	8	2
Influenza and pneumonia (470-486)	5	4	1	25	21	4
Bronchitis, emphysema, asthma (490-493)	4	4	0	9	8	1
Cirrhosis of liver (571)	1	1	0	15	11	4
Nephritis and nephrosis (580-584)	0	0	0	4	3	1
Infections of kidney (590)	0	0	0	3	3	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	10	9	1
Certain causes of mortality in early infancy (760-778)	0	0	0	17	11	6
Accidents (800-949)	9	7	2	62	53	9
Motor vehicle accidents (810-823)	5	4	1	21	19	2
Suicide (950-959)	2	1	1	10	9	1
Homicide (960-978)	0	0	0	8	4	4
Ill-defined and unknown# (780-796)	5	4	1	30	21	9

	Jasper County			Jefferson County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	24	16	8	21	6	15
Diabetes mellitus (250)	0	0	0	2	1	1
Heart diseases (390-398, 402, 404-429)	61	46	15	43	10	33
Hypertension (400, 401, 403)	2	0	2	0	0	0
Cerebrovascular disease (430-438)	23	9	14	8	2	6
Arteriosclerosis (440)	5	4	1	4	2	2
Influenza and pneumonia (470-486)	3	1	2	4	1	3
Bronchitis, emphysema, asthma (490-493)	2	1	1	0	0	0
Cirrhosis of liver (571)	1	1	0	0	0	0
Nephritis and nephrosis (580-584)	1	1	0	3	0	3
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	0	0	0
Certain causes of mortality in early infancy (760-778)	6	0	6	1	0	1
Accidents (800-949)	13	7	6	7	4	3
Motor vehicle accidents (810-823)	6	4	2	2	1	1
Suicide (950-959)	1	1	0	1	1	0
Homicide (960-978)	1	0	1	3	0	3
Ill-defined and unknown# (780-796)	10	7	3	0	0	0

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	Jeff Davis County			Jones County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	1	0	2	1	1
Malignant neoplasms (140-209)	17	11	6	88	73	15
Diabetes mellitus (250)	1	0	1	7	2	5
Heart diseases (390-398, 402, 404-429)	39	21	18	214	185	29
Hypertension (400, 401, 403)	0	0	0	4	2	2
Cerebrovascular disease (430-438)	28	16	12	67	51	16
Arteriosclerosis (440)	1	0	1	12	11	1
Influenza and pneumonia (470-486)	4	2	2	20	15	5
Bronchitis, emphysema, asthma (490-493)	3	3	0	1	1	0
Cirrhosis of liver (571)	1	1	0	11	9	2
Nephritis and nephrosis (580-584)	1	1	0	6	3	3
Infections of kidney (590)	0	0	0	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	5	4	1
Certain causes of mortality in early infancy (760-778)	0	0	0	14	10	4
Accidents (800-949)	18	9	9	26	21	5
Motor vehicle accidents (810-823)	13	7	6	12	10	2
Suicide (950-959)	1	0	1	4	3	1
Homicide (960-978)	3	0	3	6	2	4
Ill-defined and unknown# (780-796)	3	3	0	42	22	20

	Kemper County			Lafayette County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	26	14	12	22	15	7
Diabetes mellitus (250)	1	1	0	3	3	0
Heart diseases (390-398, 402, 404-429)	57	34	23	54	45	9
Hypertension (400, 401, 403)	0	0	0	2	1	1
Cerebrovascular disease (430-438)	10	6	4	25	18	7
Arteriosclerosis (440)	0	0	0	1	1	0
Influenza and pneumonia (470-486)	4	0	4	2	1	1
Bronchitis, emphysema, asthma (490-493)	0	0	0	1	1	0
Cirrhosis of liver (571)	0	0	0	0	0	0
Nephritis and nephrosis (580-584)	0	0	0	0	0	0
Infections of kidney (590)	1	0	1	2	1	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	1	1	0
Certain causes of mortality in early infancy (760-778)	4	0	4	1	1	0
Accidents (800-949)	11	3	8	5	4	1
Motor vehicle accidents (810-823)	7	0	7	4	3	1
Suicide (950-959)	0	0	0	1	0	1
Homicide (960-978)	2	2	0	3	1	2
Ill-defined and unknown# (780-796)	8	5	3	32	6	26

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	Lamar County			Lauderdale County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	1	0	1
Malignant neoplasms (140-209)	28	24	4	99	76	23
Diabetes mellitus (250)	1	1	0	8	2	6
Heart diseases (390-398, 402, 404-429)	59	50	9	184	131	53
Hypertension (400, 401, 403)	0	0	0	3	2	1
Cerebrovascular disease (430-438)	18	14	4	105	68	37
Arteriosclerosis (440)	1	1	0	12	8	4
Influenza and pneumonia (470-486)	4	4	0	32	24	8
Bronchitis, emphysema, asthma (490-493)	6	6	0	9	6	3
Cirrhosis of liver (571)	0	0	0	9	8	1
Nephritis and nephrosis (580-584)	0	0	0	4	2	2
Infections of kidney (590)	0	0	0	4	1	3
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	4	2	2	5	3	2
Certain causes of mortality in early infancy (760-778)	0	0	0	13	4	9
Accidents (800-949)	2	2	0	48	27	21
Motor vehicle accidents (810-823)	1	1	0	23	16	7
Suicide (950-959)	1	1	0	13	10	3
Homicide (960-978)	2	1	1	8	1	7
Ill-defined and unknown# (780-796)	14	11	3	162	87	75

	Lawrence County			Leake County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	26	19	7	32	24	8
Diabetes mellitus (250)	2	0	2	4	0	4
Heart diseases (390-398, 402, 404-429)	47	38	9	85	62	23
Hypertension (400, 401, 403)	1	1	0	1	1	0
Cerebrovascular disease (430-438)	17	11	6	32	21	11
Arteriosclerosis (440)	3	2	1	4	3	1
Influenza and pneumonia (470-486)	6	4	2	6	3	3
Bronchitis, emphysema, asthma (490-493)	6	5	1	1	1	0
Cirrhosis of liver (571)	2	2	0	1	1	0
Nephritis and nephrosis (580-584)	0	0	0	2	0	2
Infections of kidney (590)	0	0	0	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	1	0	1
Certain causes of mortality in early infancy (760-778)	4	1	3	4	1	3
Accidents (800-949)	6	5	1	11	6	5
Motor vehicle accidents (810-823)	2	2	0	2	2	0
Suicide (950-959)	1	1	0	3	2	1
Homicide (960-978)	1	0	1	5	2	3
Ill-defined and unknown# (780-796)	9	2	7	2	1	1

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	Lee County Total	Lee County White	Lee County Non-white	Leflore County Total	Leflore County White	Leflore County Non-white
Tuberculosis (010-019)	0	0	0	1	0	1
Malignant neoplasms (140-209)	83	63	20	64	31	33
Diabetes mellitus (250)	3	2	1	2	1	1
Heart diseases (390-398, 402, 404-429)	201	146	55	143	55	88
Hypertension (400, 401, 403)	0	0	0	6	2	4
Cerebrovascular disease (430-438)	58	44	14	76	39	37
Arteriosclerosis (440)	6	5	1	4	1	3
Influenza and pneumonia (470-486)	11	6	5	14	6	8
Bronchitis, emphysema, asthma (490-493)	6	6	0	2	1	1
Cirrhosis of liver (571)	4	4	0	4	3	1
Nephritis and nephrosis (580-584)	4	2	2	7	3	4
Infections of kidney (590)	2	2	0	2	0	2
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	5	2	3
Certain causes of mortality in early infancy (760-778)	10	8	2	16	4	12
Accidents (800-949)	43	35	8	31	13	18
Motor vehicle accidents (810-823)	28	22	6	9	7	2
Suicide (950-959)	6	4	2	6	4	2
Homicide (960-978)	1	0	1	6	1	5
Ill-defined and unknown# (780-796)	6	3	3	23	4	19

	Lincoln County Total	Lincoln County White	Lincoln County Non-white	Lowndes County Total	Lowndes County White	Lowndes County Non-white
Tuberculosis (010-019)	2	1	1	4	2	2
Malignant neoplasms (140-209)	58	47	11	63	44	19
Diabetes mellitus (250)	5	2	3	9	7	2
Heart diseases (390-398, 402, 404-429)	101	77	24	111	77	34
Hypertension (400, 401, 403)	0	0	0	2	1	1
Cerebrovascular disease (430-438)	30	21	9	46	27	19
Arteriosclerosis (440)	4	3	1	5	4	1
Influenza and pneumonia (470-486)	9	8	1	8	7	1
Bronchitis, emphysema, asthma (490-493)	4	4	0	7	7	0
Cirrhosis of liver (571)	3	3	0	2	2	0
Nephritis and nephrosis (580-584)	2	1	1	3	1	2
Infections of kidney (590)	0	0	0	1	0	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	1	1	0
Certain causes of mortality in early infancy (760-778)	7	3	4	11	3	8
Accidents (800-949)	16	14	2	17	10	7
Motor vehicle accidents (810-823)	7	7	0	9	7	2
Suicide (950-959)	3	3	0	5	5	0
Homicide (960-978)	7	3	4	5	1	4
Ill-defined and unknown# (780-796)	28	14	14	73	29	44

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	Madison County			Marion County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	0	0	0
Malignant neoplasms (140-209)	56	30	26	39	27	12
Diabetes mellitus (250)	4	1	3	5	1	4
Heart diseases (390-398, 402, 404-429)	84	47	37	91	64	27
Hypertension (400, 401, 403)	2	0	2	1	0	1
Cerebrovascular disease (430-438)	27	8	19	37	24	13
Arteriosclerosis (440)	6	4	2	4	2	2
Influenza and pneumonia (470-486)	5	2	3	7	5	2
Bronchitis, emphysema, asthma (490-493)	3	3	0	1	0	1
Cirrhosis of liver (571)	5	5	0	4	4	0
Nephritis and nephrosis (580-584)	3	0	3	0	0	0
Infections of kidney (590)	0	0	0	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	0	2	2	2	0
Certain causes of mortality in early infancy (760-778)	10	1	9	2	0	2
Accidents (800-949)	32	11	21	20	15	5
Motor vehicle accidents (810-823)	15	5	10	8	7	1
Suicide (950-959)	4	4	0	0	0	0
Homicide (960-978)	5	1	4	1	0	1
Ill-defined and unknown# (780-796)	50	3	47	23	11	12

	Marshall County			Monroe County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	45	27	18	56	44	12
Diabetes mellitus (250)	4	0	4	7	2	5
Heart diseases (390-398, 402, 404-429)	71	47	24	151	119	32
Hypertension (400, 401, 403)	0	0	0	1	0	1
Cerebrovascular disease (430-438)	30	13	17	41	30	11
Arteriosclerosis (440)	4	2	2	4	1	3
Influenza and pneumonia (470-486)	3	0	3	9	6	3
Bronchitis, emphysema, asthma (490-493)	2	0	2	7	7	0
Cirrhosis of liver (571)	2	1	1	3	3	0
Nephritis and nephrosis (580-584)	7	2	5	1	0	1
Infections of kidney (590)	0	0	0	1	0	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	1	1	5	3	2
Certain causes of mortality in early infancy (760-778)	5	1	4	6	5	1
Accidents (800-949)	20	14	6	22	14	8
Motor vehicle accidents (810-823)	12	9	3	11	10	1
Suicide (950-959)	0	0	0	5	5	0
Homicide (960-978)	3	1	2	3	2	1
Ill-defined and unknown# (780-796)	30	6	24	22	3	19

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MONTGOMERY, NESHOBA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	Montgomery County			Neshoba County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	21	14	7	39	30	9
Diabetes mellitus (250)	3	1	2	8	4	4
Heart diseases (390-398, 402, 404-429)	62	44	18	71	62	9
Hypertension (400, 401, 403)	1	0	1	1	1	0
Cerebrovascular disease (430-438)	34	23	11	24	20	4
Arteriosclerosis (440)	1	1	0	2	2	0
Influenza and pneumonia (470-486)	0	0	0	7	4	3
Bronchitis, emphysema, asthma (490-493)	2	1	1	2	2	0
Cirrhosis of liver (571)	3	2	1	3	1	2
Nephritis and nephrosis (580-584)	2	2	0	1	0	1
Infections of kidney (590)	1	1	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	2	1	1
Certain causes of mortality in early infancy (760-778)	4	1	3	3	2	1
Accidents (800-949)	8	7	1	14	11	3
Motor vehicle accidents (810-823)	2	2	0	11	9	2
Suicide (950-959)	4	4	0	3	2	1
Homicide (960-978)	0	0	0	3	2	1
Ill-defined and unknown# (780-796)	7	1	6	34	19	15

	Newton County			Noxubee County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	35	25	10	25	10	15
Diabetes mellitus (250)	6	4	2	2	2	0
Heart diseases (390-398, 402, 404-429)	87	63	24	34	16	18
Hypertension (400, 401, 403)	3	2	1	1	0	1
Cerebrovascular disease (430-438)	32	16	16	14	4	10
Arteriosclerosis (440)	1	1	0	0	0	0
Influenza and pneumonia (470-486)	11	8	3	4	2	2
Bronchitis, emphysema, asthma (490-493)	3	3	0	0	0	0
Cirrhosis of liver (571)	1	1	0	0	0	0
Nephritis and nephrosis (580-584)	2	1	1	1	0	1
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	1	1	2	0	2
Certain causes of mortality in early infancy (760-778)	4	4	0	6	1	5
Accidents (800-949)	17	8	9	4	2	2
Motor vehicle accidents (810-823)	9	4	5	0	0	0
Suicide (950-959)	0	0	0	0	0	0
Homicide (960-978)	1	0	1	0	0	0
Ill-defined and unknown# (780-796)	15	8	7	25	5	20

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	Oktibbeha County			Panola County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	1	0	1
Malignant neoplasms (140-209)	38	20	18	38	16	22
Diabetes mellitus (250)	3	3	0	6	3	3
Heart diseases (390-398, 402, 404-429)	88	50	38	119	78	41
Hypertension (400, 401, 403)	2	0	2	3	0	3
Cerebrovascular disease (430-438)	24	18	6	45	16	29
Arteriosclerosis (440)	0	0	0	11	3	8
Influenza and pneumonia (470-486)	6	4	2	7	6	1
Bronchitis, emphysema, asthma (490-493)	4	4	0	1	1	0
Cirrhosis of liver (571)	6	3	3	2	2	0
Nephritis and nephrosis (580-584)	2	1	1	5	0	5
Infections of kidney (590)	0	0	0	1	1	0
Maternal causes (630-678)	0	0	0	1	0	1
Congenital anomalies (740-759)	0	0	0	0	0	0
Certain causes of mortality in early infancy (760-778)	5	1	4	6	0	6
Accidents (800-949)	16	7	9	20	14	6
Motor vehicle accidents (810-823)	11	5	6	10	8	2
Suicide (950-959)	4	3	1	2	2	0
Homicide (960-978)	4	0	4	3	0	3
Ill-defined and unknown# (780-796)	16	5	11	7	5	2

	Pearl River County			Perry County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	0	0	0
Malignant neoplasms (140-209)	48	42	6	19	15	4
Diabetes mellitus (250)	5	3	2	0	0	0
Heart diseases (390-398, 402, 404-429)	69	61	8	34	26	8
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	35	26	9	24	17	7
Arteriosclerosis (440)	7	6	1	0	0	0
Influenza and pneumonia (470-486)	11	11	0	6	5	1
Bronchitis, emphysema, asthma (490-493)	3	3	0	2	2	0
Cirrhosis of liver (571)	2	1	1	0	0	0
Nephritis and nephrosis (580-584)	3	2	1	0	0	0
Infections of kidney (590)	4	3	1	1	0	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	3	2	1	0	0	0
Certain causes of mortality in early infancy (760-778)	4	3	1	6	5	1
Accidents (800-949)	18	14	4	5	2	3
Motor vehicle accidents (810-823)	11	9	2	3	2	1
Suicide (950-959)	1	1	0	1	1	0
Homicide (960-978)	2	1	1	1	0	1
Ill-defined and unknown# (780-796)	29	21	8	6	4	2

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	Pike County			Pontotoc County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	63	44	19	33	27	6
Diabetes mellitus (250)	7	3	4	0	0	0
Heart diseases (390-398, 402, 404-429)	113	71	42	82	71	11
Hypertension (400, 401, 403)	1	1	0	0	0	0
Cerebrovascular disease (430-438)	75	49	26	35	35	0
Arteriosclerosis (440)	1	1	0	1	1	0
Influenza and pneumonia (470-486)	16	8	8	8	8	0
Bronchitis, emphysema, asthma (490-493)	1	1	0	3	3	0
Cirrhosis of liver (571)	3	1	2	0	0	0
Nephritis and nephrosis (580-584)	1	0	1	0	0	0
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	1	1	0
Certain causes of mortality in early infancy (760-778)	7	4	3	2	1	1
Accidents (800-949)	28	14	14	18	16	2
Motor vehicle accidents (810-823)	16	9	7	11	11	0
Suicide (950-959)	5	5	0	1	1	0
Homicide (960-978)	5	3	2	4	3	1
Ill-defined and unknown# (780-796)	47	22	25	3	1	2

	Prentiss County			Quitman County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	30	26	4	24	14	10
Diabetes mellitus (250)	1	0	1	1	1	0
Heart diseases (390-398, 402, 404-429)	77	69	8	51	24	27
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	37	31	6	20	7	13
Arteriosclerosis (440)	6	6	0	4	3	1
Influenza and pneumonia (470-486)	13	11	2	6	1	5
Bronchitis, emphysema, asthma (490-493)	1	1	0	1	1	0
Cirrhosis of liver (571)	1	0	1	2	2	0
Nephritis and nephrosis (580-584)	1	1	0	0	0	0
Infections of kidney (590)	1	1	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	4	4	0	0	0	0
Certain causes of mortality in early infancy (760-778)	5	4	1	5	0	5
Accidents (800-949)	18	16	2	12	6	6
Motor vehicle accidents (810-823)	11	9	2	6	3	3
Suicide (950-959)	4	3	1	0	0	0
Homicide (960-978)	0	0	0	2	0	2
Ill-defined and unknown# (780-796)	13	12	1	4	1	3

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE. RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	Rankin County			Scott County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	2	2	0	0	0	0
Malignant neoplasms (140-209)	69	56	13	35	25	10
Diabetes mellitus (250)	7	3	4	12	6	6
Heart diseases (390-398, 402, 404-429)	95	70	25	106	79	27
Hypertension (400, 401, 403)	0	0	0	1	1	0
Cerebrovascular disease (430-438)	25	15	10	32	14	18
Arteriosclerosis (440)	10	9	1	7	5	2
Influenza and pneumonia (470-486)	8	6	2	5	3	2
Bronchitis, emphysema, asthma (490-493)	3	3	0	4	4	0
Cirrhosis of liver (571)	2	2	0	0	0	0
Nephritis and nephrosis (580-584)	4	1	3	1	1	0
Infections of kidney (590)	1	1	0	1	0	1
Maternal causes (630-678)	1	1	0	0	0	0
Congenital anomalies (740-759)	4	3	1	4	3	1
Certain causes of mortality in early infancy (760-778)	3	2	1	3	1	2
Accidents (800-949)	33	26	7	18	11	7
Motor vehicle accidents (810-823)	18	13	5	7	4	3
Suicide (950-959)	3	2	1	1	1	0
Homicide (960-978)	7	2	5	3	1	2
Ill-defined and unknown# (780-796)	47	29	18	8	3	5

	Sharkey County			Simpson County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	2	2	0
Malignant neoplasms (140-209)	20	10	10	40	36	4
Diabetes mellitus (250)	2	1	1	6	1	5
Heart diseases (390-398, 402, 404-429)	33	12	21	88	71	17
Hypertension (400, 401, 403)	1	1	0	2	0	2
Cerebrovascular disease (430-438)	7	3	4	26	21	5
Arteriosclerosis (440)	0	0	0	2	1	1
Influenza and pneumonia (470-486)	4	2	2	7	5	2
Bronchitis, emphysema, asthma (490-493)	0	0	0	5	5	0
Cirrhosis of liver (571)	0	0	0	0	0	0
Nephritis and nephrosis (580-584)	2	0	2	0	0	0
Infections of kidney (590)	0	0	0	4	3	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	0	0	0
Certain causes of mortality in early infancy (760-778)	1	0	1	0	0	0
Accidents (800-949)	5	3	2	16	11	5
Motor vehicle accidents (810-823)	1	1	0	13	8	5
Suicide (950-959)	0	0	0	1	1	0
Homicide (960-978)	1	0	1	2	0	2
Ill-defined and unknown# (780-796)	7	1	6	13	7	6

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	Smith County			Stone County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	1	0	0	0	0
Malignant neoplasms (140-209)	20	18	2	13	10	3
Diabetes mellitus (250)	1	0	1	3	2	1
Heart diseases (390-398, 402, 404-429)	51	44	7	35	31	4
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	15	12	3	11	7	4
Arteriosclerosis (440)	3	3	0	1	1	0
Influenza and pneumonia (470-486)	2	1	1	1	1	0
Bronchitis, emphysema, asthma (490-493)	1	1	0	0	0	0
Cirrhosis of liver (571)	1	1	0	1	1	0
Nephritis and nephrosis (580-584)	1	1	0	1	0	1
Infections of kidney (590)	1	1	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	1	1	0
Certain causes of mortality in early infancy (760-778)	1	0	1	0	0	0
Accidents (800-949)	12	7	5	7	7	0
Motor vehicle accidents (810-823)	5	4	1	3	3	0
Suicide (950-959)	2	2	0	2	2	0
Homicide (960-978)	3	1	2	0	0	0
Ill-defined and unknown# (780-796)	6	2	4	2	2	0

	Sunflower County			Tallahatchie County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	2	0	2	0	0	0
Malignant neoplasms (140-209)	58	29	29	31	20	11
Diabetes mellitus (250)	7	3	4	1	1	0
Heart diseases (390-398, 402, 404-429)	149	65	84	93	40	53
Hypertension (400, 401, 403)	0	0	0	5	1	4
Cerebrovascular disease (430-438)	53	21	32	26	14	12
Arteriosclerosis (440)	1	1	0	2	1	1
Influenza and pneumonia (470-486)	10	3	7	6	1	5
Bronchitis, emphysema, asthma (490-493)	4	3	1	1	1	0
Cirrhosis of liver (571)	5	3	2	1	1	0
Nephritis and nephrosis (580-584)	3	1	2	1	0	1
Infections of kidney (590)	1	0	1	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	0	2	2	0	2
Certain causes of mortality in early infancy (760-778)	12	3	9	7	0	7
Accidents (800-949)	11	6	5	13	8	5
Motor vehicle accidents (810-823)	3	2	1	8	4	4
Suicide (950-959)	1	1	0	0	0	0
Homicide (960-978)	4	1	3	9	2	7
Ill-defined and unknown# (780-796)	18	3	15	23	6	17

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	Tate County			Tippah County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	0	0	0
Malignant neoplasms (140-209)	28	22	6	37	32	5
Diabetes mellitus (250)	6	3	3	6	5	1
Heart diseases (390-398, 402, 404-429)	72	49	23	89	76	13
Hypertension (400, 401, 403)	3	2	1	1	0	1
Cerebrovascular disease (430-438)	21	11	10	11	9	2
Arteriosclerosis (440)	4	2	2	1	1	0
Influenza and pneumonia (470-486)	5	2	3	2	0	2
Bronchitis, emphysema, asthma (490-493)	5	4	1	5	5	0
Cirrhosis of liver (571)	0	0	0	0	0	0
Nephritis and nephrosis (580-584)	0	0	0	0	0	0
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	0	0	0
Certain causes of mortality in early infancy (760-778)	3	2	1	4	3	1
Accidents (800-949)	13	8	5	8	4	4
Motor vehicle accidents (810-823)	5	2	3	2	2	0
Suicide (950-959)	1	1	0	1	1	0
Homicide (960-978)	4	1	3	2	0	2
Ill-defined and unknown# (780-796)	12	6	6	6	5	1

	Tishomingo County			Tunica County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	1	0	1
Malignant neoplasms (140-209)	37	36	1	17	9	8
Diabetes mellitus (250)	5	5	0	3	1	2
Heart diseases (390-398, 402, 404-429)	42	41	1	45	18	27
Hypertension (400, 401, 403)	2	2	0	0	0	0
Cerebrovascular disease (430-438)	22	20	2	9	2	7
Arteriosclerosis (440)	1	1	0	0	0	0
Influenza and pneumonia (470-486)	3	3	0	5	0	5
Bronchitis, emphysema, asthma (490-493)	2	2	0	1	1	0
Cirrhosis of liver (571)	1	1	0	4	2	2
Nephritis and nephrosis (580-584)	0	0	0	0	0	0
Infections of kidney (590)	1	1	0	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	0	0	0
Certain causes of mortality in early infancy (760-778)	2	2	0	2	1	1
Accidents (800-949)	11	11	0	5	2	3
Motor vehicle accidents (810-823)	9	9	0	1	1	0
Suicide (950-959)	1	0	1	0	0	0
Homicide (960-978)	1	1	0	1	0	1
Ill-defined and unknown# (780-796)	7	7	0	11	3	8

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	Union County			Walthall County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	39	29	10	20	16	4
Diabetes mellitus (250)	6	3	3	4	2	2
Heart diseases (390-398, 402, 404-429)	79	66	13	48	34	14
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	22	19	3	16	13	3
Arteriosclerosis (440)	4	4	0	2	2	0
Influenza and pneumonia (470-486)	9	8	1	2	2	0
Bronchitis, emphysema, asthma (490-493)	3	3	0	1	1	0
Cirrhosis of liver (571)	0	0	0	2	2	0
Nephritis and nephrosis (580-584)	2	2	0	2	1	1
Infections of kidney (590)	0	0	0	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	0	0	0
Certain causes of mortality in early infancy (760-778)	5	3	2	2	1	1
Accidents (800-949)	13	12	1	7	5	2
Motor vehicle accidents (810-823)	7	7	0	6	4	2
Suicide (950-959)	4	4	0	2	1	1
Homicide (960-978)	3	1	2	2	0	2
Ill-defined and unknown# (780-796)	20	17	3	12	5	7

	Warren County			Washington County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	1	0	0	0	0
Malignant neoplasms (140-209)	77	39	38	118	48	70
Diabetes mellitus (250)	10	2	8	9	2	7
Heart diseases (390-398, 402, 404-429)	160	87	73	210	106	104
Hypertension (400, 401, 403)	3	0	3	4	1	3
Cerebrovascular disease (430-438)	102	46	56	113	38	75
Arteriosclerosis (440)	4	2	2	5	2	3
Influenza and pneumonia (470-486)	15	10	5	13	5	8
Bronchitis, emphysema, asthma (490-493)	3	1	2	2	1	1
Cirrhosis of liver (571)	7	4	3	6	5	1
Nephritis and nephrosis (580-584)	2	0	2	5	1	4
Infections of kidney (590)	2	0	2	2	1	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	5	5	0	5	4	1
Certain causes of mortality in early infancy (760-778)	13	4	9	12	4	8
Accidents (800-949)	32	19	13	37	17	20
Motor vehicle accidents (810-823)	14	8	6	16	10	6
Suicide (950-959)	5	5	0	12	9	3
Homicide (960-978)	5	1	4	17	3	14
Ill-defined and unknown# (780-796)	19	4	15	82	8	74

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1976

Cause and International Classification Number*	Wayne County			Webster County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	0	0	0
Malignant neoplasms (140-209)	27	17	10	23	16	7
Diabetes mellitus (250)	4	3	1	0	0	0
Heart diseases (390-398, 402, 404-429)	68	54	14	44	38	6
Hypertension (400, 401, 403)	5	1	4	1	0	1
Cerebrovascular disease (430-438)	17	15	2	25	17	8
Arteriosclerosis (440)	4	3	1	0	0	0
Influenza and pneumonia (470-486)	3	2	1	5	4	1
Bronchitis, emphysema, asthma (490-493)	3	3	0	1	1	0
Cirrhosis of liver (571)	1	1	0	3	3	0
Nephritis and nephrosis (580-584)	4	1	3	0	0	0
Infections of kidney (590)	1	1	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	0	0	0
Certain causes of mortality in early infancy (760-778)	6	1	5	1	1	0
Accidents (800-949)	11	4	7	8	7	1
Motor vehicle accidents (810-823)	7	3	4	4	4	0
Suicide (950-959)	0	0	0	1	1	0
Homicide (960-978)	2	0	2	2	0	2
Ill-defined and unknown# (780-796)	9	5	4	2	0	2

	Wilkinson County			Winston County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	12	5	7	36	24	12
Diabetes mellitus (250)	6	0	6	4	2	2
Heart diseases (390-398, 402, 404-429)	48	18	30	91	62	29
Hypertension (400, 401, 403)	0	0	0	1	1	0
Cerebrovascular disease (430-438)	15	5	10	38	27	11
Arteriosclerosis (440)	0	0	0	3	1	2
Influenza and pneumonia (470-486)	3	1	2	5	4	1
Bronchitis, emphysema, asthma (490-493)	0	0	0	0	0	0
Cirrhosis of liver (571)	1	0	1	1	0	1
Nephritis and nephrosis (580-584)	0	0	0	1	1	0
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	0	0	0
Certain causes of mortality in early infancy (760-778)	0	0	0	2	1	1
Accidents (800-949)	3	1	2	10	4	6
Motor vehicle accidents (810-823)	2	1	1	4	2	2
Suicide (950-959)	1	0	1	0	0	0
Homicide (960-978)	2	0	2	4	0	4
Ill-defined and unknown# (780-796)	3	0	3	5	2	3

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-76
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND STATE OF MISSISSIPPI, 1976

Cause and International Classification Number*	Yalobusha County			Yazoo County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	24	15	9	45	21	24
Diabetes mellitus (250)	2	2	0	8	5	3
Heart diseases (390-398, 402, 404-429)	49	35	14	82	54	28
Hypertension (400, 401, 403)	0	0	0	1	0	1
Cerebrovascular disease (430-438)	28	16	12	35	17	18
Arteriosclerosis (440)	1	0	1	3	1	2
Influenza and pneumonia (470-486)	6	5	1	12	6	6
Bronchitis, emphysema, asthma (490-493)	5	4	1	2	2	0
Cirrhosis of liver (571)	3	3	0	3	3	0
Nephritis and nephrosis (580-584)	0	0	0	4	0	4
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	1	0	1
Certain causes of mortality in early infancy (760-778)	2	1	1	7	1	6
Accidents (800-949)	10	5	5	17	8	9
Motor vehicle accidents (810-823)	4	2	2	6	1	5
Suicide (950-959)	1	1	0	2	2	0
Homicide (960-978)	1	0	1	3	1	2
Ill-defined and unknown# (780-796)	9	4	5	69	15	54

	State of Mississippi		
	Total	White	Non-white
Tuberculosis (010-019)	52	20	32
Malignant neoplasms (140-209)	3,733	2,494	1,239
Diabetes mellitus (250)	377	182	195
Heart diseases (390-398, 402, 404-429)	7,686	5,204	2,482
Hypertension (400, 401, 403)	111	41	70
Cerebrovascular disease (430-438)	2,789	1,665	1,124
Arteriosclerosis (440)	281	193	88
Influenza and pneumonia (470-486)	680	433	247
Bronchitis, emphysema, asthma (490-493)	235	200	35
Cirrhosis of liver (571)	221	169	52
Nephritis and nephrosis (580-584)	150	55	95
Infections of kidney (590)	78	50	28
Maternal causes (630-678)	8	4	4
Congenital anomalies (740-759)	176	105	71
Certain causes of mortality in early infancy (760-778)	454	176	278
Accidents (800-949)	1,476	926	550
Motor vehicle accidents (810-823)	696	472	224
Suicide (950-959)	217	181	36
Homicide (960-978)	308	82	226
Ill-defined and unknown# (780-796)	1,766	703	1,063

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

MAJOR TABLES

1977

TABLE 1-77
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE, ALSO LIVE BIRTHS, BY PLACE OF RESIDENCE AND RACE, (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE, URBAN, RURAL), MISSISSIPPI, 1977

	Occurrence Data			Residence Data		
County	Total	White	Non-white	Total	White	Non-white
STATE	45,318	23,395	21,923	45,532	23,369	22,163
Adams	1,474	680	794	659	262	397
Alcorn	358	300	58	468	398	70
Amite	13	0	13	233	96	137
Attala	242	159	83	304	162	142
Benton	3	1	2	125	58	67
Bolivar	2,017	332	1,685	1,102	235	867
Calhoun	13	2	11	221	124	97
Carroll	5	0	5	148	60	88
Chickasaw	295	149	146	390	191	199
Choctaw	84	26	58	161	96	65
Claiborne	72	10	62	247	53	194
Clarke	45	22	23	301	166	135
Clay	406	129	277	423	140	283
Coahoma	899	309	590	883	211	672
Copiah	359	151	208	524	200	324
Covington	111	66	45	281	121	160
DeSoto	1	1	0	869	636	233
Forrest	2,194	1,571	623	1,100	685	415
Franklin	3	0	3	130	64	66
George	250	208	42	321	272	49
Greene	54	35	19	185	133	52
Grenada	404	182	222	378	177	201
Hancock	14	12	2	305	254	51
Harrison	3,402	2,571	831	2,851	2,105	746
Hinds	6,078	2,217	3,861	4,416	1,861	2,555
Holmes	444	79	365	498	110	388
Humphreys	274	25	249	311	68	243
Issaquena	0	0	0	35	8	27
Itawamba	16	13	3	249	225	24
Jackson	2,094	1,506	588	2,378	1,750	628
Jasper	0	0	0	352	115	237
Jefferson	51	3	48	230	25	205
Jeff Davis	80	19	61	252	79	173
Jones	1,796	738	1,058	972	631	341
Kemper	38	7	31	174	57	117
Lafayette	505	295	210	419	227	192
Lamar	34	29	5	329	273	56
Lauderdale	2,373	1,303	1,070	1,348	705	643
Lawrence	4	0	4	220	126	94
Leake	93	46	47	286	133	153
Lee	1,623	1,190	433	951	640	311
Leflore	1,048	394	654	878	272	606

Table 1-77 - Page 2
Live Births - Mississippi - 1977

	Occurrence Data			Residence Data		
County	Total	White	Non-white	Total	White	Non-white
Lincoln	335	238	97	493	294	199
Lowndes	1,066	713	353	1,064	577	487
Madison	120	46	74	782	256	526
Marion	9	4	5	447	265	182
Marshall	10	0	10	506	183	323
Monroe	1,120	776	344	619	363	256
Montgomery	252	78	174	213	91	122
Neshoba	297	130	167	428	239	189
Newton	165	88	77	347	189	158
Noxubee	302	26	276	269	66	203
Oktibbeha	611	244	367	583	256	327
Panola	632	171	461	555	179	376
Pearl River	433	347	86	532	421	111
Perry	119	97	22	202	133	69
Pike	1,121	633	488	653	284	369
Pontotoc	156	99	57	292	239	53
Prentiss	282	250	32	351	287	64
Quitman	194	20	174	308	79	229
Rankin	1,712	1,378	334	1,053	813	240
Scott	143	87	56	426	207	219
Sharkey	76	5	71	236	58	178
Simpson	125	85	40	417	219	198
Smith	23	19	4	235	146	89
Stone	0	0	0	143	89	54
Sunflower	308	75	233	789	197	592
Tallahatchie	314	66	248	410	106	304
Tate	64	30	34	383	172	211
Tippah	344	233	111	317	254	63
Tishomingo	85	79	6	229	221	8
Tunica	144	9	135	231	34	197
Union	458	328	130	353	266	87
Walthall	290	142	148	275	120	155
Warren	1,727	634	1,093	944	464	480
Washington	1,587	731	856	1,697	553	1,144
Wayne	383	210	173	379	209	170
Webster	265	153	112	183	123	60
Wilkinson	192	103	89	183	57	126
Winston	267	131	136	354	152	202
Yalobusha	121	60	61	189	94	95
Yazoo	197	97	100	555	210	345
Out of state	2,215	1,520	695	2,001	1,546	455

Table 1-77 - Page 3
Live Births - Mississippi - 1977

	Occurrence Data			Residence Data		
Town*	Total	White	Non-white	Total	White	Non-white
Biloxi	1,764	1,479	285	945	753	192
Brookhaven	335	238	97	216	100	116
Canton	109	46	63	325	60	265
Clarksdale	894	309	585	528	138	390
Cleveland	601	234	367	299	108	191
Columbus	806	521	285	492	199	293
Corinth	1	0	1	143	100	43
Greenville	1,181	624	557	1,007	295	712
Greenwood	1,022	394	628	450	153	297
Gulfport	1,632	1,088	544	797	445	352
Hattiesburg	2,193	1,570	623	745	380	365
Jackson	6,072	2,216	3,856	3,611	1,517	2,094
Laurel	1,794	736	1,058	429	199	230
McComb	1,083	624	459	259	124	135
Meridian	2,364	1,297	1,067	805	345	460
Moss Point	10	0	10	464	108	356
Natchez	1,473	680	793	391	129	262
Oxford	500	295	205	154	95	59
Pascagoula	1,794	1,236	558	691	518	173
Pearl	1	0	1	292	285	7
Picayune	433	347	86	196	125	71
Starkville	611	244	367	245	134	111
Tupelo	1,617	1,189	428	359	245	114
Vicksburg	1,727	634	1,093	577	218	359
Yazoo City	184	97	87	266	88	178
Total urban**	38,882	20,297	18,585	19,663	9,381	10,282
Total rural	6,436	3,098	3,338	25,869	13,988	11,881

* Towns of 10,000 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

** All incorporated towns of 2,500 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

TABLE 2-77
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE, AND ATTENDANT, ALSO BY COUNTY OF RESIDENCE AND SEX, MISSISSIPPI, 1977

County	Total	White				Nonwhite				Sex	
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
STATE	45,532	23,369	23,307	4	58	22,163	21,734	71	358	23,401	22,131
Adams	659	262	262	0	0	397	395	1	1	320	339
Alcorn	468	398	398	0	0	70	68	0	2	256	212
Amite	233	96	96	0	0	137	124	0	13	121	112
Attala	304	162	162	0	0	142	107	0	35	152	152
Benton	125	58	57	0	1	67	65	2	0	62	63
Bolivar	1,102	235	235	0	0	867	863	3	1	565	537
Calhoun	221	124	124	0	0	97	96	1	0	117	104
Carroll	148	60	60	0	0	88	83	0	5	65	83
Chickasaw	390	191	191	0	0	199	199	0	0	194	196
Choctaw	161	96	96	0	0	65	64	0	1	85	76
Claiborne	247	53	53	0	0	194	193	1	0	119	128
Clarke	301	166	166	0	0	135	135	0	0	140	161
Clay	423	140	140	0	0	283	281	2	0	211	212
Coahoma	883	211	211	0	0	672	665	2	5	490	393
Copiah	524	200	199	0	1	324	324	0	0	287	237
Covington	281	121	120	0	1	160	159	0	1	133	148
DeSoto	869	636	635	0	1	233	233	0	0	451	418
Forrest	1,100	685	684	0	1	415	414	0	1	576	524
Franklin	130	64	64	0	0	66	63	3	0	67	63
George	321	272	271	0	1	49	49	0	0	154	167
Greene	185	133	133	0	0	52	52	0	0	98	87
Grenada	378	177	177	0	0	201	200	0	1	205	173
Hancock	305	254	253	0	1	51	48	1	2	149	156
Harrison	2,851	2,105	2,095	1	9	746	717	3	26	1,428	1,423

Table 2-77 - Page 2
Live Births - Mississippi - 1977

County	Total	White				Nonwhite				Sex	
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Hinds	4,416	1,861	1,859	1	1	2,555	2,544	5	6	2,299	2,117
Holmes	498	110	109	0	1	388	383	0	5	268	230
Humphreys	311	68	68	0	0	243	237	5	1	178	133
Issaquena	35	8	8	0	0	27	27	0	0	20	15
Itawamba	249	225	225	0	0	24	23	1	0	123	126
Jackson	2,378	1,750	1,748	0	2	628	613	1	14	1,226	1,152
Jasper	352	115	115	0	0	237	236	1	0	189	163
Jefferson	230	25	25	0	0	205	205	0	0	110	120
Jeff Davis	252	79	79	0	0	173	171	1	1	115	137
Jones	972	631	629	0	2	341	341	0	0	495	477
Kemper	174	57	56	0	1	117	117	0	0	85	89
Lafayette	419	227	226	0	1	192	187	0	5	200	219
Lamar	329	273	272	0	1	56	56	0	0	164	165
Lauderdale	1,348	705	703	0	2	643	642	1	0	727	621
Lawrence	220	126	126	0	0	94	90	1	3	111	109
Leake	286	133	133	0	0	153	145	1	7	136	150
Lee	951	640	639	0	1	311	306	0	5	477	474
Leflore	878	272	272	0	0	606	564	5	37	458	420
Lincoln	493	294	294	0	0	199	198	1	0	236	257
Lowndes	1,064	577	576	0	1	487	439	3	45	534	530
Madison	782	256	256	0	0	526	512	0	14	413	369
Marion	447	265	263	0	2	182	180	0	2	236	211
Marshall	506	183	183	0	0	323	322	0	1	264	242
Monroe	619	363	363	0	0	256	256	0	0	302	317
Montgomery	213	91	91	0	0	122	118	0	4	106	107
Neshoba	428	239	239	0	0	189	188	1	0	207	221
Newton	347	189	189	0	0	158	158	0	0	168	179
Noxubee	269	66	66	0	0	203	200	1	2	134	135
Oktibbeha	583	256	256	0	0	327	326	0	1	301	282
Panola	555	179	179	0	0	376	359	4	13	272	283

Table 2-77 Page 3
Live Births - Mississippi - 1977

County	Total	White				Nonwhite				Sex	
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Pearl River	532	421	420	0	1	111	111	0	0	284	248
Perry	202	133	132	0	1	69	69	0	0	104	98
Pike	653	284	278	1	5	369	346	4	19	348	305
Pontotoc	292	239	239	0	0	53	52	1	0	147	145
Prentiss	351	287	287	0	0	64	64	0	0	172	179
Quitman	308	79	79	0	0	229	227	0	2	162	146
Rankin	1,053	813	813	0	0	240	239	1	0	558	495
Scott	426	207	206	0	1	219	214	0	5	216	210
Sharkey	236	58	58	0	0	178	178	0	0	121	115
Simpson	417	219	219	0	0	198	197	0	1	233	184
Smith	235	146	146	0	0	89	87	0	2	121	114
Stone	143	89	89	0	0	54	54	0	0	78	65
Sunflower	789	197	197	0	0	592	587	2	3	406	383
Tallahatchie	410	106	106	0	0	304	286	1	17	210	200
Tate	383	172	171	0	1	211	205	1	5	207	176
Tippah	317	254	253	0	1	63	63	0	0	170	147
Tishomingo	229	221	217	0	4	8	8	0	0	119	110
Tunica	231	34	34	0	0	197	196	1	0	128	103
Union	353	266	265	0	1	87	86	1	0	178	175
Walthall	275	120	113	0	7	155	136	1	18	131	144
Warren	944	464	464	0	0	480	480	0	0	488	456
Washington	1,697	553	549	0	4	1,144	1,141	1	2	853	844
Wayne	379	209	209	0	0	170	170	0	0	195	184
Webster	183	123	123	0	0	60	60	0	0	108	75
Wilkinson	183	57	57	0	0	126	126	0	0	98	85
Winston	354	152	152	0	0	202	199	2	1	171	183
Yalobusha	189	94	94	0	0	95	95	0	0	105	84
Yazoo	555	210	208	1	1	345	318	4	23	291	264

TABLE 3A-77
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1977

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	45,532	431	11,331	16,187	10,976	4,628	1,528	405	35	11
Adams	659	10	176	225	158	60	20	9	1	0
Alcorn	468	1	97	155	126	69	17	2	0	1
Amite	233	2	57	82	50	23	14	5	0	0
Attala	304	6	68	116	71	27	11	5	0	0
Benton	125	1	30	39	34	14	6	1	0	0
Bolivar	1,102	17	351	344	238	105	33	12	2	0
Calhoun	221	4	68	75	46	22	6	0	0	0
Carroll	148	3	37	46	34	17	9	2	0	0
Chickasaw	390	4	101	141	86	41	12	5	0	0
Choctaw	161	0	43	51	42	16	7	2	0	0
Claiborne	247	3	63	82	61	19	15	4	0	0
Clarke	301	2	69	111	72	32	12	3	0	0
Clay	423	2	111	154	102	25	19	10	0	0
Coahoma	883	18	299	292	172	67	24	9	1	1
Copiah	524	7	141	180	135	40	13	6	1	1
Covington	281	4	68	100	56	34	16	3	0	0
DeSoto	869	2	163	286	258	119	27	13	1	0
Forrest	1,100	6	277	391	285	101	33	6	1	0
Franklin	130	1	27	50	31	11	5	5	0	0
George	321	1	81	115	78	25	19	2	0	0
Greene	185	2	35	75	47	18	6	2	0	0
Grenada	378	4	94	143	87	36	12	2	0	0
Hancock	305	0	68	113	76	35	11	2	0	0
Harrison	2,851	16	687	1,108	696	264	67	12	1	0
Hinds	4,416	36	896	1,517	1,282	516	140	24	4	1
Holmes	498	8	147	169	105	34	29	6	0	0
Humphreys	311	5	99	116	51	22	15	3	0	0
Issaquena	35	0	11	11	4	5	4	0	0	0
Itawamba	249	3	50	88	65	28	10	5	0	0
Jackson	2,378	4	535	926	571	264	67	10	1	0
Jasper	352	4	90	129	75	29	21	4	0	0
Jefferson	230	2	64	80	49	24	7	4	0	0
Jeff Davis	252	5	57	96	57	22	13	2	0	0
Jones	972	7	221	377	250	87	25	5	0	0
Kemper	174	1	43	53	45	20	11	1	0	0
Lafayette	419	5	79	161	116	40	17	1	0	0
Lamar	329	1	66	133	88	28	10	3	0	0
Lauderdale	1,348	12	333	492	321	139	42	7	2	0
Lawrence	220	0	58	84	56	17	4	0	0	1
Leake	286	2	75	102	72	23	11	1	0	0
Lee	951	10	214	329	262	103	26	6	1	0
Leflore	878	10	270	308	165	89	26	10	0	0

Table 3A-77 - Page 2
Total Live Births - Mississippi - 1977

County	Total	Age of Mother Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	493	5	126	188	109	42	22	1	0	0
Lowndes	1,064	3	219	398	277	123	32	10	2	0
Madison	782	9	188	253	204	92	26	8	2	0
Marion	447	3	130	159	98	35	13	7	2	0
Marshall	506	11	124	183	115	49	17	6	1	0
Monroe	619	2	167	210	151	63	16	8	2	0
Montgomery	213	2	66	78	44	15	6	2	0	0
Neshoba	428	7	93	143	122	41	17	5	0	0
Newton	347	6	75	130	88	37	8	3	0	0
Noxubee	269	4	70	93	54	27	16	4	0	1
Oktibbeha	583	4	122	213	142	68	25	9	0	0
Panola	555	11	171	172	122	50	19	10	0	0
Pearl River	532	1	140	201	123	51	14	1	0	1
Perry	202	1	53	81	34	24	8	1	0	0
Pike	653	4	152	231	164	68	24	8	1	1
Pontotoc	292	2	64	115	64	27	16	3	1	0
Prentiss	351	4	85	116	92	39	9	6	0	0
Quitman	308	5	108	101	57	25	9	3	0	0
Rankin	1,053	6	193	340	323	157	26	8	0	0
Scott	426	6	115	163	93	26	17	5	1	0
Sharkey	236	3	72	76	52	23	6	3	1	0
Simpson	417	5	104	163	93	38	13	1	0	0
Smith	235	3	52	86	49	27	11	5	1	1
Stone	143	1	25	60	35	14	7	1	0	0
Sunflower	789	13	247	253	161	83	25	7	0	0
Tallahatchie	410	6	158	136	56	31	17	5	1	0
Tate	383	7	111	136	66	47	13	3	0	0
Tippah	317	1	84	118	72	29	10	3	0	0
Tishomingo	229	1	58	91	52	21	6	0	0	0
Tunica	231	4	67	80	44	25	7	3	1	0
Union	353	4	80	135	88	29	12	4	0	1
Walthall	275	2	52	87	79	39	12	4	0	0
Warren	944	13	231	319	215	111	37	17	1	0
Washington	1,697	26	498	592	360	160	50	10	1	0
Wayne	379	5	76	134	100	48	10	6	0	0
Webster	183	1	41	78	39	15	5	3	1	0
Wilkinson	183	0	56	62	39	18	8	0	0	0
Winston	354	1	82	131	86	34	17	2	0	1
Yalobusha	189	3	60	65	37	14	7	3	0	0
Yazoo	555	5	197	172	102	53	23	3	0	0

TABLE 3B-77
WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1977

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	23,369	60	4,269	8,634	6,850	2,771	653	121	7	4
Adams	262	1	59	89	82	25	6	0	0	0
Alcorn	398	0	77	128	112	65	14	2	0	0
Amite	96	0	21	29	24	15	5	2	0	0
Attala	162	1	31	59	46	18	3	4	0	0
Benton	58	0	13	20	18	6	1	0	0	0
Bolivar	235	0	44	72	71	41	7	0	0	0
Calhoun	124	0	34	41	35	13	1	0	0	0
Carroll	60	0	10	16	22	9	2	1	0	0
Chickasaw	191	1	36	74	49	23	6	2	0	0
Choctaw	96	0	19	33	32	7	4	1	0	0
Claiborne	53	0	10	20	17	3	3	0	0	0
Clarke	166	0	28	68	46	19	4	1	0	0
Clay	140	0	32	53	39	11	5	0	0	0
Coahoma	211	0	28	76	69	29	7	2	0	0
Copiah	200	0	38	70	65	23	3	0	0	1
Covington	121	1	23	40	32	20	5	0	0	0
DeSoto	636	0	89	208	218	95	18	7	1	0
Forrest	685	2	128	256	202	77	17	3	0	0
Franklin	64	1	9	23	20	6	2	3	0	0
George	272	0	63	103	68	23	15	0	0	0
Greene	133	2	19	55	40	12	4	1	0	0
Grenada	177	0	26	74	51	21	4	1	0	0
Hancock	254	0	53	99	65	26	9	2	0	0
Harrison	2,105	6	460	840	542	208	44	5	0	0
Hinds	1,861	2	172	597	735	291	57	5	2	0
Holmes	110	0	18	41	33	13	3	2	0	0
Humphreys	68	0	12	29	20	5	2	0	0	0
Issaquena	8	0	1	3	3	1	0	0	0	0
Itawamba	225	3	46	81	57	26	9	3	0	0
Jackson	1,750	2	353	709	438	200	41	6	1	0
Jasper	115	0	18	41	37	12	5	2	0	0
Jefferson	25	0	2	9	7	6	1	0	0	0
Jeff Davis	79	0	13	35	24	5	2	0	0	0
Jones	631	2	114	236	197	65	14	3	0	0
Kemper	57	0	11	15	24	5	2	0	0	0
Lafayette	227	1	21	91	84	23	7	0	0	0
Lamar	273	1	42	118	80	23	8	1	0	0
Lauderdale	705	0	127	262	217	79	17	2	1	0
Lawrence	126	0	30	50	35	9	2	0	0	0
Leake	133	0	30	45	41	13	3	1	0	0
Lee	640	4	111	221	203	82	15	4	0	0
Leflore	272	0	52	104	69	42	5	0	0	0

Table 3B-77-Page 2
White Live Births - Mississippi - 1977

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	294	0	58	130	66	25	14	1	0	0
Lowndes	577	1	83	233	178	65	13	4	0	0
Madison	256	0	20	85	107	40	4	0	0	0
Marion	265	0	59	106	62	27	7	4	0	0
Marshall	183	1	35	70	50	21	5	1	0	0
Monroe	363	1	87	134	92	39	5	4	1	0
Montgomery	91	1	15	36	29	9	1	0	0	0
Neshoba	239	2	49	81	77	22	7	1	0	0
Newton	189	0	35	71	63	18	2	0	0	0
Noxubee	66	0	7	26	18	9	6	0	0	0
Oktibbeha	256	0	18	102	86	41	9	0	0	0
Panola	179	0	48	61	46	21	3	0	0	0
Pearl River	421	1	93	166	102	43	14	1	0	1
Perry	133	0	37	45	27	17	7	0	0	0
Pike	284	1	49	102	80	38	13	0	0	1
Pontotoc	239	1	50	99	52	20	14	3	0	0
Prentiss	287	1	63	96	81	34	9	3	0	0
Quitman	79	0	16	23	28	10	2	0	0	0
Rankin	813	2	120	261	277	129	20	4	0	0
Scott	207	1	46	86	54	15	5	0	0	0
Sharkey	58	0	7	24	16	9	2	0	0	0
Simpson	219	1	50	85	53	22	7	1	0	0
Smith	146	3	27	56	30	21	6	3	0	0
Stone	89	0	11	38	25	9	5	1	0	0
Sunflower	197	0	24	88	58	24	3	0	0	0
Tallahatchie	106	0	38	39	17	7	4	1	0	0
Tate	172	2	30	70	36	29	5	0	0	0
Tippah	254	0	70	89	57	26	9	3	0	0
Tishomingo	221	1	56	87	50	21	6	0	0	0
Tunica	34	0	5	13	10	5	0	1	0	0
Union	266	4	53	102	70	23	9	4	0	1
Walthall	120	0	16	41	43	15	3	2	0	0
Warren	464	1	81	165	132	68	14	3	0	0
Washington	553	4	105	190	168	69	13	4	0	0
Wayne	209	0	39	73	64	27	4	2	0	0
Webster	123	0	24	50	34	10	3	1	1	0
Wilkinson	57	0	15	17	18	4	3	0	0	0
Winston	152	0	33	53	42	17	6	1	0	0
Yalobusha	94	1	27	31	21	8	4	2	0	0
Yazoo	210	0	47	77	62	19	5	0	0	0

TABLE 3C-77
NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1977

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	22,163	371	7,062	7,553	4,126	1,857	875	284	28	7
Adams	397	9	117	136	76	35	14	9	1	0
Alcorn	70	1	20	27	14	4	3	0	0	1
Amite	137	2	36	53	26	8	9	3	0	0
Attala	142	5	37	57	25	9	8	1	0	0
Benton	67	1	17	19	16	8	5	1	0	0
Bolivar	867	17	307	272	167	64	26	12	2	0
Calhoun	97	4	34	34	11	9	5	0	0	0
Carroll	88	3	27	30	12	8	7	1	0	0
Chickasaw	199	3	65	67	37	18	6	3	0	0
Choctaw	65	0	24	18	10	9	3	1	0	0
Claiborne	194	3	53	62	44	16	12	4	0	0
Clarke	135	2	41	43	26	13	8	2	0	0
Clay	283	2	79	101	63	14	14	10	0	0
Coahoma	672	18	271	216	103	38	17	7	1	1
Copiah	324	7	103	110	70	17	10	6	1	0
Covington	160	3	45	60	24	14	11	3	0	0
DeSoto	233	2	74	78	40	24	9	6	0	0
Forrest	415	4	149	135	83	24	16	3	1	0
Franklin	66	0	18	27	11	5	3	2	0	0
George	49	1	18	12	10	2	4	2	0	0
Greene	52	0	16	20	7	6	2	1	0	0
Grenada	201	4	68	69	36	15	8	1	0	0
Hancock	51	0	15	14	11	9	2	0	0	0
Harrison	746	10	227	268	154	56	23	7	1	0
Hinds	2,555	34	724	920	547	225	83	19	2	1
Holmes	388	8	129	128	72	21	26	4	0	0
Humphreys	243	5	87	87	31	17	13	3	0	0
Issaquena	27	0	10	8	1	4	4	0	0	0
Itawamba	24	0	4	7	8	2	1	2	0	0
Jackson	628	2	182	217	133	64	26	4	0	0
Jasper	237	4	72	88	38	17	16	2	0	0
Jefferson	205	2	62	71	42	18	6	4	0	0
Jeff Davis	173	5	44	61	33	17	11	2	0	0
Jones	341	5	107	141	53	22	11	2	0	0
Kemper	117	1	32	38	21	15	9	1	0	0
Lafayette	192	4	58	70	32	17	10	1	0	0
Lamar	56	0	24	15	8	5	2	2	0	0
Lauderdale	643	12	206	230	104	60	25	5	1	0
Lawrence	94	0	28	34	21	8	2	0	0	1
Leake	153	2	45	57	31	10	8	0	0	0
Lee	311	6	103	108	59	21	11	2	1	0
Leflore	606	10	218	204	96	47	21	10	0	0

Table 3C-77 Page 2
Nonwhite Live Births - Mississippi - 1977

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	199	5	68	58	43	17	8	0	0	0
Lowndes	487	2	136	165	99	58	19	6	2	0
Madison	526	9	168	168	97	52	22	8	2	0
Marion	182	3	71	53	36	8	6	3	2	0
Marshall	323	10	89	113	65	28	12	5	1	0
Monroe	256	1	80	76	59	24	11	4	1	0
Montgomery	122	1	51	42	15	6	5	2	0	0
Neshoba	189	5	44	62	45	19	10	4	0	0
Newton	158	6	40	59	25	19	6	3	0	0
Noxubee	203	4	63	67	36	18	10	4	0	1
Oktibbeha	327	4	104	111	56	27	16	9	0	0
Panola	376	11	123	111	76	29	16	10	0	0
Pearl River	111	0	47	35	21	8	0	0	0	0
Perry	69	1	16	36	7	7	1	1	0	0
Pike	369	3	103	129	84	30	11	8	1	0
Pontotoc	53	1	14	16	12	7	2	0	1	0
Prentiss	64	3	22	20	11	5	0	3	0	0
Quitman	229	5	92	78	29	15	7	3	0	0
Rankin	240	4	73	79	46	28	6	4	0	0
Scott	219	5	69	77	39	11	12	5	1	0
Sharkey	178	3	65	52	36	14	4	3	1	0
Simpson	198	4	54	78	40	16	6	0	0	0
Smith	89	0	25	30	19	6	5	2	1	1
Stone	54	1	14	22	10	5	2	0	0	0
Sunflower	592	13	223	165	103	59	22	7	0	0
Tallahatchie	304	6	120	97	39	24	13	4	1	0
Tate	211	5	81	66	30	18	8	3	0	0
Tippah	63	1	14	29	15	3	1	0	0	0
Tishomingo	8	0	2	4	2	0	0	0	0	0
Tunica	197	4	62	67	34	20	7	2	1	0
Union	87	0	27	33	18	6	3	0	0	0
Walthall	155	2	36	46	36	24	9	2	0	0
Warren	480	12	150	154	83	43	23	14	1	0
Washington	1,144	22	393	402	192	91	37	6	1	0
Wayne	170	5	37	61	36	21	6	4	0	0
Webster	60	1	17	28	5	5	2	2	0	0
Wilkinson	126	0	41	45	21	14	5	0	0	0
Winston	202	1	49	78	44	17	11	1	0	1
Yalobusha	95	2	33	34	16	6	3	1	0	0
Yazoo	345	5	150	95	40	34	18	3	0	0

TABLE 4-77
ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1977

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
STATE	**11,525**	**1,066**	**10,459**	**25.3**	**4.6**	**47.2**
Adams	246	31	215	37.3	11.8	54.2
Alcorn	51	28	23	10.9	7.0	32.8
Amite	54	1	53	23.2	1.0	38.7
Attala	66	8	58	21.7	4.9	40.8
Benton	20	1	19	16.0	1.7	28.4
Bolivar	551	17	534	50.0	7.2	61.6
Calhoun	42	7	35	19.0	5.6	36.1
Carroll	39	2	37	26.4	3.3	42.0
Chickasaw	78	9	69	20.0	4.7	34.7
Choctaw	33	3	30	20.5	3.1	46.2
Claiborne	96	3	93	38.9	5.7	47.9
Clarke	62	8	54	20.6	4.8	40.0
Clay	102	3	99	24.1	2.1	35.0
Coahoma	397	6	391	45.0	2.8	58.2
Copiah	137	10	127	26.1	5.0	39.2
Covington	72	4	68	25.6	3.3	42.5
DeSoto	140	24	116	16.1	3.8	49.8
Forrest	226	28	198	20.5	4.1	47.7
Franklin	27	1	26	20.8	1.6	39.4
George	32	15	17	10.0	5.5	34.7
Greene	31	3	28	16.8	2.2	53.8
Grenada	97	6	91	25.7	3.4	45.3
Hancock	44	17	27	14.4	6.7	52.9
Harrison	420	122	298	14.7	5.8	39.9
Hinds	1,261	79	1,182	28.6	4.2	46.3
Holmes	207	1	206	41.6	0.9	53.1
Humphreys	117	5	112	37.6	7.4	46.1
Issaquena	16	1	15	45.7	12.5	55.6
Itawamba	19	10	9	7.6	4.4	37.5
Jackson	325	98	227	13.7	5.6	36.1
Jasper	97	3	94	27.6	2.6	39.7
Jefferson	113	0	113	49.1	-	55.1
Jeff Davis	81	3	78	32.1	3.8	45.1
Jones	177	24	153	18.2	3.8	44.9
Kemper	43	3	40	24.7	5.3	34.2
Lafayette	96	11	85	22.9	4.8	44.3
Lamar	39	12	27	11.8	4.4	48.2
Lauderdale	311	34	277	23.1	4.8	43.1
Lawrence	47	6	41	21.4	4.8	43.6
Leake	48	6	42	16.8	4.5	27.4
Lee	161	42	119	16.9	6.6	38.3
Leflore	338	9	329	38.5	3.3	54.3

Table 4-77 - Page 2
Illegitimate Live Births - Mississippi - 1977

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	106	6	100	21.5	2.0	50.2
Lowndes	249	15	234	23.4	2.6	48.0
Madison	277	8	269	35.4	3.1	51.1
Marion	81	9	72	18.1	3.4	39.6
Marshall	154	10	144	30.4	5.5	44.6
Monroe	116	12	104	18.7	3.3	40.6
Montgomery	64	6	58	30.0	6.6	47.5
Neshoba	86	15	71	20.1	6.3	37.6
Newton	66	2	64	19.0	1.0	40.5
Noxubee	94	1	93	34.9	1.5	45.8
Oktibbeha	156	1	155	26.8	0.4	47.4
Panola	185	8	177	33.3	4.5	47.1
Pearl River	77	22	55	14.5	5.2	49.5
Perry	41	8	33	20.3	6.0	47.8
Pike	164	11	153	25.1	3.9	41.5
Pontotoc	28	5	23	9.6	2.1	43.4
Prentiss	42	12	30	12.0	4.2	46.9
Quitman	136	5	131	44.2	6.3	57.2
Rankin	129	36	93	12.2	4.4	38.8
Scott	110	12	98	25.8	5.8	44.7
Sharkey	106	1	105	44.9	1.7	59.0
Simpson	81	7	74	19.4	3.2	37.4
Smith	35	3	32	14.9	2.0	36.0
Stone	22	2	20	15.4	2.2	37.0
Sunflower	323	7	316	40.9	3.6	53.4
Tallahatchie	182	8	174	44.4	7.5	57.2
Tate	110	7	103	28.7	4.1	48.8
Tippah	30	11	19	9.5	4.3	30.2
Tishomingo	14	9	5	6.1	4.1	62.5
Tunica	110	0	110	47.6	-	55.8
Union	47	8	39	13.3	3.0	44.8
Walthall	60	5	55	21.8	4.2	35.5
Warren	256	24	232	27.1	5.2	48.3
Washington	713	33	680	42.0	6.0	59.4
Wayne	82	7	75	21.6	3.3	44.1
Webster	34	9	25	18.6	7.3	41.7
Wilkinson	63	0	63	34.4	-	50.0
Winston	92	3	89	26.0	2.0	44.0
Yalobusha	48	1	47	25.4	1.1	49.5
Yazoo	197	13	184	35.5	6.2	53.3

TABLE 5A-77
TOTAL ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1977

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	11,525	394	5,939	3,315	1,147	436	216	69	6	3
Adams	246	10	116	75	28	9	3	4	1	0
Alcorn	51	1	25	17	6	1	0	0	0	1
Amite	54	2	21	22	8	0	1	0	0	0
Attala	66	4	29	24	7	1	0	1	0	0
Benton	20	1	7	7	4	1	0	0	0	0
Bolivar	551	17	282	163	61	18	6	3	1	0
Calhoun	42	4	24	12	0	1	1	0	0	0
Carroll	39	3	22	8	1	4	1	0	0	0
Chickasaw	78	2	45	17	12	1	0	1	0	0
Choctaw	33	0	20	10	1	1	1	0	0	0
Claiborne	96	3	42	30	16	1	3	1	0	0
Clarke	62	2	36	10	8	5	1	0	0	0
Clay	102	2	51	29	13	2	1	4	0	0
Coahoma	397	18	235	108	23	5	5	3	0	0
Copiah	137	6	73	38	14	4	2	0	0	0
Covington	72	2	32	27	7	2	1	1	0	0
DeSoto	140	2	73	35	17	7	5	1	0	0
Forrest	226	5	129	54	27	5	5	0	1	0
Franklin	27	0	12	13	0	0	2	0	0	0
George	32	1	17	5	3	1	5	0	0	0
Greene	31	0	14	10	2	3	1	1	0	0
Grenada	97	4	53	27	9	2	1	1	0	0
Hancock	44	0	21	14	7	1	1	0	0	0
Harrison	420	16	226	121	38	9	8	2	0	0
Hinds	1,261	36	625	381	137	54	23	5	0	0
Holmes	207	8	96	61	25	7	9	1	0	0
Humphreys	117	5	62	32	9	4	3	2	0	0
Issaquena	16	0	11	3	0	0	2	0	0	0
Itawamba	19	2	11	2	3	0	1	0	0	0
Jackson	325	3	179	93	33	12	5	0	0	0
Jasper	97	4	52	29	3	4	4	1	0	0
Jefferson	113	2	49	36	15	7	2	2	0	0
Jeff Davis	81	5	34	21	15	4	1	1	0	0
Jones	177	6	86	57	21	5	2	0	0	0
Kemper	43	1	21	12	2	4	2	1	0	0
Lafayette	96	4	52	28	6	5	1	0	0	0
Lamar	39	1	27	7	1	3	0	0	0	0
Lauderdale	311	12	163	96	26	7	6	1	0	0
Lawrence	47	0	23	11	9	2	1	0	0	1
Leake	48	2	25	14	3	3	1	0	0	0
Lee	161	9	90	40	14	5	3	0	0	0
Leflore	338	10	191	99	27	6	2	3	0	0

Table 5A-77 - Page 2
Total Illegitimate Live Births - Mississippi - 1977

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	106	5	54	34	11	2	0	0	0	0
Lowndes	249	3	117	76	28	15	7	2	1	0
Madison	277	9	137	83	25	13	7	2	1	0
Marion	81	3	49	12	12	1	3	1	0	0
Marshall	154	11	73	52	11	3	3	1	0	0
Monroe	116	1	63	33	14	5	0	0	0	0
Montgomery	64	1	37	14	7	4	1	0	0	0
Neshoba	86	6	42	22	10	3	1	2	0	0
Newton	66	6	25	19	7	6	2	1	0	0
Noxubee	94	4	42	31	11	5	0	1	0	0
Oktibbeha	156	4	72	53	10	9	6	2	0	0
Panola	185	10	102	42	17	8	3	3	0	0
Pearl River	77	0	48	23	4	2	0	0	0	0
Perry	41	1	17	12	6	4	1	0	0	0
Pike	164	3	81	55	18	6	0	1	0	0
Pontotoc	28	1	15	7	3	1	1	0	0	0
Prentiss	42	4	20	8	5	4	0	1	0	0
Quitman	136	5	76	41	9	3	2	0	0	0
Rankin	129	4	68	39	11	4	3	0	0	0
Scott	110	5	60	23	15	2	5	0	0	0
Sharkey	106	3	57	26	14	5	1	0	0	0
Simpson	81	3	40	26	7	3	2	0	0	0
Smith	35	0	19	9	3	2	0	1	0	1
Stone	22	1	8	9	2	1	1	0	0	0
Sunflower	323	12	183	73	35	15	4	1	0	0
Tallahatchie	182	6	105	50	10	6	5	0	0	0
Tate	110	7	62	25	6	6	4	0	0	0
Tippah	30	1	15	8	5	0	1	0	0	0
Tishomingo	14	1	8	5	0	0	0	0	0	0
Tunica	110	4	51	36	8	8	2	1	0	0
Union	47	3	24	13	7	0	0	0	0	0
Walthall	60	2	23	16	11	5	3	0	0	0
Warren	256	13	122	69	29	15	5	3	0	0
Washington	713	23	350	235	68	23	8	5	1	0
Wayne	82	5	33	23	11	8	2	0	0	0
Webster	34	1	15	13	3	2	0	0	0	0
Wilkinson	63	0	32	21	3	5	2	0	0	0
Winston	92	1	42	30	11	4	4	0	0	0
Yalobusha	48	2	24	15	4	2	1	0	0	0
Yazoo	197	5	126	36	15	10	4	1	0	0

TABLE 5B-77
WHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1977

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	1,066	31	614	285	81	39	13	3	0	0
Adams	31	1	18	10	1	1	0	0	0	0
Alcorn	28	0	17	9	2	0	0	0	0	0
Amite	1	0	1	0	0	0	0	0	0	0
Attala	8	0	4	2	1	0	0	1	0	0
Benton	1	0	0	1	0	0	0	0	0	0
Bolivar	17	0	12	3	2	0	0	0	0	0
Calhoun	7	0	7	0	0	0	0	0	0	0
Carroll	2	0	2	0	0	0	0	0	0	0
Chickasaw	9	0	5	3	1	0	0	0	0	0
Choctaw	3	0	0	2	0	1	0	0	0	0
Claiborne	3	0	2	1	0	0	0	0	0	0
Clarke	8	0	6	1	1	0	0	0	0	0
Clay	3	0	3	0	0	0	0	0	0	0
Coahoma	6	0	4	1	1	0	0	0	0	0
Copiah	10	0	7	3	0	0	0	0	0	0
Covington	4	0	3	0	1	0	0	0	0	0
DeSoto	24	0	15	4	2	2	0	1	0	0
Forrest	28	1	14	7	5	1	0	0	0	0
Franklin	1	0	0	1	0	0	0	0	0	0
George	15	0	10	3	0	0	2	0	0	0
Greene	3	0	1	1	1	0	0	0	0	0
Grenada	6	0	3	3	0	0	0	0	0	0
Hancock	17	0	11	5	1	0	0	0	0	0
Harrison	122	6	61	37	10	5	3	0	0	0
Hinds	79	2	37	23	13	2	2	0	0	0
Holmes	1	0	0	1	0	0	0	0	0	0
Humphreys	5	0	3	2	0	0	0	0	0	0
Issaquena	1	0	1	0	0	0	0	0	0	0
Itawamba	10	2	8	0	0	0	0	0	0	0
Jackson	98	1	57	29	7	4	0	0	0	0
Jasper	3	0	3	0	0	0	0	0	0	0
Jefferson	0	0	0	0	0	0	0	0	0	0
Jeff Davis	3	0	2	1	0	0	0	0	0	0
Jones	24	1	13	9	1	0	0	0	0	0
Kemper	3	0	2	1	0	0	0	0	0	0
Lafayette	11	0	5	4	2	0	0	0	0	0
Lamar	12	1	7	3	1	0	0	0	0	0
Lauderdale	34	0	18	11	1	2	1	1	0	0
Lawrence	6	0	6	0	0	0	0	0	0	0
Leake	6	0	4	1	0	1	0	0	0	0
Lee	42	3	26	8	4	1	0	0	0	0
Leflore	9	0	7	2	0	0	0	0	0	0

Table 5B-77 - Page 2
White Ilegitimate Live Births - Mississippi - 1977

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	6	0	3	3	0	0	0	0	0	0
Lowndes	15	1	9	3	0	2	0	0	0	0
Madison	8	0	2	4	1	1	0	0	0	0
Marion	9	0	6	2	0	0	1	0	0	0
Marshall	10	1	3	4	0	1	1	0	0	0
Monroe	12	0	7	5	0	0	0	0	0	0
Montgomery	6	0	3	1	1	1	0	0	0	0
Neshoba	15	1	10	2	2	0	0	0	0	0
Newton	2	0	1	1	0	0	0	0	0	0
Noxubee	1	0	1	0	0	0	0	0	0	0
Oktibbeha	1	0	1	0	0	0	0	0	0	0
Panola	8	0	6	0	1	1	0	0	0	0
Pearl River	22	0	11	8	1	2	0	0	0	0
Perry	8	0	5	1	1	1	0	0	0	0
Pike	11	0	10	1	0	0	0	0	0	0
Pontotoc	5	0	4	0	0	0	1	0	0	0
Prentiss	12	1	4	3	1	3	0	0	0	0
Quitman	5	0	1	3	1	0	0	0	0	0
Rankin	36	0	22	9	4	1	0	0	0	0
Scott	12	0	7	4	0	0	1	0	0	0
Sharkey	1	0	1	0	0	0	0	0	0	0
Simpson	7	1	3	2	1	0	0	0	0	0
Smith	3	0	2	0	0	1	0	0	0	0
Stone	2	0	1	1	0	0	0	0	0	0
Sunflower	7	0	4	2	0	1	0	0	0	0
Tallahatchie	8	0	5	2	0	1	0	0	0	0
Tate	7	2	3	2	0	0	0	0	0	0
Tippah	11	0	6	2	3	0	0	0	0	0
Tishomingo	9	1	6	2	0	0	0	0	0	0
Tunica	0	0	0	0	0	0	0	0	0	0
Union	8	3	3	2	0	0	0	0	0	0
Walthall	5	0	2	2	1	0	0	0	0	0
Warren	24	1	12	10	0	0	1	0	0	0
Washington	33	1	22	6	2	2	0	0	0	0
Wayne	7	0	4	2	0	1	0	0	0	0
Webster	9	0	7	1	1	0	0	0	0	0
Wilkinson	0	0	0	0	0	0	0	0	0	0
Winston	3	0	1	1	1	0	0	0	0	0
Yalobusha	1	0	1	0	0	0	0	0	0	0
Yazoo	13	0	10	2	1	0	0	0	0	0

TABLE 5C-77
NONWHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1977

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
STATE	10,459	363	5,325	3,030	1,066	397	203	66	6	3
Adams	215	9	98	65	27	8	3	4	1	0
Alcorn	23	1	8	8	4	1	0	0	0	1
Amite	53	2	20	22	8	0	1	0	0	0
Attala	58	4	25	22	6	1	0	0	0	0
Benton	19	1	7	6	4	1	0	0	0	0
Bolivar	534	17	270	160	59	18	6	3	1	0
Calhoun	35	4	17	12	0	1	1	0	0	0
Carroll	37	3	20	8	1	4	1	0	0	0
Chickasaw	69	2	40	14	11	1	0	1	0	0
Choctaw	30	0	20	8	1	0	1	0	0	0
Claiborne	93	3	40	29	16	1	3	1	0	0
Clarke	54	2	30	9	7	5	1	0	0	0
Clay	99	2	48	29	13	2	1	4	0	0
Coahoma	391	18	231	107	22	5	5	3	0	0
Copiah	127	6	66	35	14	4	2	0	0	0
Covington	68	2	29	27	6	2	1	1	0	0
DeSoto	116	2	58	31	15	5	5	0	0	0
Forrest	198	4	115	47	22	4	5	0	1	0
Franklin	26	0	12	12	0	0	2	0	0	0
George	17	1	7	2	3	1	3	0	0	0
Greene	28	0	13	9	1	3	1	1	0	0
Grenada	91	4	50	24	9	2	1	1	0	0
Hancock	27	0	10	9	6	1	1	0	0	0
Harrison	298	10	165	84	28	4	5	2	0	0
Hinds	1,182	34	588	358	124	52	21	5	0	0
Holmes	206	8	96	60	25	7	9	1	0	0
Humphreys	112	5	59	30	9	4	3	2	0	0
Issaquena	15	0	10	3	0	0	2	0	0	0
Itawamba	9	0	3	2	3	0	1	0	0	0
Jackson	227	2	122	64	26	8	5	0	0	0
Jasper	94	4	49	29	3	4	4	1	0	0
Jefferson	113	2	49	36	15	7	2	2	0	0
Jeff Davis	78	5	32	20	15	4	1	1	0	0
Jones	153	5	73	48	20	5	2	0	0	0
Kemper	40	1	19	11	2	4	2	1	0	0
Lafayette	85	4	47	24	4	5	1	0	0	0
Lamar	27	0	20	4	0	3	0	0	0	0
Lauderdale	277	12	145	85	25	5	5	0	0	0
Lawrence	41	0	17	11	9	2	1	0	0	1
Leake	42	2	21	13	3	2	1	0	0	0
Lee	119	6	64	32	10	4	3	0	0	0
Leflore	329	10	184	97	27	6	2	3	0	0

Table 5C-77 - Page 2
Nonwhite Illegitimate Live Births - Mississippi - 1977

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un-known
Lincoln	100	5	51	31	11	2	0	0	0	0
Lowndes	234	2	108	73	28	13	7	2	1	0
Madison	269	9	135	79	24	12	7	2	1	0
Marion	72	3	43	10	12	1	2	1	0	0
Marshall	144	10	70	48	11	2	2	1	0	0
Monroe	104	1	56	28	14	5	0	0	0	0
Montgomery	58	1	34	13	6	3	1	0	0	0
Neshoba	71	5	32	20	8	3	1	2	0	0
Newton	64	6	24	18	7	6	2	1	0	0
Noxubee	93	4	41	31	11	5	0	1	0	0
Oktibbeha	155	4	71	53	10	9	6	2	0	0
Panola	177	10	96	42	16	7	3	3	0	0
Pearl River	55	0	37	15	3	0	0	0	0	0
Perry	33	1	12	11	5	3	1	0	0	0
Pike	153	3	71	54	18	6	0	1	0	0
Pontotoc	23	1	11	7	3	1	0	0	0	0
Prentiss	30	3	16	5	4	1	0	1	0	0
Quitman	131	5	75	38	8	3	2	0	0	0
Rankin	93	4	46	30	7	3	3	0	0	0
Scott	98	5	53	19	15	2	4	0	0	0
Sharkey	105	3	56	26	14	5	1	0	0	0
Simpson	74	2	37	24	6	3	2	0	0	0
Smith	32	0	17	9	3	1	0	1	0	1
Stone	20	1	7	8	2	1	1	0	0	0
Sunflower	316	12	179	71	35	14	4	1	0	0
Tallahatchie	174	6	100	48	10	5	5	0	0	0
Tate	103	5	59	23	6	6	4	0	0	0
Tippah	19	1	9	6	2	0	1	0	0	0
Tishomingo	5	0	2	3	0	0	0	0	0	0
Tunica	110	4	51	36	8	8	2	1	0	0
Union	39	0	21	11	7	0	0	0	0	0
Walthall	55	2	21	14	10	5	3	0	0	0
Warren	232	12	110	59	29	15	4	3	0	0
Washington	680	22	328	229	66	21	8	5	1	0
Wayne	75	5	29	21	11	7	2	0	0	0
Webster	25	1	8	12	2	2	0	0	0	0
Wilkinson	63	0	32	21	3	5	2	0	0	0
Winston	89	1	41	29	10	4	4	0	0	0
Yalobusha	47	2	23	15	4	2	1	0	0	0
Yazoo	184	5	116	34	14	10	4	1	0	0

TABLE 6-77
REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE, ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1977

County	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	787	271	516	780	261	519	17.1	11.2	23.4
Adams	25	6	19	17	3	14	25.8	11.4	35.3
Alcorn	5	3	2	5	3	2	10.7	7.5	28.6
Amite	1	0	1	6	2	4	25.8	20.8	29.2
Attala	3	1	2	9	4	5	29.6	24.7	35.2
Benton	0	0	0	4	1	3	32.0	17.2	44.8
Bolivar	44	4	40	26	4	22	23.6	17.0	25.4
Calhoun	2	0	2	9	4	5	40.7	32.2	51.5
Carroll	0	0	0	2	1	1	13.5	16.7	11.4
Chickasaw	4	2	2	6	1	5	15.4	5.2	25.1
Choctaw	2	0	2	1	0	1	6.2	-	15.4
Claiborne	1	0	1	4	0	4	16.2	-	20.6
Clarke	1	0	1	11	2	9	36.5	12.0	66.7
Clay	6	2	4	4	0	4	9.4	-	14.1
Coahoma	26	2	24	24	0	24	27.2	-	35.7
Copiah	4	0	4	11	3	8	21.0	15.0	24.7
Covington	2	1	1	5	3	2	17.8	24.8	12.5
DeSoto	1	0	1	7	3	4	8.0	4.7	17.2
Forrest	33	13	20	17	2	15	15.4	2.9	36.1
Franklin	0	0	0	3	0	3	23.1	-	45.4
George	1	1	0	2	2	0	6.2	7.4	-
Greene	2	2	0	3	2	1	16.2	15.0	19.2
Grenada	6	3	3	5	2	3	13.2	11.3	14.9
Hancock	0	0	0	5	4	1	16.4	15.7	19.6
Harrison	56	36	20	52	32	20	18.2	15.2	26.8
Hinds	149	38	111	92	19	73	20.8	10.2	28.6
Holmes	7	0	7	11	0	11	22.1	-	28.4
Humphreys	3	0	3	6	1	5	19.3	14.7	20.6
Issaquena	0	0	0	0	0	0	-	-	-
Itawamba	0	0	0	5	5	0	20.1	22.2	-
Jackson	21	8	13	24	11	13	10.1	6.3	20.7
Jasper	0	0	0	4	0	4	11.4	-	16.9
Jefferson	0	0	0	1	0	1	4.3	-	4.9
Jeff Davis	3	0	3	2	0	2	7.9	-	11.6
Jones	23	5	18	12	6	6	12.3	9.5	17.6
Kemper	0	0	0	0	0	0	-	-	-
Lafayette	5	4	1	6	3	3	14.3	13.2	15.6
Lamar	0	0	0	1	0	1	3.0	-	17.8
Lauderdale	40	9	31	25	7	18	18.5	9.9	28.0
Lawrence	0	0	0	2	0	2	9.1	-	21.3
Leake	7	2	5	13	4	9	45.4	30.1	58.8
Lee	28	15	13	14	7	7	14.7	10.9	22.5
Leflore	14	4	10	16	4	12	18.2	14.7	19.8

Table 6-77 - Page 2
Fetal Deaths - Mississippi - 1977

	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	4	1	3	6	1	5	12.2	3.4	25.1
Lowndes	13	8	5	14	8	6	13.2	13.9	12.3
Madison	3	1	2	10	3	7	12.8	11.7	13.3
Marion	0	0	0	4	3	1	8.9	11.3	5.5
Marshall	0	0	0	6	1	5	11.8	5.5	15.5
Monroe	23	15	8	15	7	8	24.2	19.3	31.2
Montgomery	6	2	4	6	2	4	28.2	22.0	32.8
Neshoba	5	3	2	7	6	1	16.4	25.1	5.3
Newton	6	2	4	6	0	6	17.3	-	38.0
Noxubee	6	0	6	6	0	6	22.3	-	29.6
Oktibbeha	13	2	11	12	4	8	20.6	15.6	24.5
Panola	12	2	10	11	2	9	19.8	11.2	23.9
Pearl River	4	4	0	6	5	1	11.3	11.9	9.0
Perry	0	0	0	3	2	1	14.8	15.0	14.5
Pike	14	9	5	8	3	5	12.2	10.6	13.6
Pontotoc	4	3	1	4	3	1	13.7	12.6	18.9
Prentiss	3	3	0	3	3	0	8.5	10.4	-
Quitman	5	2	3	8	2	6	26.0	25.3	26.2
Rankin	24	15	9	14	10	4	13.3	12.3	16.7
Scott	4	1	3	9	5	4	21.1	24.2	18.3
Sharkey	0	0	0	3	1	2	12.7	17.2	11.2
Simpson	2	0	2	10	5	5	24.0	22.8	25.2
Smith	0	0	0	4	2	2	17.0	13.7	22.5
Stone	0	0	0	2	1	1	14.0	11.2	18.5
Sunflower	12	2	10	21	3	18	26.6	15.2	30.4
Tallahatchie	7	3	4	9	4	5	22.0	37.7	16.4
Tate	2	2	0	8	3	5	20.9	17.4	23.7
Tippah	4	2	2	4	3	1	12.6	11.8	15.9
Tishomingo	1	1	0	4	4	0	17.5	18.1	-
Tunica	0	0	0	2	1	1	8.6	29.4	5.1
Union	9	4	5	7	4	3	19.8	15.0	34.5
Walthall	2	2	0	4	2	2	14.5	16.7	12.9
Warren	19	3	16	12	3	9	12.7	6.5	18.8
Washington	30	11	19	30	5	25	17.7	9.0	21.8
Wayne	5	3	2	2	0	2	5.3	-	11.8
Webster	3	2	1	4	2	2	21.8	16.3	33.3
Wilkinson	4	0	4	5	1	4	27.3	17.5	31.7
Winston	6	1	5	8	0	8	22.6	-	39.6
Yalobusha	3	0	3	3	0	3	15.9	-	31.6
Yazoo	4	1	3	8	2	6	14.4	9.5	17.4
Out of state	32	17	15	39	27	12			

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Reportable fetal deaths per 1,000 live births.

TABLE 7-77
DEATHS, BY PLACE OF OCCURRENCE AND RACE, ALSO DEATHS, BY PLACE OF RESIDENCE AND RACE, (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE, URBAN, RURAL), MISSISSIPPI, 1977

	Occurrence Data			Residence Data		
County	Total	White	Non-white	Total	White	Non-white
STATE	22,627	14,007	8,620	23,022	14,318	8,704
Adams	447	202	245	374	147	227
Alcorn	233	205	28	296	270	26
Amite	71	37	34	151	83	68
Attala	208	135	73	240	154	86
Benton	18	9	9	64	49	15
Bolivar	464	147	317	497	164	333
Calhoun	102	81	21	165	134	31
Carroll	23	10	13	98	57	41
Chickasaw	172	115	57	210	136	74
Choctaw	73	46	27	101	74	27
Claiborne	67	17	50	103	30	73
Clarke	128	82	46	162	103	59
Clay	135	65	70	188	97	91
Coahoma	456	161	295	430	145	285
Copiah	217	124	93	310	168	142
Covington	129	88	41	184	132	52
DeSoto	160	99	61	329	236	93
Forrest	870	646	224	622	436	186
Franklin	100	61	39	112	67	45
George	114	99	15	138	123	15
Greene	67	45	22	109	88	21
Grenada	291	164	127	223	116	107
Hancock	172	139	33	208	179	29
Harrison	1,529	1,244	285	1,249	1,015	234
Hinds	3,169	1,824	1,345	1,859	1,043	816
Holmes	197	49	148	269	80	189
Humphreys	174	54	120	167	66	101
Issaquena	6	2	4	24	11	13
Itawamba	127	117	10	191	174	17
Jackson	618	490	128	694	567	127
Jasper	126	84	42	166	107	59
Jefferson	60	12	48	96	33	63
Jeff Davis	116	54	62	149	71	78
Jones	600	430	170	570	422	148
Kemper	63	30	33	129	74	55
Lafayette	236	168	68	213	135	78
Lamar	60	53	7	139	124	15
Lauderdale	997	657	340	762	489	273
Lawrence	109	71	38	137	94	43
Leake	157	109	48	218	150	68
Lee	769	596	173	511	386	125
Leflore	492	223	269	461	186	275

Table 7-77 - Page 2
Deaths - Mississippi - 1977

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
Lincoln	285	209	76	288	201	87
Lowndes	450	260	190	450	253	197
Madison	229	84	145	321	125	196
Marion	187	125	62	264	179	85
Marshall	176	77	99	252	113	139
Monroe	330	228	102	323	224	99
Montgomery	184	114	70	162	109	53
Neshoba	141	103	38	222	172	50
Newton	172	126	46	248	172	76
Noxubee	140	42	98	154	51	103
Oktibbeha	186	95	91	225	125	100
Panola	239	118	121	324	179	145
Pearl River	230	185	45	307	244	63
Perry	63	48	15	79	53	26
Pike	417	249	168	409	241	168
Pontotoc	126	105	21	205	178	27
Prentiss	161	144	17	228	202	26
Quitman	60	17	43	148	60	88
Rankin	345	244	101	384	290	94
Scott	211	145	66	268	180	88
Sharkey	60	20	40	92	30	62
Simpson	226	176	50	232	180	52
Smith	59	46	13	148	122	26
Stone	74	66	8	89	76	13
Sunflower	301	112	189	387	148	239
Tallahatchie	136	61	75	204	87	117
Tate	109	53	56	193	116	77
Tippah	181	158	23	208	175	33
Tishomingo	136	132	4	165	159	6
Tunica	74	14	60	100	18	82
Union	236	192	44	225	188	37
Walthall	116	77	39	132	84	48
Warren	580	283	297	463	228	235
Washington	756	312	444	704	296	408
Wayne	164	115	49	177	125	52
Webster	103	77	26	118	90	28
Wilkinson	133	47	86	113	34	79
Winston	172	112	60	224	149	75
Yalobusha	99	68	31	167	117	50
Yazoo	258	124	134	302	130	172
Out of state	1,376	1,043	333	981	732	249

Table 7-77 Page 3
Deaths - Mississippi - 1977

	Occurrence Data			Residence Data		
Town*	Total	White	Non-white	Total	White	Non-white
Biloxi	761	649	112	373	322	51
Brookhaven	257	188	69	131	73	58
Canton	164	60	104	144	54	90
Clarksdale	390	149	241	258	93	165
Cleveland	259	119	140	150	69	81
Columbus	420	244	176	281	144	137
Corinth	23	20	3	140	124	16
Greenville	554	259	295	422	197	225
Greenwood	427	199	228	281	131	150
Gulfport	583	452	131	449	341	108
Hattiesburg	846	630	216	419	265	154
Jackson	3,029	1,766	1,263	1,544	897	647
Laurel	508	350	158	265	157	108
McComb	312	201	111	179	115	64
Meridian	927	610	317	554	350	204
Moss Point	6	4	2	125	62	63
Natchez	409	184	225	258	90	168
Oxford	208	155	53	76	60	16
Pascagoula	491	377	114	241	199	42
Pearl	9	9	0	64	64	0
Picayune	157	118	39	119	70	49
Starkville	160	85	75	96	68	28
Tupelo	696	533	163	214	149	65
Vicksburg	527	265	262	306	135	171
Yazoo City	211	104	107	158	55	103
Total urban**	16,941	10,689	6,252	10,224	6,146	4,078
Total rural	5,686	3,318	2,368	12,798	8,172	4,626

* Towns of 10,000 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

** All incorporated towns of 2,500 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

TABLE 8-77
DEATHS, BY CAUSE AND RACE, MISSISSIPPI RESIDENTS, 1977

International Classification Number*	Cause*	Total	White	Non-white
000-999	ALL CAUSES	23,022	14,318	8,704
000-136	INFECTIVE AND PARASITIC DISEASES	251	120	131
000-009	Intestinal infectious diseases	43	17	26
002,003	Paratyphoid fever and other Salmonella infections	2	0	2
003	Other Salmonella infections	2	0	2
004,006	Bacillary dysentery and amebiasis	1	0	1
004	Bacillary dysentery	1	0	1
008,009	Enteritis and other diarrheal diseases	40	17	23
008	Enteritis due to other specified organism	4	3	1
009	Diarrheal disease	36	14	22
010-019	Tuberculosis, all forms	50	17	33
010-012	Respiratory	41	14	27
011	Pulmonary	36	10	26
012	Other respiratory	5	4	1
013-018	Other forms	7	1	6
013	Meninges and central nervous system	2	0	2
015	Bones and joints	1	0	1
017	Other organs	2	0	2
018	Disseminated	2	1	1
019	Late effects of tuberculosis	2	2	0
020-027	Zoonotic bacterial diseases	2	2	0
021	Tularemia	1	1	0
027	Other zoonotic bacterial diseases	1	1	0
030-039	Other bacterial diseases	99	54	45
031	Other diseases due to mycobacteria	2	1	1
036	Meningococcal infection	4	4	0
038	Septicemia	81	45	36
039	Other bacterial diseases	12	4	8
040-046	Poliomyelitis and other enterovirus diseases of central nervous system	1	0	1
045	Aseptic meningitis due to enterovirus	1	0	1
050-057	Viral diseases accompanied by exanthem	4	3	1
054	Herpes simplex	4	3	1
060-068	Arthropod-borne viral diseases	5	3	2
062-065	Viral encephalitis	5	3	2
062	Mosquito-borne	2	1	1
065	Unspecified	3	2	1
070-079	Other viral diseases	17	10	7
070	Infectious hepatitis	12	6	6
074	Specific diseases due to Coxsackie virus	1	1	0
079	Other viral diseases	4	3	1
080-089	Rickettsioses and other arthropod-borne diseases	1	1	0
080-083	Typhus and other rickettsioses	1	1	0
082	Tick-borne rickettsioses	1	1	0
090-099	Syphilis and other venereal diseases	6	0	6
090-097	Syphilis and its sequelae	6	0	6

Table 8-77 - Page 2
Deaths - Mississippi - 1977

International Classification Number*	Cause*	Total	White	Non-white
093	Cardiovascular	3	0	3
094	Central nervous system	3	0	3
100-104	Other spirochetal diseases	0	0	0
110-117	Mycoses	14	10	4
112	Moniliasis	3	3	0
115	Histoplasmosis	1	0	1
116	Blastomycosis	6	5	1
117	Other systemic mycosis	4	2	2
120-129	Helminthiases	0	0	0
130-136	Other infective and parasitic diseases	9	3	6
135	Sarcoidosis	6	1	5
136	Other and unspecified infective and parasitic diseases	3	2	1
140-239	NEOPLASMS	4,011	2,663	1,348
140-209	Malignant neoplasms	3,972	2,636	1,336
140-149	Buccal cavity and pharynx	79	60	19
140	Lip	2	2	0
141	Tongue	11	6	5
142	Salivary gland	8	7	1
144	Floor of mouth	3	3	0
145	Other and unspecified parts of mouth	20	18	2
146	Oropharynx	11	7	4
147	Nasopharynx	11	9	2
148	Hypopharynx	7	6	1
149	Pharynx, unspecified	6	2	4
150-159	Digestive organs and peritoneum	972	622	350
150	Esophagus	70	29	41
151	Stomach	164	82	82
152	Small intestine, including duodenum	8	5	3
153	Large intestine, except rectum	336	242	94
154	Rectum and rectosigmoid junction	61	35	26
155	Liver and intrahepatic bile ducts, specified as primary	25	16	9
156	Gallbladder and bile ducts	40	30	10
157	Pancreas	248	171	77
158	Peritoneum and retroperitoneal tissue	9	5	4
159	Unspecified digestive organs	11	7	4
160-163	Respiratory system	1,069	782	287
160	Nose, nasal cavities, middle ear, and accessory sinuses	7	4	3
161	Larynx	33	24	9
162	Trachea, bronchus, and lung	1,019	745	274
163	Other and unspecified respiratory organs	10	9	1
170-174	Bone, connective tissue, skin, and breast	368	248	120
170	Bone	16	9	7
171	Connective and other soft tissue	21	13	8
172	Melanoma of skin	45	40	5
173	Skin, other	16	12	4
174	Breast	270	174	96

Table 8-77 - Page 3
Deaths - Mississippi - 1977

International Classification Number*	Cause*	Total	White	Non-white
180-189	Genitourinary organs	685	378	307
(180-187)	(Genital organs)	546	279	267
180	Cervix uteri	73	29	44
182	Uterus, other	58	21	37
183	Ovary, fallopian tube, and broad ligament	84	61	23
184	Other and unspecified female genital organs	11	10	1
185	Prostate	311	151	160
186	Testis	7	7	0
187	Other and unspecified male genital organs	2	0	2
(188,189)	(Urinary organs)	139	99	40
188	Bladder	70	44	26
189	Other and unspecified urinary organs	69	55	14
190-199	Other and unspecified sites	425	280	145
190	Eye	6	5	1
191	Brain	97	82	15
192	Other parts of nervous system	13	10	3
193	Thyroid gland	9	4	5
194	Other endocrine glands	4	4	0
195	Ill-defined sites	31	15	16
196	Lymph nodes, secondary and unspecified	2	2	0
197	Respiratory and digestive systems, secondary	86	58	28
198	Other secondary	31	21	10
199	Site unspecified	146	79	67
200-209	Lymphatic and hematopoietic tissue	374	266	108
200	Lymphosarcoma and reticulum-cell sarcoma	56	40	16
201	Hodgkin's disease	23	16	7
202	Lymphoid tissue, other	55	40	15
203	Multiple myeloma	66	40	26
209	Myelofibrosis	3	3	0
(204-207)	(Leukemia)	171	127	44
204	Lymphatic	50	38	12
205	Myeloid	64	50	14
206	Monocytic	5	2	3
207	Other and unspecified	52	37	15
210-228	Benign neoplasms	24	19	5
211	Benign neoplasm of other parts of digestive system	1	1	0
218	Uterine fibroma	1	1	0
225	Benign neoplasm of brain and other parts of nervous system	16	14	2
226	Benign neoplasm of endocrine glands	4	2	2
227	Hemangioma and lymphangioma	1	0	1
228	Benign neoplasm of other and unspecified organs and tissues	1	1	0
230-239	Neoplasms of unspecified nature	15	8	7
230	Digestive organs	3	2	1
231	Respiratory organs	1	0	1
238	Eye, brain, and other parts of nervous system	9	5	4
239	Other and unspecified organs	2	1	1

Table 8-77 - Page 4
Deaths - Mississippi - 1977

International Classification Number*	Cause*	Total	White	Non-white
240-279	ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES	455	222	233
240-246	Diseases of thyroid gland	4	4	0
242	Thyrotoxicosis with or without goiter	1	1	0
244	Myxedema	2	2	0
245	Thyroiditis	1	1	0
250-258	Diseases of other endocrine glands	386	184	202
250	Diabetes mellitus	374	178	196
251	Disorders of pancreatic internal secretion other than diabetes mellitus	3	0	3
252	Diseases of parathyroid gland	1	0	1
254	Diseases of thymus gland	1	0	1
255	Diseases of adrenal glands	4	3	1
258	Polyglandular dysfunction and other diseases of endocrine glands	3	3	0
260-269	Avitaminoses and other nutritional deficiency	34	13	21
268	Nutritional marasmus	2	1	1
269	Other nutritional deficiency	32	12	20
270-279	Other metabolic diseases	31	21	10
270	Congenital disorders of amino-acid metabolism	1	1	0
271	Congenital disorders of carbohydrate metabolism	1	1	0
273	Other and unspecified congenital disorders of metabolism	11	8	3
274	Gout	2	2	0
275	Plasma protein abnormalities	1	1	0
276	Amyloidosis	1	0	1
277	Obesity not specified as of endocrine origin	10	5	5
279	Other and unspecified metabolic diseases	4	3	1
280-289	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	70	37	33
280-285	Anemias	42	19	23
280	Iron deficiency	1	1	0
281	Other deficiency	1	1	0
282	Hereditary hemolytic	13	1	12
284	Aplastic	12	9	3
285	Other and unspecified	15	7	8
286	Coagulation defects	10	6	4
287	Purpura and other hemorrhagic conditions	11	9	2
288	Agranulocytosis	7	3	4
290-315	MENTAL DISORDERS	102	59	43
290-299	Psychoses	19	12	7
290	Senile and presenile dementia	7	6	1
291	Alcoholic psychosis	7	4	3
295	Schizophrenia	2	1	1
299	Unspecified psychosis	3	1	2
300-309	Neuroses, personality disorders, and other nonpsychotic mental disorders	80	45	35
300	Neuroses	1	1	0
303	Alcoholism	46	21	25

Table 8-77 - Page 5
Deaths - Mississippi - 1977

International Classification Number*	Cause*	Total	White	Non-white
304	Drug dependence	2	1	1
305	Physical disorders of presumably psychogenic origin	1	0	1
306	Special symptoms not elsewhere classified	1	1	0
309	Mental disorders not specified as psychotic associated with physical conditions	29	21	8
310-315	Mental retardation	3	2	1
314	Profound	1	0	1
315	Unspecified	2	2	0
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	208	138	70
320-324	Inflammatory diseases of central nervous system	37	17	20
320	Meningitis	25	10	15
322	Intracranial and intraspinal abscess	4	1	3
323	Encephalitis, myelitis, and encephalomyelitis	6	5	1
324	Late effects of intracranial abscess or pyogenic infection	2	1	1
330-333	Hereditary and familial diseases of nervous system	17	15	2
330	Hereditary neuromuscular disorders	8	7	1
331	Hereditary diseases of the striatopallidal system	5	5	0
332	Hereditary ataxia	1	1	0
333	Other hereditary and familial diseases of nervous system	3	2	1
340-349	Other diseases of central nervous system	143	98	45
340	Multiple sclerosis	15	11	4
342	Paralysis agitans	26	22	4
343	Cerebral spastic infantile paralysis	8	4	4
344	Other cerebral paralysis	13	9	4
345	Epilepsy	25	7	18
347	Other diseases of brain	36	29	7
348	Motor neurone disease	17	16	1
349	Other diseases of spinal cord	3	0	3
350-358	Diseases of nerves and peripheral ganglia	4	3	1
351	Trigeminal neuralgia	1	1	0
354	Polyneuritis and polyradiculitis	2	1	1
357	Other diseases of peripheral nerves except autonomic	1	1	0
360-369	Inflammatory diseases of the eye	1	0	1
369	Other inflammatory diseases of eye	1	0	1
370-379	Other diseases and conditions of eye	4	3	1
374	Cataract	2	2	0
378	Other diseases of eye	1	1	0
379	Blindness	1	0	1
380-389	Diseases of the ear and mastoid process	2	2	0
381-383	Otitis media and mastoiditis	1	1	0
381	Otitis media without mention of mastoiditis	1	1	0
386	Otosclerosis	1	1	0
390-458	DISEASES OF THE CIRCULATORY SYSTEM	11,001	7,225	3,776

Table 8-77 - Page 6
Deaths - Mississippi - 1977

International Classification Number*	Cause*	Total	White	Non-white
390-392	Active rheumatic fever	4	3	1
390	Rheumatic fever without mention of heart involvement	1	1	0
391	Rheumatic fever with heart involvement	3	2	1
393-398	Chronic rheumatic heart disease	70	45	25
394	Diseases of mitral valve	22	17	5
395	Diseases of aortic valve	30	18	12
396	Diseases of mitral and aortic valves	2	0	2
398	Other heart disease, specified as rheumatic	16	10	6
400-404	Hypertensive disease	224	91	133
400,401, 403	Hypertension	92	39	53
400	Malignant hypertension	18	2	16
401	Essential benign hypertension	19	3	16
403	Hypertensive renal disease	55	34	21
402,404	Hypertensive heart disease with or without renal disease	132	52	80
402	Hypertensive heart disease	100	37	63
404	Hypertensive heart and renal disease	32	15	17
410-414	Ischemic heart disease	6,182	4,341	1,841
410	Acute myocardial infarction	3,315	2,457	858
411	Other acute and subacute forms of ischemic heart disease	43	25	18
412	Chronic ischemic heart disease	2,821	1,857	964
413	Angina pectoris	3	2	1
420-429	Other forms of heart disease	1,182	718	464
420	Acute pericarditis, nonrheumatic	1	1	0
421	Acute and subacute endocarditis	7	3	4
422	Acute myocarditis	3	3	0
423	Chronic disease of pericardium, nonrheumatic	7	4	3
424	Chronic disease of endocardium	6	2	4
425	Cardiomyopathy	46	21	25
426	Pulmonary heart disease	10	10	0
427	Symptomatic heart disease	774	488	286
428	Other myocardial insufficiency	32	22	10
429	Ill-defined heart disease	296	164	132
430-438	Cerebrovascular disease	2,560	1,511	1,049
430	Subarachnoid hemorrhage	74	45	29
431	Cerebral hemorrhage	253	137	116
432	Occlusion of precerebral arteries	27	21	6
433	Cerebral thrombosis	503	299	204
434	Cerebral embolism	3	3	0
435	Transient cerebral ischemia	1	1	0
436	Acute but ill-defined cerebrovascular disease	1,275	716	559
437	Generalized ischemic cerebrovascular disease	395	268	127
438	Other and ill-defined cerebrovascular disease	29	21	8
440-448	Diseases of arteries, arterioles, and capillaries	509	363	146
440	Arteriosclerosis	270	196	74
441-448	Other diseases of arteries, arterioles, and capillaries	239	167	72

Table 8-77 - Page 7
Deaths - Mississippi - 1977

International Classification Number*	Cause*	Total	White	Non-white
441	Aortic aneurysm (nonsyphilitic)	102	77	25
442	Other aneurysm	13	8	5
443	Other peripheral vascular disease	12	10	2
444	Arterial embolism and thrombosis	54	43	11
445	Gangrene	44	19	25
446	Polyarteritis nodosa and allied conditions	5	4	1
447	Other diseases of arteries and arterioles	8	5	3
448	Diseases of capillaries	1	1	0
450-458	Diseases of veins and lymphatics, and other diseases of circulatory system	270	153	117
450-453	Venous thrombosis and embolism	243	139	104
450	Pulmonary embolism and infarction	202	113	89
451	Phlebitis and thrombophlebitis	25	14	11
452	Portal vein thrombosis	1	1	0
453	Other venous embolism and thrombosis	15	11	4
454-458	Other diseases of the circulatory system	27	14	13
454	Varicose veins of lower extremities	4	0	4
455	Hemorrhoids	1	1	0
456	Varicose veins of other sites	4	4	0
457	Noninfective disease of lymphatic channels	3	2	1
458	Other diseases of circulatory system	15	7	8
460-519	DISEASES OF THE RESPIRATORY SYSTEM	1,160	862	298
460-466	Acute respiratory infections, except influenza	15	11	4
462	Acute pharyngitis	2	2	0
464	Acute laryngitis and tracheitis	1	1	0
465	Acute upper respiratory infection of multiple or unspecified sites	5	2	3
466	Acute bronchitis and bronchiolitis	7	6	1
470-474	Influenza	21	15	6
470	Unqualified	11	8	3
471	With pneumonia	10	7	3
480-486	Pneumonia	562	383	179
480	Viral	8	6	2
481,482	Bacterial	63	45	18
481	Pneumococcal	36	26	10
482	Other bacterial	27	19	8
484	Acute interstitial, organism unspecified	3	1	2
485	Broncho, organism unspecified	93	62	31
486	Unspecified	395	269	126
490-493	Bronchitis, emphysema, and asthma	200	171	29
490,491	Chronic and unqualified bronchitis	39	29	10
490	Unqualified	8	7	1
491	Chronic	31	22	9
492	Emphysema	146	135	11
493	Asthma	15	7	8
500-508	Other diseases of upper respiratory tract	4	3	1
503	Chronic sinusitis	1	1	0
508	Other diseases of upper respiratory tract	3	2	1

Table 8-77 - Page 8
Deaths - Mississippi - 1977

International Classification Number*	Cause*	Total	White	Non-white
510-519	Other diseases of respiratory system	358	279	79
510	Empyema	3	2	1
511	Pleurisy	3	2	1
512	Spontaneous pneumothorax	2	0	2
513	Abscess of lung	6	5	1
514	Pulmonary congestion and hypostasis	14	8	6
515	Pneumoconiosis due to silica and silicates	1	1	0
517	Other chronic interstitial pneumonia	37	27	10
518	Bronchiectasis	10	7	3
519	Other diseases of respiratory system	282	227	55
520-577	DISEASES OF THE DIGESTIVE SYSTEM	592	418	174
520-529	Diseases of oral cavity, salivary glands, and jaws	2	2	0
520-525	Diseases of teeth and supporting structures	1	1	0
522	Diseases of pulp and periapical tissues	1	1	0
528	Diseases of the oral soft tissues, excluding gingiva and tongue	1	1	0
530-537	Diseases of esophagus, stomach, and duodenum	84	60	24
530	Diseases of esophagus	9	7	2
531-533	Peptic ulcer	61	45	16
531	Ulcer of stomach	24	22	2
532	Ulcer of duodenum	26	16	10
533	Peptic ulcer, site unspecified	11	7	4
534	Gastrojejunal ulcer	10	5	5
535	Gastritis and duodenitis	2	1	1
537	Other diseases of stomach and duodenum	2	2	0
540-543	Appendicitis	8	6	2
540	Acute appendicitis	7	5	2
541	Appendicitis, unqualified	1	1	0
550-553	Hernia of abdominal cavity	23	15	8
551	Other, of abdominal cavity without mention of obstruction	10	6	4
552	Inguinal, with obstruction	5	3	2
553	Other, of abdominal cavity with obstruction	8	6	2
560-569	Other diseases of intestine and peritoneum	159	108	51
560	Intestinal obstruction without mention of hernia	46	23	23
562	Diverticula of intestine	32	24	8
563	Chronic enteritis and ulcerative colitis	6	5	1
567	Peritonitis	15	12	3
569	Other diseases of intestines and peritoneum	60	44	16
570-577	Diseases of liver, gallbladder, and pancreas	316	227	89
570	Acute and subacute necrosis of liver	6	5	1
571	Cirrhosis of liver	186	142	44
572	Suppurative hepatitis and liver abscess	2	1	1
573	Other diseases of liver	29	15	14
574,575	Cholelithiasis, cholecystitis, and cholangitis	46	33	13
574	Cholelithiasis	25	22	3
575	Cholecystitis and cholangitis, without mention of calculus	21	11	10

Table 8-77 - Page 9
Deaths - Mississippi - 1977

International Classification Number*	Cause*	Total	White	Non-white
576	Other diseases of gallbladder and biliary ducts	10	7	3
577	Diseases of pancreas	37	24	13
580-629	DISEASES OF THE GENITOURINARY SYSTEM	376	192	184
580-584	Nephritis and nephrosis	105	43	62
580,581	Acute nephritis and nephrotic syndrome	23	12	11
580	Acute nephritis	16	8	8
581	Nephrotic syndrome	7	4	3
582-584	Chronic and unqualified nephritis and renal sclerosis	82	31	51
582	Chronic nephritis	75	29	46
583	Nephritis, unqualified	6	1	5
584	Renal sclerosis, unqualified	1	1	0
590-599	Other diseases of urinary system	241	135	106
590	Infections of kidney	82	49	33
592,594	Calculus of urinary system	6	6	0
592	Of kidney and ureter	6	6	0
593	Other diseases of kidney and ureter	87	42	45
595	Cystitis	3	0	3
596	Other diseases of bladder	2	1	1
597	Urethritis (nonvenereal)	1	0	1
598	Stricture of urethra	1	0	1
599	Other diseases of urinary tract	59	37	22
600-607	Diseases of male genital organs	25	13	12
600	Hyperplasia of prostate	17	8	9
601	Prostatitis	2	2	0
603	Hydrocele	1	0	1
607	Other diseases of male genital organs	5	3	2
610-616	Diseases of breast, ovary, fallopian tube, and parametrium	2	1	1
615	Other diseases of ovary and fallopian tube	1	1	0
616	Diseases of parametrium and pelvic peritoneum (female)	1	0	1
620-629	Diseases of uterus and other female genital organs	3	0	3
625	Other diseases of uterus	1	0	1
629	Other diseases of female genital organs	2	0	2
630-678	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	10	2	8
630-634	Complications of pregnancy	1	0	1
631	Ectopic pregnancy	1	0	1
635-639	Urinary infections and toxemias of pregnancy and the puerperium	1	0	1
636-639	Toxemias of pregnancy and the puerperium, except abortion with toxemia	1	0	1
637	Pre-eclampsia, eclampsia, and toxemia, unspecified	1	0	1
640-645	Abortion	1	0	1

Table 8-77 - Page 10
Deaths - Mississippi - 1977

International Classification Number*	Cause*	Total	White	Non-white
642	Abortion induced for other reasons	1	0	1
650-662	Delivery	4	2	2
656	Delivery complicated by malpresentation of fetus	1	0	1
659	Delivery with rupture of uterus	2	1	1
661	Delivery with other complications	1	1	0
670-678	Complications of the puerperium	3	0	3
670,671, 673	Sepsis of childbirth and the puerperium	2	0	2
671	Puerperal phlebitis and thrombosis	1	0	1
673	Puerperal pulmonary embolism	1	0	1
674	Cerebral hemorrhage in the puerperium	1	0	1
680-709	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	43	17	26
680-686	Infections of skin and subcutaneous tissue	9	6	3
682	Other cellulitis and abscess	7	5	2
686	Other local infections of skin and subcutaneous tissue	2	1	1
690-698	Other inflammatory conditions of skin and subcutaneous tissue	6	1	5
695	Erythematous conditions	6	1	5
700-709	Other diseases of skin and subcutaneous tissue	28	10	18
707	Chronic ulcer of skin	27	9	18
709	Other diseases of skin	1	1	0
710-738	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	62	44	18
710-718	Arthritis and rheumatism, except rheumatic fever	26	21	5
710-715	Arthritis and spondylitis	24	20	4
712	Rheumatoid arthritis and allied conditions	17	15	2
713	Osteoarthritis and allied conditions	4	4	0
715	Arthritis, unspecified	3	1	2
716-718	Nonarticular rheumatism and rheumatism unspecified	2	1	1
716	Polymyositis and dermatomyositis	2	1	1
720-729	Osteomyelitis and other diseases of bone and joint	9	5	4
720	Osteomyelitis and periostitis	3	1	2
723	Other diseases of bone	3	3	0
725	Displacement of intervertebral disc	1	1	0
728	Vertebrogenic pain syndrome	1	0	1
729	Other diseases of joint	1	0	1
730-738	Other diseases of musculoskeletal system	27	18	9
733	Other diseases of muscle, tendon, and fascia	9	7	2
734	Diffuse diseases of connective tissue	18	11	7
740-759	CONGENITAL ANOMALIES	161	84	77
740-743	Nervous system	20	10	10
740	Anencephalus	5	2	3
741	Spina bifida	1	0	1
742	Congenital hydrocephalus	9	3	6

Table 8-77 - Page 11
Deaths - Mississippi - 1977

International Classification Number*	Cause*	Total	White	Non-white
743	Other congenital anomalies of nervous system	5	5	0
746,747	Circulatory system	79	41	38
746	Heart	63	35	28
747	Other of circulatory system	16	6	10
748	Respiratory system	17	11	6
749-751	Digestive system	5	2	3
749	Cleft palate and cleft lip	2	0	2
751	Other congenital anomalies of digestive system	3	2	1
752,753	Genitourinary system	11	8	3
752	Genital organs	1	1	0
753	Urinary system	10	7	3
754-756	Musculoskeletal system	5	2	3
756	Other congenital anomalies of musculoskeletal system	5	2	3
758	Other and unspecified	3	1	2
759	Congenital syndromes affecting multiple systems	21	9	12
760-778	CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY	427	153	274
761	Other maternal conditions unrelated to pregnancy	1	0	1
762	Toxemia of pregnancy	5	2	3
764-768	Difficult labor	5	2	3
764	With abnormality of bones, organs, or tissues of pelvis	1	1	0
766	With malposition of fetus	4	1	3
769	Other complications of pregnancy and childbirth	29	14	15
770,771	Conditions of placenta and cord	25	11	14
770	Of placenta	20	10	10
771	Of umbilical cord	5	1	4
772	Birth injury without mention of cause	33	9	24
774,775	Hemolytic disease of newborn	3	2	1
775	Without mention of kernicterus	3	2	1
776	Anoxic and hypoxic conditions not elsewhere classifiable	211	87	124
777	Immaturity, unqualified	90	15	75
778	Other conditions of fetus or newborn	25	11	14
780-796	SYMPTOMS AND ILL-DEFINED CONDITIONS	1,889	790	1,099
780-789	Symptoms referable to systems or organs	91	44	47
780	Certain symptoms referable to nervous system and special senses	3	0	3
782	Symptoms referable to cardiovascular and lymphatic system	82	41	41
783	Symptoms referable to respiratory system	1	1	0
785	Symptoms referable to abdomen and lower gastro-intestinal tract	2	1	1
788	Other general symptoms	3	1	2
790-796	Senility and ill-defined diseases	1,798	746	1,052

Table 8-77 - Page 12
Deaths - Mississippi - 1977

International Classification Number*	Cause*	Total	White	Non-white
790	Nervousness and debility	1	0	1
792	Uremia	5	3	2
794	Senility without mention of psychosis	62	11	51
795	Sudden death (cause unknown)	72	15	57
796	Other ill-defined and unknown causes	1,658	717	941
800-999	ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE)	2,204	1,292	912
800-949	Accidents	1,557	940	617
800-807	Railway	7	3	4
805	Hit by rolling stock	7	3	4
810-823	Motor vehicle	771	506	265
(810-819)	(Traffic)	757	496	261
810	Involving collision with train	8	8	0
812	Involving collision with another motor vehicle	307	218	89
813	Involving collision with other vehicle	19	8	11
814	Involving collision with pedestrian	82	37	45
815	Other involving collision	54	37	17
816	Noncollision due to loss of control	169	109	60
818	Other noncollision	9	8	1
819	Of unspecified nature	109	71	38
(820-823)	(Nontraffic)	14	10	4
820	Involving collision with moving object	3	1	2
821	Involving collision with stationary object	2	2	0
823	Of other and unspecified nature	9	7	2
825-827	Other road vehicle	2	0	2
827	Other nonmotor road vehicle	2	0	2
830-838	Water transport	32	25	7
830	Accident to watercraft causing submersion	14	9	5
831	Accident to watercraft causing other injury	1	1	0
832	Other submersion or drowning in water transport	17	15	2
840-845	Air and space transport	16	16	0
840	Accident to powered aircraft at take-off or landing	1	1	0
841	Accident to powered aircraft, other and unspecified	15	15	0
850-877	Poisoning	46	28	18
(850-859)	(By drugs and medicaments)	21	15	6
852	Primarily systemic and hematologic agents	3	2	1
853	Analgesics and antipyretics	3	2	1
855	Autonomic nervous system and psychotherapeutic drugs	2	2	0
857	Cardiovascular drugs	2	1	1
859	Other and unspecified drugs and medicaments	11	8	3
(860-869)	(By other solid and liquid substances)	9	6	3
860	Alcohol	1	1	0
864	Petroleum products and other solvents	2	2	0
867	Corrosives and caustics, not elsewhere classified	1	1	0

Table 8-77 - Page 13
Deaths - Mississippi - 1977

International Classification Number*	Cause*	Total	White	Non-white
869	Other and unspecified solid and liquid substances	5	2	3
(870-877)	(By gases and vapors)	16	7	9
870	Gas distributed by pipeline	3	1	2
873	Motor vehicle exhaust gas	7	3	4
874	Carbon monoxide from incomplete combustion of domestic fuels	2	2	0
875	Other carbon monoxide	1	0	1
876	Other gases and vapors	3	1	2
880-887	Falls	138	110	28
880	On or from stairs and steps	2	2	0
881	On or from ladders or scaffolding	3	3	0
882	From or out of building or other structure	5	3	2
884	Other from one level to another	4	2	2
885	On same level from slipping, stumbling, or tripping	2	2	0
887	Other and unspecified fall	122	98	24
890-899	Caused by fires and flames	136	48	88
890	Conflagration in private dwelling	101	32	69
891	Conflagration in other building or structure	7	2	5
892	Conflagration not in building or structure	3	2	1
893	Ignition of clothing	10	3	7
894	Ignition of highly inflammable material	3	2	1
895	Controlled fire in private dwelling	1	0	1
897	Controlled fire not in building or structure	2	2	0
898	Other specified fires or flames	2	1	1
899	Unspecified fire	7	4	3
900-909	Due to natural and environmental factors	25	6	19
900	Excessive heat	2	0	2
901	Excessive cold	8	1	7
904	Hunger, thirst, exposure, and neglect	7	2	5
905	Bites and stings of venomous animals and insects	3	3	0
907	Lightning	3	0	3
908	Cataclysm	2	0	2
910-929	Other accidents	355	183	172
910	Drowning and submersion	106	42	64
911	Inhalation and ingestion of food causing obstruction or suffocation	34	15	19
912	Inhalation and ingestion of other object causing obstruction or suffocation	23	15	8
913	Mechanical suffocation	18	7	11
915	Foreign body accidentally entering other orifice	1	1	0
916	Struck by falling object	22	9	13
917	Striking against or struck by objects	20	11	9
918	Caught in or between objects	2	1	1
920	Caused by cutting or piercing instruments	1	1	0
922	Caused by firearm missiles	68	37	31
923	Caused by explosive material	9	7	2

Table 8-77 - Page 14
Deaths - Mississippi - 1977

International Classification Number*	Cause*	Total	White	Non-white
924	Caused by hot substance, corrosive liquid, and steam	3	0	3
925	Caused by electric current	24	20	4
928	Machinery accidents not elsewhere classifiable	12	9	3
929	Other and unspecified accidents	12	8	4
930-936	Surgical and medical complications and misadventures	19	8	11
930	In operative therapeutic procedures	10	3	7
931	In other and unspecified therapeutic procedures	8	4	4
932	In diagnostic procedures	1	1	0
940-949	Late effects of accidental injury	10	7	3
940	Of motor vehicle accident	1	1	0
943	Of accidental fall	4	4	0
946	Of other accident	3	1	2
947	Of surgical operation	2	1	1
950-959	Suicide and self-inflicted injury	252	210	42
950-952	By poisoning	15	15	0
950	By solid or liquid substances	11	11	0
952	By other gases	4	4	0
953	By hanging, strangulation, and suffocation	17	14	3
954	By submersion (drowning)	2	1	1
955	By firearms and explosives	214	177	37
957	By jumping from high place	3	3	0
958	By other and unspecified means	1	0	1
960-978	Homicide and injury purposely inflicted by other persons; legal intervention	345	108	237
960-969	Homicide and injury purposely inflicted by other persons	344	108	236
960	Fight, brawl, rape	1	1	0
963	Assault by hanging and strangulation	10	6	4
965	Assault by firearms and explosives	253	82	171
966	Assault by cutting and piercing instruments	47	5	42
968	Assault by other and unspecified means	33	14	19
970-978	Legal intervention	1	0	1
970	Injury by firearms	1	0	1
980-989	Injury undetermined whether accidentally or purposely inflicted	50	34	16
980	Poisoning by solid or liquid substances	13	11	2
982	Poisoning by other gases	1	1	0
985	Injury by firearms and explosives	20	12	8
986	Injury by cutting and piercing instruments	1	0	1
988	Injury by other and unspecified means	15	10	5
990-999	Injury resulting from operations of war	0	0	0

* Numbers and causes are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

TABLE 9-77
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE, ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1977

International Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
000-999	ALL CAUSES	23,022	9.6	W	14,318	M	8,172	155	37	36	36	280	208	310	750	1,492	4,865	3
						F	6,146	130	21	15	17	94	91	158	348	665	4,606	1
				NW	8,704	M	4,762	300	41	26	49	209	189	237	383	707	2,616	5
						F	3,942	249	44	23	23	78	95	142	272	485	2,525	6
000-136	Infective and parasitic diseases	251	10.5	W	120	M	73	8	1	2	0	6	3	0	4	9	40	0
						F	47	8	0	2	0	2	1	2	2	4	26	0
				NW	131	M	73	23	3	1	0	0	3	8	3	7	25	0
						F	58	15	0	0	1	2	1	4	8	3	24	0
008,009	Enteritis and other diarrheal diseases	40	1.7	W	17	M	8	0	0	1	0	0	0	0	0	1	6	0
						F	9	3	0	0	0	0	0	0	1	0	5	0
				NW	23	M	17	12	1	1	0	0	0	0	0	1	2	0
						F	6	4	0	0	0	0	0	0	0	0	2	0
010-019	Tuberculosis	50	2.1	W	17	M	11	0	0	0	0	0	1	0	1	2	7	0
						F	6	0	0	0	0	0	0	0	0	2	4	0
				NW	33	M	17	0	0	0	0	0	1	4	2	3	7	0
						F	16	0	0	0	0	1	1	3	3	1	7	0
070	Infectious hepatitis	12	0.5	W	6	M	5	0	0	0	0	1	2	0	0	0	2	0
						F	1	0	0	0	0	1	0	0	0	0	0	0
				NW	6	M	1	0	0	0	0	0	0	1	0	0	0	0
						F	5	0	0	0	0	0	0	0	3	1	1	0
140-209	Malignant neoplasms	3,972	166.5	W	2,636	M	1,545	0	7	4	3	16	12	57	151	396	898	1
						F	1,091	1	2	2	2	7	22	47	117	236	655	0
				NW	1,336	M	758	0	1	2	2	2	2	22	61	163	503	0
						F	578	0	3	2	5	6	13	28	63	122	336	0

Table 9-77 - Page 2
Deaths - Mississippi - 1977

International Classification Number*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Age Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
210-239	Benign and unspecified neoplasms	39	1.6	W	27	M	9	0	0	1	0	0	1	0	0	1	6	0
						F	18	1	0	0	0	1	0	5	1	3	7	0
				NW	12	M	4	1	0	0	0	0	0	0	0	0	3	0
						F	8	1	0	0	0	1	1	0	0	3	2	0
240-279	Endocrine, nutritional, and metabolic diseases	455	19.1	W	222	M	82	2	2	1	0	0	2	1	9	12	53	0
						F	140	0	1	2	2	2	3	2	5	19	104	0
				NW	233	M	92	1	0	0	0	1	2	5	5	18	60	0
						F	141	0	3	0	0	1	0	4	10	29	94	0
250	Diabetes mellitus	374	15.7	W	178	M	64	0	0	0	0	0	2	1	8	10	43	0
						F	114	0	0	0	0	1	2	1	3	17	90	0
				NW	196	M	72	0	0	0	0	1	1	3	3	16	48	0
						F	124	0	0	0	0	1	0	4	8	28	83	0
260-269	Avitaminoses and other nutritional deficiency	34	1.4	W	13	M	5	0	1	0	0	0	0	0	0	1	3	0
						F	8	0	0	0	0	0	0	0	0	0	8	0
				NW	21	M	11	0	0	0	0	0	1	0	0	1	9	0
						F	10	0	0	0	0	0	0	0	0	1	9	0
280-289	Diseases of the blood and blood-forming organs	70	2.9	W	37	M	9	0	0	0	0	0	0	0	0	2	7	0
						F	28	0	1	0	0	0	0	1	0	5	21	0
				NW	33	M	13	0	0	0	1	2	4	0	0	1	5	0
						F	20	0	2	0	1	2	1	3	0	2	9	0
280-285	Anemias	42	1.8	W	19	M	6	0	0	0	0	0	0	0	0	1	5	0
						F	13	0	0	0	0	0	0	1	0	2	10	0
				NW	23	M	10	0	0	0	1	2	2	0	0	1	4	0
						F	13	0	2	0	0	1	0	2	0	1	7	0
290-315	Mental disorders	102	4.3	W	59	M	41	0	0	1	0	2	3	3	4	10	18	0
						F	18	0	0	0	0	1	0	1	2	2	12	0
				NW	43	M	33	0	0	0	1	0	5	5	8	9	5	0
						F	10	0	0	0	0	0	0	0	1	0	9	0

Table 9-77 - Page 3
Deaths - Mississippi - 1977

International Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
303	Alcoholism	46	1.9	W	21	M	18	0	0	0	0	1	2	1	3	6	5	0
						F	3	0	0	0	0	0	0	0	1	2	0	0
				NW	25	M	23	0	0	0	0	0	4	5	6	7	1	0
						F	2	0	0	0	0	0	0	0	1	0	1	0
320-389	Diseases of the nervous system and sense organs	208	8.7	W	138	M	67	4	4	2	1	7	2	2	6	9	30	0
						F	71	4	2	0	3	0	3	5	7	8	39	0
				NW	70	M	40	6	1	1	1	6	5	4	7	3	6	0
						F	30	7	2	1	2	3	1	2	2	3	7	0
320	Meningitis	25	1.0	W	10	M	3	1	1	0	0	0	0	0	0	0	1	0
						F	7	2	1	0	0	0	0	1	1	0	2	0
				NW	15	M	7	5	0	0	1	1	0	0	0	0	0	0
						F	8	6	0	0	0	0	0	0	2	0	0	0
345	Epilepsy	25	1.0	W	7	M	4	0	0	0	0	0	0	1	1	1	1	0
						F	3	0	0	0	1	0	1	0	0	1	0	0
				NW	18	M	12	0	0	0	0	2	5	2	2	0	1	0
						F	6	0	0	0	1	1	1	2	0	0	1	0
390-458	Diseases of the circulatory system	11,001	461.1	W	7,225	M	3,873	4	1	0	0	7	25	89	296	668	2,782	1
						F	3,352	2	1	0	1	8	14	25	104	262	2,935	0
				NW	3,776	M	1,890	5	2	0	3	6	20	66	143	298	1,343	4
						F	1,886	3	1	1	3	8	23	52	114	211	1,466	4
390-398, 402, 404-429	Heart diseases	7,570	317.3	W	5,159	M	2,933	3	1	0	0	3	17	72	275	587	1,974	1
						F	2,226	2	0	0	1	3	8	19	76	175	1,942	0
				NW	2,411	M	1,228	4	2	0	2	3	12	46	98	216	842	3
						F	1,183	0	1	1	2	4	13	28	70	154	908	2
400,401, 403	Hypertension	92	3.8	W	39	M	18	0	0	0	0	0	0	1	0	0	17	0
						F	21	0	0	0	0	0	0	0	2	1	18	0
				NW	53	M	24	0	0	0	0	0	1	1	4	9	9	0
						F	29	0	0	0	1	1	2	2	1	8	14	0

Table 9-77 - Page 4
Deaths - Mississippi - 1977

International Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
430-438	Cerebrovascular disease	2,560	107.3	W	1,511	M	665	0	0	0	0	2	6	12	13	53	579	0
						F	846	0	1	0	0	3	2	4	20	64	752	0
				NW	1,049	M	507	1	0	0	1	3	4	17	34	53	393	1
						F	542	3	0	0	0	3	5	13	33	41	443	1
440	Arteriosclerosis	270	11.3	W	196	M	82	0	0	0	0	0	0	0	0	2	80	0
						F	114	0	0	0	0	0	0	0	0	3	111	0
				NW	74	M	35	0	0	0	0	0	0	0	1	1	33	0
						F	39	0	0	0	0	0	0	0	1	0	38	0
460-519	Diseases of the respiratory system	1,160	48.6	W	862	M	546	4	3	1	3	5	2	9	31	92	396	0
						F	316	6	1	0	0	3	3	6	14	29	254	0
				NW	298	M	203	25	4	0	1	4	7	5	12	29	116	0
						F	95	19	3	1	2	0	3	1	6	7	53	0
470-474	Influenza	21	0.9	W	15	M	9	0	0	0	0	1	0	0	0	3	5	0
						F	6	0	0	0	0	0	0	0	0	0	6	0
				NW	6	M	2	0	0	0	0	0	1	0	0	0	1	0
						F	4	0	1	0	0	0	0	1	0	0	2	0
480-486	Pneumonia	562	23.6	W	383	M	192	2	2	1	3	3	0	6	10	27	138	0
						F	191	4	0	0	0	2	1	1	6	12	165	0
				NW	179	M	115	19	3	0	1	3	2	4	6	19	58	0
						F	64	16	2	0	1	0	2	0	2	5	36	0
490,491	Chronic and unqualified bronchitis	39	1.6	W	29	M	18	0	0	0	0	0	1	0	1	2	14	0
						F	11	0	0	0	0	0	0	0	0	1	10	0
				NW	10	M	7	0	0	0	0	0	0	0	0	1	6	0
						F	3	0	0	0	0	0	0	0	1	0	2	0
492	Emphysema	146	6.1	W	135	M	113	0	0	0	0	0	0	1	11	19	82	0
						F	22	0	0	0	0	0	0	1	0	4	17	0
				NW	11	M	10	0	0	0	0	0	0	0	0	2	8	0
						F	1	0	0	0	0	0	0	0	0	0	1	0

Table 9-77 - Page 5
Deaths - Mississippi - 1977

International Classification Number*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Age Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
493	Asthma	15	0.6	W	7	M	2	0	0	0	0	0	0	0	0	0	2	0
						F	5	0	0	0	0	0	1	1	0	1	2	0
				NW	8	M	5	0	0	0	0	0	2	0	0	0	3	0
						F	3	0	0	0	0	0	0	0	0	0	3	0
520-577	Diseases of the digestive system	592	24.8	W	418	M	243	4	1	0	0	1	4	16	42	62	113	0
						F	175	0	0	0	0	2	1	7	27	20	118	0
				NW	174	M	91	1	0	0	1	2	11	6	20	12	38	0
						F	83	2	1	0	0	0	5	2	12	14	47	0
531-533	Peptic ulcer	61	2.6	W	45	M	25	0	0	0	0	0	0	2	1	10	12	0
						F	20	0	0	0	0	0	0	1	0	1	18	0
				NW	16	M	10	0	0	0	0	0	2	0	2	2	4	0
						F	6	0	0	0	0	0	0	0	1	2	3	0
550-553, 560	Hernia and intestinal obstruction	69	2.9	W	38	M	17	3	0	0	0	0	0	0	0	3	11	0
						F	21	0	0	0	0	0	0	0	2	1	18	0
				NW	31	M	16	1	0	0	1	0	1	0	0	2	11	0
						F	15	2	0	0	0	0	0	0	0	1	12	0
571	Cirrhosis of liver	186	7.8	W	142	M	97	0	1	0	0	1	2	9	28	29	27	0
						F	45	0	0	0	0	1	0	3	15	10	16	0
				NW	44	M	27	0	0	0	0	1	4	2	8	8	4	0
						F	17	0	0	0	0	0	2	1	6	5	3	0
580-629	Diseases of the genitourinary system	376	15.8	W	192	M	89	1	0	0	0	2	1	0	4	7	74	0
						F	103	0	0	0	0	0	0	2	6	3	92	0
				NW	184	M	102	1	0	0	0	1	2	3	4	11	80	0
						F	82	0	1	1	1	2	0	3	6	16	52	0
580-584	Nephritis and nephrosis	105	4.4	W	43	M	22	1	0	0	0	0	1	0	2	1	17	0
						F	21	0	0	0	0	0	0	1	3	1	16	0
				NW	62	M	31	1	0	0	0	0	1	1	2	4	22	0
						F	31	0	1	1	0	0	0	2	3	6	18	0

Table 9-77 - Page 6
Deaths - Mississippi - 1977

International Classification Number*	Cause*	Total Number	Total Rate#	Race	Total by Race	Sex	Total by Race and Sex	Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
590	Infections of kidney	82	3.4	W	49	M	14	0	0	0	0	1	0	0	0	0	13	0
						F	35	0	0	0	0	0	0	0	2	0	33	0
				NW	33	M	16	0	0	0	0	0	0	0	0	2	14	0
						F	17	0	0	0	0	0	0	0	2	2	13	0
630-678	Complications of pregnancy, childbirth, and the puerperium	10	22.0	W	2	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	2	0	0	0	0	1	1	0	0	0	0	0
				NW	8	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	8	0	0	0	0	4	4	0	0	0	0	0
680-709	Diseases of the skin and subcutaneous tissue	43	1.8	W	17	M	5	0	0	0	0	0	0	0	1	1	3	0
						F	12	0	0	0	0	0	0	0	0	1	11	0
				NW	26	M	12	0	0	0	0	0	1	0	1	1	9	0
						F	14	0	0	0	0	0	1	1	1	2	9	0
710-738	Diseases of the musculoskeletal system and connective tissue	62	2.6	W	44	M	12	0	0	0	0	0	2	2	1	1	6	0
						F	32	0	0	0	0	2	1	3	1	8	17	0
				NW	18	M	3	0	0	0	0	0	0	0	2	0	1	0
						F	15	0	0	0	0	1	1	1	2	3	7	0
740-759	Congenital anomalies	161	6.7	W	84	M	43	24	7	1	1	4	0	2	1	1	2	0
						F	41	30	2	1	0	0	1	1	0	2	4	0
				NW	77	M	37	22	7	1	1	3	1	0	0	0	2	0
						F	40	27	4	3	2	0	1	1	2	0	0	0
760-778	Certain causes of mortality in early infancy	427	9.4	W	153	M	84	84	0	0	0	0	0	0	0	0	0	0
						F	69	69	0	0	0	0	0	0	0	0	0	0
				NW	274	M	155	155	0	0	0	0	0	0	0	0	0	0
						F	119	119	0	0	0	0	0	0	0	0	0	0
780-796	Symptoms and ill-defined conditions	1,889	79.2	W	790	M	504	10	1	0	0	2	6	14	72	115	284	0
						F	286	7	0	0	0	1	3	9	22	36	208	0
				NW	1,099	M	574	46	3	1	0	8	14	22	48	101	331	0
						F	525	38	4	2	0	2	6	18	33	56	365	1

Table 9-77 - Page 7
Deaths - Mississippi - 1977

International Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age										
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
800-999	Accidents, poisonings, and violence	2,204	92.4	W	1,292	M	947	10	10	23	28	228	145	115	128	106	153	1
						F	345	2	11	8	9	64	38	42	40	27	103	1
				NW	912	M	682	14	20	20	38	174	112	91	69	54	89	1
						F	230	18	20	12	6	46	34	22	12	14	45	1
810-823	Motor vehicle accidents	771	32.3	W	506	M	369	2	3	8	18	124	59	44	37	34	39	1
						F	137	0	5	4	5	44	16	21	13	7	22	0
				NW	265	M	202	2	3	7	12	65	32	25	17	12	26	1
						F	63	5	9	6	0	16	13	6	1	2	5	0
800-807, 825-949	All other accidents	786	32.9	W	434	M	316	6	6	13	9	63	45	31	46	28	69	0
						F	118	2	4	4	4	9	4	9	3	9	69	1
				NW	352	M	253	11	17	12	23	52	29	25	17	20	47	0
						F	99	12	9	5	4	7	7	6	6	8	34	1
950-959	Suicide	252	10.6	W	210	M	160	0	0	0	0	23	23	24	26	29	35	0
						F	50	0	0	0	0	5	7	6	15	9	8	0
				NW	42	M	32	0	0	0	1	6	11	1	4	4	5	0
						F	10	0	0	0	1	2	3	1	1	2	0	0
960-978	Homicide	345	14.4	W	108	M	78	2	0	2	1	13	15	14	14	7	10	0
						F	30	0	2	0	0	6	9	4	7	0	2	0
				NW	237	M	182	1	0	1	1	49	36	39	29	17	9	0
						F	55	1	2	1	1	20	11	9	3	2	5	0

* Numbers and causes are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Total deaths per 1,000 population. Deaths from specific causes per 100,000 population, except deaths from maternal causes (classification numbers 630-678) are per 100,000 live births and deaths from certain causes of mortality in early infancy (classification numbers 760-778) are per 1,000 live births.

TABLE 10-77
INFANT AND NEONATAL DEATHS*, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1977, AND INFANT AND NEONATAL MORTALITY RATES, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1973-1977 (5-YEAR AVERAGE)

	Infant Deaths						Neonatal Deaths					
	Number			Rate**			Number			Rate**		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	834	285	549	22.3	15.0	30.2	588	222	366	15.4	11.3	19.8
Adams	9	2	7	19.7	10.9	25.8	6	1	5	14.1	7.2	18.8
Alcorn	5	5	0	15.8	15.4	18.1	3	3	0	9.9	10.6	6.0
Amite	3	0	3	25.1	6.7	38.0	2	0	2	15.8	4.5	23.7
Attala	1	0	1	14.9	10.6	19.0	1	0	1	10.4	7.9	12.7
Benton	0	0	0	17.1	13.1	21.4	0	0	0	15.4	13.1	17.8
Bolivar	31	3	28	27.3	18.0	30.2	18	2	16	18.4	12.0	20.4
Calhoun	4	1	3	22.4	15.2	33.3	2	1	1	15.8	15.2	16.7
Carroll	3	0	3	23.0	6.6	35.4	2	0	2	15.8	6.6	22.8
Chickasaw	6	1	5	27.4	17.1	38.3	5	0	5	22.2	11.4	33.5
Choctaw	2	1	1	12.8	11.9	14.2	1	0	1	10.0	9.5	10.6
Claiborne	9	2	7	40.8	30.9	43.0	6	2	4	27.2	30.9	26.4
Clarke	6	1	5	24.0	13.2	35.3	3	1	2	15.0	10.2	20.0
Clay	6	1	5	24.8	20.0	27.4	4	1	3	19.3	18.6	19.6
Coahoma	26	1	25	28.2	11.4	33.3	18	1	17	19.3	10.4	22.0
Copiah	11	1	10	26.1	14.2	33.1	6	0	6	15.7	10.6	18.6
Covington	11	3	8	19.6	12.3	25.8	6	3	3	8.4	7.7	9.0
DeSoto	13	9	4	14.6	11.8	22.2	11	7	4	9.4	8.5	11.6
Forrest	25	9	16	23.9	16.9	36.4	20	9	11	16.9	12.7	24.3
Franklin	5	3	2	24.5	19.6	28.9	3	2	1	16.9	16.3	17.3
George	2	1	1	14.4	11.2	33.6	1	1	0	7.5	5.6	19.2
Greene	5	5	0	31.0	31.8	29.2	4	4	0	20.6	21.7	18.2
Grenada	7	3	4	23.7	10.9	34.7	7	3	4	17.5	9.7	24.2
Hancock	1	1	0	16.7	16.5	17.6	0	0	0	11.6	12.2	8.8
Harrison	33	24	9	17.4	14.1	27.3	24	17	7	11.7	9.3	19.2

Table 10-77 - Page 2
Infant and Neonatal Deaths - Mississippi - 1977

County	Infant Deaths						Neonatal Deaths					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Hinds	55	19	36	17.1	11.9	21.2	33	16	17	11.9	9.7	13.6
Holmes	15	2	13	27.7	18.2	29.8	11	2	9	17.3	13.7	18.1
Humphreys	8	1	7	32.0	5.6	39.8	5	1	4	21.1	5.6	25.7
Issaquena	1	0	1	60.7	87.7	51.0	1	0	1	46.7	87.7	31.8
Itawamba	5	4	1	17.9	15.2	49.5	3	3	0	14.8	13.5	29.7
Jackson	43	27	16	18.1	14.0	30.0	28	18	10	12.3	9.5	20.6
Jasper	8	3	5	28.0	17.7	33.4	7	3	4	22.5	17.7	25.1
Jefferson	3	0	3	19.5	-	21.8	2	0	2	15.2	-	17.0
Jeff Davis	5	1	4	22.4	17.2	24.8	5	1	4	13.1	12.3	13.5
Jones	21	9	12	22.6	16.5	34.0	16	5	11	17.4	12.2	27.2
Kemper	1	0	1	31.6	11.4	39.8	1	0	1	14.2	3.8	18.4
Lafayette	9	5	4	23.2	16.2	32.8	7	4	3	16.3	10.2	24.6
Lamar	2	2	0	12.2	11.3	16.9	2	2	0	9.3	9.2	10.2
Lauderdale	28	10	18	24.6	17.4	33.7	22	8	14	18.7	14.2	24.3
Lawrence	2	1	1	16.6	14.4	19.3	1	1	0	12.2	12.8	11.6
Leake	4	1	3	23.9	16.4	29.8	3	1	2	14.6	13.4	15.5
Lee	17	9	8	24.2	21.9	29.4	15	9	6	18.2	18.9	16.7
Leflore	27	6	21	36.2	29.3	39.2	17	4	13	26.6	24.0	27.8
Lincoln	8	1	7	22.6	13.4	35.6	6	0	6	17.4	11.4	26.0
Lowndes	20	10	10	19.5	12.7	28.4	17	9	8	14.5	10.1	20.2
Madison	7	0	7	20.2	5.4	26.4	3	0	3	12.2	4.5	15.5
Marion	7	2	5	22.5	13.5	35.5	4	1	3	15.5	8.8	25.2
Marshall	12	3	9	23.5	15.9	28.2	7	2	5	14.0	9.9	16.6
Monroe	8	2	6	29.7	20.8	42.0	5	1	4	21.9	16.3	29.5
Montgomery	5	2	3	30.5	21.7	36.7	3	1	2	25.1	17.4	30.6
Neshoba	5	0	5	17.5	13.6	22.7	5	0	5	13.1	11.1	15.9
Newton	12	5	7	33.7	31.8	36.0	8	3	5	23.1	23.0	23.1
Noxubee	7	2	5	41.7	23.7	47.9	4	2	2	25.8	20.7	27.5
Oktibbeha	19	7	12	24.3	13.3	35.0	11	5	6	15.0	8.6	21.3
Panola	21	6	15	33.0	20.9	39.5	14	5	9	22.8	15.9	26.5

Table 10-77 - Page 3
Infant and Neonatal Deaths - Mississippi - 1977

County	Infant Deaths						Neonatal Deaths					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Pearl River	10	7	3	18.8	17.1	24.5	8	6	2	14.1	12.6	19.2
Perry	3	1	2	18.6	14.0	27.5	1	1	0	12.4	10.9	15.3
Pike	8	0	8	21.1	10.7	29.4	6	0	6	14.7	7.1	20.8
Pontotoc	3	1	2	21.8	18.1	37.4	3	1	2	17.5	14.7	30.0
Prentiss	5	3	2	26.6	23.2	43.8	2	2	0	16.9	15.9	21.9
Quitman	9	3	6	34.4	14.6	42.3	4	2	2	20.8	10.5	24.9
Rankin	8	6	2	13.3	12.0	17.2	5	4	1	9.6	8.6	12.9
Scott	13	5	8	19.4	10.6	29.1	12	5	7	13.4	7.1	20.3
Sharkey	3	0	3	18.2	8.1	21.3	2	0	2	12.4	8.1	13.8
Simpson	7	5	2	15.3	13.7	17.3	6	5	1	10.9	13.7	7.6
Smith	3	2	1	19.8	10.4	35.6	2	2	0	11.5	9.1	15.6
Stone	3	1	2	14.9	8.5	26.2	2	1	1	6.8	4.2	11.2
Sunflower	31	2	29	32.3	11.2	38.9	27	2	25	20.5	8.9	24.2
Tallahatchie	9	0	9	29.6	5.7	38.3	7	0	7	16.6	5.7	20.5
Tate	7	3	4	20.0	14.5	24.6	4	2	2	12.2	8.5	15.4
Tippah	9	4	5	22.9	14.7	51.8	8	3	5	17.5	11.2	39.6
Tishomingo	2	2	0	12.9	11.6	41.7	2	2	0	8.3	7.7	20.8
Tunica	4	0	4	28.0	28.4	27.9	4	0	4	19.7	23.7	18.9
Union	6	3	3	25.0	17.5	49.0	5	3	2	18.6	14.5	31.9
Walthall	5	3	2	20.1	12.0	26.4	3	3	0	14.0	12.0	15.5
Warren	14	6	8	27.2	18.1	36.3	10	5	5	19.8	12.9	26.8
Washington	31	4	27	21.1	16.3	23.4	22	3	19	13.9	12.8	14.4
Wayne	3	1	2	19.4	9.0	31.9	2	1	1	15.2	6.7	25.2
Webster	6	3	3	31.4	22.3	50.6	4	2	2	21.4	18.6	27.2
Wilkinson	3	0	3	16.2	13.1	17.5	2	0	2	12.5	8.7	14.0
Winston	8	0	8	23.8	14.8	30.6	7	0	7	18.0	14.8	20.4
Yalobusha	4	2	2	24.7	18.2	30.4	3	1	2	16.1	12.1	19.6
Yazoo	8	1	7	24.9	14.0	31.0	6	1	5	16.3	8.6	20.7

* Infant deaths are those of children under one year of age; neonatal deaths are those of infants under 28 days of age.

** Deaths per 1,000 live births.

TABLE 11-77
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE, ALSO MORTALITY RATES FOR SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1977

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
ALL CAUSES	834	18.3	W	285	222	96	82	23	12	9	63
			NW	549	366	215	84	32	21	14	183
Diarrheal disease (009)	19	0.4	W	3	2	0	0	1	0	1	1
			NW	16	6	0	3	1	0	2	10
Septicemia (038)	25	0.5	W	9	7	2	1	3	1	0	2
			NW	16	10	0	5	2	2	1	6
Other infective and parasitic diseases (000-008, 010-037, 039-136)	10	0.2	W	4	2	0	0	1	1	0	2
			NW	6	3	1	1	0	0	1	3
Meningitis (320)	14	0.3	W	3	2	0	1	0	1	0	1
			NW	11	3	0	1	0	2	0	8
Acute upper respiratory infections (460-465)	2	##	W	1	0	0	0	0	0	0	1
			NW	1	1	0	0	0	0	1	0
Bronchitis and bronchiolitis (466, 490, 491)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
Influenza and pneumonia (470-486)	41	0.9	W	6	3	0	0	1	2	0	3
			NW	35	8	0	4	0	3	1	27
Hernia and intestinal obstruction (550-553, 560)	6	0.1	W	3	3	1	1	0	1	0	0
			NW	3	2	2	0	0	0	0	1
Congenital anomalies (740-759)	103	2.3	W	54	40	13	16	3	3	5	14
			NW	49	30	15	6	4	4	1	19
Maternal conditions unrelated to pregnancy (760, 761)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
Toxemia of pregnancy (762)	5	0.1	W	2	2	0	2	0	0	0	0
			NW	3	3	2	0	1	0	0	0
Maternal antepartum and intrapartum infection (763)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
Difficult labor (764-768)	5	0.1	W	2	2	2	0	0	0	0	0
			NW	3	3	2	1	0	0	0	0
Other complications of pregnancy and childbirth (769)	29	0.6	W	14	14	9	4	1	0	0	0
			NW	15	15	12	3	0	0	0	0

Table 11-77 - Page 2
Infant Deaths - Mississippi - 1977

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
Conditions of placenta (770)	20	0.4	W	10	10	7	2	1	0	0	0
			NW	10	10	10	0	0	0	0	0
Conditions of umbilical cord (771)	5	0.1	W	1	1	0	0	1	0	0	0
			NW	4	4	2	1	1	0	0	0
Birth injury without mention of cause (772)	33	0.7	W	9	9	2	5	2	0	0	0
			NW	24	24	7	10	5	2	0	0
Hemolytic disease of newborn (774, 775)	3	0.1	W	2	2	1	1	0	0	0	0
			NW	1	1	1	0	0	0	0	0
Hyaline membrane disease (776.1)	74	1.6	W	31	30	8	18	3	0	1	1
			NW	43	39	19	15	3	1	1	4
Respiratory distress syndrome (776.2)	57	1.2	W	30	30	16	9	4	0	1	0
			NW	27	27	22	4	1	0	0	0
Asphyxia of newborn, unspecified (776.9)	62	1.4	W	24	24	16	8	0	0	0	0
			NW	38	38	26	8	4	0	0	0
Other anoxic and hypoxic conditions not elsewhere classifiable (776.0, 776.3, 776.4)	18	0.4	W	2	2	0	2	0	0	0	0
			NW	16	16	12	4	0	0	0	0
Immaturity, unqualified (777)	90	2.0	W	15	15	12	3	0	0	0	0
			NW	75	74	63	10	1	0	0	1
Hemorrhagic disease of newborn (778.2)	6	0.1	W	4	4	0	3	0	0	1	0
			NW	2	2	0	2	0	0	0	0
Other conditions of newborn (778.0, 778.1, 778.3, 778.9)	19	0.4	W	7	7	4	2	0	1	0	0
			NW	12	12	10	1	1	0	0	0
Symptoms and ill-defined conditions (780-796)	101	2.2	W	17	1	0	0	0	1	0	16
			NW	84	24	6	3	5	4	6	60
Accidents (800-949)	40	0.9	W	10	2	0	1	1	0	0	8
			NW	30	3	0	0	1	2	0	27
All other causes	45	1.0	W	21	8	3	3	1	1	0	13
			NW	24	7	2	2	2	1	0	17

* Deaths of children under 1 year of age.

** Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Deaths per 1,000 live births.

## Less than 0.06.

TABLE 12-77
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE, ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE, ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE, MISSISSIPPI, 1977

	Licensure Data			Occurrence Data			Residence Data		
County	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	26,843	19,200	7,643	26,843	19,200	7,643	24,387	17,201	7,186
Adams	425	252	173	450	272	178	389	218	171
Alcorn	445	409	36	477	439	38	294	271	23
Amite	143	86	57	156	96	60	125	66	59
Attala	235	157	78	225	148	77	219	144	75
Benton	50	26	24	66	38	28	69	51	18
Bolivar	423	216	207	406	205	201	410	207	203
Calhoun	158	113	45	176	127	49	171	116	55
Carroll	54	35	19	69	45	24	49	35	14
Chickasaw	226	127	99	200	119	81	193	117	76
Choctaw	75	49	26	70	47	23	52	31	21
Claiborne	93	37	56	97	37	60	79	23	56
Clarke	136	91	45	151	105	46	138	90	48
Clay	220	121	99	228	123	105	205	117	88
Coahoma	390	185	205	387	185	202	347	162	185
Copiah	250	126	124	273	141	132	275	141	134
Covington	131	97	34	148	110	38	150	103	47
DeSoto	850	633	217	811	599	212	378	326	52
Forrest	916	747	169	803	653	150	817	671	146
Franklin	90	63	27	82	57	25	78	55	23
George	249	239	10	235	225	10	158	148	10
Greene	78	73	5	103	99	4	81	69	12
Grenada	250	166	84	222	139	83	222	152	70
Hancock	302	271	31	298	271	27	174	156	18
Harrison	2,080	1,794	286	2,098	1,813	285	1,843	1,578	265
Hinds	2,853	1,903	950	2,592	1,690	902	2,622	1,719	903
Holmes	190	65	125	210	84	126	216	71	145
Humphreys	121	57	64	129	60	69	124	58	66
Issaquena	13	9	4	11	6	5	9	4	5
Itawamba	194	189	5	193	189	4	151	148	3
Jackson	1,472	1,258	214	1,469	1,250	219	1,346	1,159	187
Jasper	153	82	71	165	89	76	188	104	84
Jefferson	82	20	62	80	16	64	69	13	56
Jeff Davis	122	65	57	131	72	59	111	58	53
Jones	647	534	113	653	535	118	600	506	94
Kemper	87	30	57	102	44	58	88	32	56
Lafayette	224	164	60	214	155	59	204	148	56
Lamar	159	147	12	210	195	15	192	177	15
Lauderdale	811	612	199	781	583	198	785	589	196
Lawrence	119	83	36	130	97	33	164	115	49
Leake	184	118	66	200	131	69	186	114	72
Lee	674	529	145	665	528	137	679	535	144
Leflore	377	223	154	376	224	152	383	226	157

Table 12-77 - Page 2
Marriages - Mississippi - 1977

County	Licensure Data			Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	309	219	90	297	215	82	249	178	71
Lowndes	551	378	173	555	379	176	519	346	173
Madison	295	121	174	361	174	187	295	131	164
Marion	365	266	99	344	248	96	321	242	79
Marshall	295	184	111	287	175	112	200	101	99
Monroe	288	223	65	309	230	79	271	199	72
Montgomery	116	70	46	125	79	46	134	83	51
Neshoba	216	158	58	214	153	61	170	116	54
Newton	162	119	43	184	134	50	203	155	48
Noxubee	96	41	55	101	47	54	95	40	55
Oktibbeha	305	215	90	276	184	92	281	192	89
Panola	268	171	97	274	171	103	269	171	98
Pearl River	357	309	48	364	312	52	323	275	48
Perry	110	93	17	117	100	17	109	92	17
Pike	406	279	127	437	298	139	403	261	142
Pontotoc	181	150	31	195	165	30	169	143	26
Prentiss	289	259	30	267	238	29	288	251	37
Quitman	137	73	64	144	79	65	140	69	71
Rankin	562	488	74	590	517	73	616	541	75
Scott	266	177	89	258	170	88	266	186	80
Sharkey	85	31	54	82	28	54	87	34	53
Simpson	266	175	91	282	188	94	243	162	81
Smith	77	60	17	113	99	14	100	71	29
Stone	103	78	25	89	67	22	105	80	25
Sunflower	320	142	178	325	147	178	300	122	178
Tallahatchie	170	101	69	177	103	74	154	90	64
Tate	172	110	62	163	111	52	156	99	57
Tippah	179	167	12	181	169	12	195	179	16
Tishomingo	291	282	9	287	278	9	160	155	5
Tunica	105	46	59	104	42	62	79	26	53
Union	257	223	34	257	222	35	229	199	30
Walthall	121	75	46	123	78	45	82	50	32
Warren	557	392	165	548	382	166	509	361	148
Washington	757	434	323	778	453	325	736	417	319
Wayne	180	124	56	187	129	58	135	92	43
Webster	92	74	18	103	82	21	101	77	24
Wilkinson	194	137	57	183	125	58	74	28	46
Winston	189	115	74	193	122	71	173	106	67
Yalobusha	139	99	40	153	116	37	161	118	43
Yazoo	264	141	123	272	148	124	254	140	114
Not reported				2	2	0			
Out of state	*	*	*	*	*	*	2,456	1,999	457

* Information on Mississippi brides who obtained licenses and/or married in other states is not available.

TABLE 13-77
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE, MISSISSIPPI, 1977

County	Total	White	Non-white	County	Total	White	Non-white
STATE	12,759	9,921	2,838				
Adams	201	132	69	Lincoln	117	86	31
Alcorn	142	135	7	Lowndes	240	190	50
Amite	41	34	7	Madison	163	84	79
Attala	87	73	14	Marion	182	141	41
Benton	33	26	7	Marshall	166	127	39
Bolivar	196	120	76	Monroe	144	121	23
Calhoun	50	39	11	Montgomery	55	37	18
Carroll	10	4	6	Neshoba	136	98	38
Chickasaw	77	56	21	Newton	79	55	24
Choctaw	22	14	8	Noxubee	23	10	13
Claiborne	35	11	24	Oktibbeha	126	96	30
Clarke	50	31	19	Panola	111	83	28
Clay	86	51	35	Pearl River	217	193	24
Coahoma	202	107	95	Perry	41	34	7
Copiah	90	51	39	Pike	165	112	53
Covington	68	60	8	Pontotoc	79	67	12
DeSoto	443	423	20	Prentiss	125	118	7
Forrest	499	405	94	Quitman	41	25	16
Franklin	34	22	12	Rankin	309	271	38
George	62	55	7	Scott	149	102	47
Greene	27	23	4	Sharkey	24	9	15
Grenada	105	63	42	Simpson	102	77	25
Hancock	139	129	10	Smith	61	59	2
Harrison	1,141	1,006	135	Stone	77	67	10
Hinds	1,377	997	380	Sunflower	113	60	53
Holmes	60	33	27	Tallahatchie	57	39	18
Humphreys	[illegible]	17	10	Tate	78	62	16
Issaquena	[illegible]	5	0	Tippah	117	109	8
Itawamba	88	83	5	Tishomingo	66	63	3
Jackson	894	774	120	Tunica	23	10	13
Jasper	62	44	18	Union	100	88	12
Jefferson	31	7	24	Walthall	49	39	10
Jeff Davis	44	23	21	Warren	380	270	110
Jones	360	305	55	Washington	340	231	109
Kemper	23	18	5	Wayne	98	78	20
Lafayette	117	93	24	Webster	51	38	13
Lamar	114	106	8	Wilkinson	52	15	37
Lauderdale	460	398	62	Winston	78	51	27
Lawrence	50	34	16	Yalobusha	71	50	21
Leake	67	52	15	Yazoo	114	77	37
Lee	272	221	51				
Leflore	149	99	50				

NOTE:

Table 14-77 extends from page 181 through page 201 with identical data for each county as well as for the state.

TABLE 14-77

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	Adams County			Alcorn County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	1	0	0	0	0
Malignant neoplasms (140-209)	66	19	47	48	45	3
Diabetes mellitus (250)	12	2	10	2	1	1
Heart diseases (390-398, 402, 404-429)	128	56	72	110	95	15
Hypertension (400, 401, 403)	1	0	1	3	2	1
Cerebrovascular disease (430-438)	33	11	22	27	26	1
Arteriosclerosis (440)	5	5	0	3	3	0
Influenza and pneumonia (470-486)	9	4	5	14	14	0
Bronchitis, emphysema, asthma (490-493)	2	2	0	1	1	0
Cirrhosis of liver (571)	4	3	1	3	3	0
Nephritis and nephrosis (580-584)	3	0	3	0	0	0
Infections of kidney (590)	0	0	0	3	3	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	1	1	2	2	0
Certain causes of mortality in early infancy (760-778)	5	1	4	2	2	0
Accidents (800-949)	36	18	18	30	30	0
Motor vehicle accidents (810-823)	16	8	8	20	20	0
Suicide (950-959)	3	2	1	2	2	0
Homicide (960-978)	6	2	4	1	0	1
Ill-defined and unknown# (780-796)	20	3	17	15	13	2

Cause and International Classification Number*	Amite County			Attala County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	0	0	0
Malignant neoplasms (140-209)	21	12	9	37	32	5
Diabetes mellitus (250)	3	1	2	5	1	4
Heart diseases (390-398, 402, 404-429)	30	17	13	93	60	33
Hypertension (400, 401, 403)	2	0	2	0	0	0
Cerebrovascular disease (430-438)	12	12	0	34	24	10
Arteriosclerosis (440)	1	1	0	1	1	0
Influenza and pneumonia (470-486)	0	0	0	3	1	2
Bronchitis, emphysema, asthma (490-493)	0	0	0	4	4	0
Cirrhosis of liver (571)	3	2	1	0	0	0
Nephritis and nephrosis (580-584)	0	0	0	0	0	0
Infections of kidney (590)	1	1	0	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	0	0	0
Certain causes of mortality in early infancy (760-778)	1	0	1	1	0	1
Accidents (800-949)	12	6	6	16	9	7
Motor vehicle accidents (810-823)	8	4	4	8	7	1
Suicide (950-959)	1	1	0	2	2	0
Homicide (960-978)	2	1	1	7	1	6
Ill-defined and unknown# (780-796)	47	20	27	17	8	9

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-77

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	Benton County			Bolivar County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	2	0	2
Malignant neoplasms (140-209)	15	14	1	77	25	52
Diabetes mellitus (250)	2	1	1	8	1	7
Heart diseases (390-398, 402, 404-429)	19	14	5	149	59	90
Hypertension (400, 401, 403)	0	0	0	2	0	2
Cerebrovascular disease (430-438)	6	5	1	76	22	54
Arteriosclerosis (440)	0	0	0	4	1	3
Influenza and pneumonia (470-486)	1	1	0	18	6	12
Bronchitis, emphysema, asthma (490-493)	0	0	0	3	1	2
Cirrhosis of liver (571)	0	0	0	3	3	0
Nephritis and nephrosis (580-584)	0	0	0	0	0	0
Infections of kidney (590)	0	0	0	3	2	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	1	1	0
Certain causes of mortality in early infancy (760-778)	0	0	0	13	1	12
Accidents (800-949)	4	3	1	28	13	15
Motor vehicle accidents (810-823)	1	0	1	12	5	7
Suicide (950-959)	0	0	0	5	5	0
Homicide (960-978)	0	0	0	8	1	7
Ill-defined and unknown# (780-796)	12	6	6	53	10	43

	Calhoun County			Carroll County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	28	20	8	16	14	2
Diabetes mellitus (250)	4	3	1	2	1	1
Heart diseases (390-398, 402, 404-429)	55	47	8	44	25	19
Hypertension (400, 401, 403)	0	0	0	2	2	0
Cerebrovascular disease (430-438)	22	19	3	8	3	5
Arteriosclerosis (440)	3	3	0	0	0	0
Influenza and pneumonia (470-486)	8	7	1	2	0	2
Bronchitis, emphysema, asthma (490-493)	1	1	0	1	1	0
Cirrhosis of liver (571)	1	1	0	0	0	0
Nephritis and nephrosis (580-584)	0	0	0	0	0	0
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	1	1	0	0	0	0
Congenital anomalies (740-759)	0	0	0	1	0	1
Certain causes of mortality in early infancy (760-778)	2	1	1	2	0	2
Accidents (800-949)	8	7	1	4	2	2
Motor vehicle accidents (810-823)	5	4	1	0	0	0
Suicide (950-959)	3	3	0	1	1	0
Homicide (960-978)	2	0	2	0	0	0
Ill-defined and unknown# (780-796)	11	7	4	3	3	0

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-77

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	Chickasaw County			Choctaw County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	1	0	0	0	0
Malignant neoplasms (140-209)	37	30	7	15	10	5
Diabetes mellitus (250)	5	3	2	1	1	0
Heart diseases (390-398, 402, 404-429)	79	46	33	37	32	5
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	28	18	10	10	6	4
Arteriosclerosis (440)	4	4	0	0	0	0
Influenza and pneumonia (470-486)	3	3	0	3	3	0
Bronchitis, emphysema, asthma (490-493)	2	1	1	1	1	0
Cirrhosis of liver (571)	0	0	0	0	0	0
Nephritis and nephrosis (580-584)	2	0	2	1	0	1
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	1	1	0
Certain causes of mortality in early infancy (760-778)	5	0	5	1	0	1
Accidents (800-949)	13	8	5	12	8	4
Motor vehicle accidents (810-823)	5	3	2	7	6	1
Suicide (950-959)	3	3	0	2	2	0
Homicide (960-978)	2	2	0	1	1	0
Ill-defined and unknown# (780-796)	15	11	4	1	1	0

	Claiborne County			Clarke County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	13	5	8	24	13	11
Diabetes mellitus (250)	0	0	0	2	2	0
Heart diseases (390-398, 402, 404-429)	32	10	22	55	41	14
Hypertension (400, 401, 403)	0	0	0	2	1	1
Cerebrovascular disease (430-438)	13	3	10	26	18	8
Arteriosclerosis (440)	4	1	3	2	2	0
Influenza and pneumonia (470-486)	4	1	3	7	4	3
Bronchitis, emphysema, asthma (490-493)	0	0	0	0	0	0
Cirrhosis of liver (571)	0	0	0	0	0	0
Nephritis and nephrosis (580-584)	1	0	1	0	0	0
Infections of kidney (590)	2	0	2	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	1	0	1
Certain causes of mortality in early infancy (760-778)	3	2	1	3	1	2
Accidents (800-949)	9	2	7	8	4	4
Motor vehicle accidents (810-823)	5	0	5	4	2	2
Suicide (950-959)	0	0	0	1	1	0
Homicide (960-978)	2	1	1	1	1	0
Ill-defined and unknown# (780-796)	9	2	7	11	4	7

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-77

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	Clay County			Coahoma County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	2	2	0
Malignant neoplasms (140-209)	30	20	10	68	28	40
Diabetes mellitus (250)	2	0	2	8	2	6
Heart diseases (390-398, 402, 404-429)	71	45	26	95	44	51
Hypertension (400, 401, 403)	1	0	1	2	0	2
Cerebrovascular disease (430-438)	20	9	11	49	19	30
Arteriosclerosis (440)	1	1	0	3	3	0
Influenza and pneumonia (470-486)	5	3	2	8	2	6
Bronchitis, emphysema, asthma (490-493)	1	1	0	1	0	1
Cirrhosis of liver (571)	2	1	1	4	2	2
Nephritis and nephrosis (580-584)	2	0	2	3	2	1
Infections of kidney (590)	0	0	0	4	0	4
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	0	2	3	0	3
Certain causes of mortality in early infancy (760-778)	2	1	1	13	0	13
Accidents (800-949)	16	6	10	26	9	17
Motor vehicle accidents (810-823)	8	3	5	7	2	5
Suicide (950-959)	0	0	0	1	0	1
Homicide (960-978)	3	0	3	11	1	10
Ill-defined and unknown# (780-796)	13	3	10	96	16	80

	Copiah County			Covington County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	1	0	0	0	0
Malignant neoplasms (140-209)	50	32	18	40	33	7
Diabetes mellitus (250)	4	2	2	3	3	0
Heart diseases (390-398, 402, 404-429)	90	60	30	62	46	16
Hypertension (400, 401, 403)	1	0	1	2	2	0
Cerebrovascular disease (430-438)	45	24	21	20	14	6
Arteriosclerosis (440)	5	5	0	3	3	0
Influenza and pneumonia (470-486)	9	5	4	1	1	0
Bronchitis, emphysema, asthma (490-493)	3	3	0	1	1	0
Cirrhosis of liver (571)	2	2	0	1	1	0
Nephritis and nephrosis (580-584)	2	2	0	1	0	1
Infections of kidney (590)	3	3	0	0	0	0
Maternal causes (630-678)	1	0	1	0	0	0
Congenital anomalies (740-759)	6	2	4	2	0	2
Certain causes of mortality in early infancy (760-778)	5	0	5	6	3	3
Accidents (800-949)	18	4	14	12	8	4
Motor vehicle accidents (810-823)	6	2	4	7	4	3
Suicide (950-959)	2	1	1	1	1	0
Homicide (960-978)	6	0	6	3	1	2
Ill-defined and unknown# (780-796)	19	4	15	14	7	7

* Causes and numbers are from the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States*.

# Not to be used for ranking.

TABLE 14-77

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	DeSoto County			Forrest County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	3	0	3	1	0	1
Malignant neoplasms (140-209)	56	40	16	125	90	35
Diabetes mellitus (250)	3	2	1	16	8	8
Heart diseases (390-398, 402, 404-429)	82	58	24	196	155	41
Hypertension (400, 401, 403)	0	0	0	3	1	2
Cerebrovascular disease (430-438)	33	28	5	59	44	15
Arteriosclerosis (440)	2	1	1	9	9	0
Influenza and pneumonia (470-486)	12	11	1	21	11	10
Bronchitis, emphysema, asthma (490-493)	5	5	0	6	5	1
Cirrhosis of liver (571)	1	1	0	7	6	1
Nephritis and nephrosis (580-584)	1	1	0	2	2	0
Infections of kidney (590)	0	0	0	1	0	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	2	2	0
Certain causes of mortality in early infancy (760-778)	10	6	4	16	7	9
Accidents (800-949)	32	23	9	29	22	7
Motor vehicle accidents (810-823)	16	11	5	20	17	3
Suicide (950-959)	9	9	0	4	4	0
Homicide (960-978)	5	4	1	7	4	3
Ill-defined and unknown# (780-796)	47	22	25	65	28	37

	Franklin County			George County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	27	12	15	26	25	1
Diabetes mellitus (250)	3	1	2	3	2	1
Heart diseases (390-398, 402, 404-429)	37	25	12	52	48	4
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	6	5	1	19	16	3
Arteriosclerosis (440)	3	3	0	0	0	0
Influenza and pneumonia (470-486)	3	3	0	1	1	0
Bronchitis, emphysema, asthma (490-493)	0	0	0	1	1	0
Cirrhosis of liver (571)	0	0	0	1	1	0
Nephritis and nephrosis (580-584)	0	0	0	0	0	0
Infections of kidney (590)	0	0	0	2	2	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	2	0	1	0	1
Certain causes of mortality in early infancy (760-778)	2	1	1	1	1	0
Accidents (800-949)	6	2	4	7	7	0
Motor vehicle accidents (810-823)	0	0	0	4	4	0
Suicide (950-959)	2	2	0	0	0	0
Homicide (960-978)	1	0	1	1	1	0
Ill-defined and unknown# (780-796)	2	1	1	9	6	3

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-77

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	Greene County			Grenada County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	15	12	3	36	20	16
Diabetes mellitus (250)	1	1	0	4	4	0
Heart diseases (390-398, 402, 404-429)	54	43	11	59	38	21
Hypertension (400, 401, 403)	1	0	1	0	0	0
Cerebrovascular disease (430-438)	16	14	2	43	14	29
Arteriosclerosis (440)	3	2	1	2	2	0
Influenza and pneumonia (470-486)	3	3	0	6	5	1
Bronchitis, emphysema, asthma (490-493)	0	0	0	3	2	1
Cirrhosis of liver (571)	0	0	0	4	3	1
Nephritis and nephrosis (580-584)	0	0	0	2	1	1
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	1	0	1
Certain causes of mortality in early infancy (760-778)	3	3	0	5	3	2
Accidents (800-949)	3	3	0	14	7	7
Motor vehicle accidents (810-823)	2	2	0	8	4	4
Suicide (950-959)	0	0	0	3	2	1
Homicide (960-978)	0	0	0	2	1	1
Ill-defined and unknown# (780-796)	1	1	0	26	5	21

Cause and International Classification Number*	Hancock County			Harrison County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	38	32	6	274	233	41
Diabetes mellitus (250)	6	6	0	20	12	8
Heart diseases (390-398, 402, 404-429)	85	74	11	489	410	79
Hypertension (400, 401, 403)	0	0	0	1	1	0
Cerebrovascular disease (430-438)	15	13	2	73	51	22
Arteriosclerosis (440)	3	2	1	10	7	3
Influenza and pneumonia (470-486)	5	5	0	33	28	5
Bronchitis, emphysema, asthma (490-493)	2	2	0	17	17	0
Cirrhosis of liver (571)	2	2	0	22	17	5
Nephritis and nephrosis (580-584)	0	0	0	3	2	1
Infections of kidney (590)	1	1	0	3	2	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	10	8	2
Certain causes of mortality in early infancy (760-778)	0	0	0	21	16	5
Accidents (800-949)	16	14	2	94	71	23
Motor vehicle accidents (810-823)	6	5	1	49	41	8
Suicide (950-959)	1	1	0	21	18	3
Homicide (960-978)	1	1	0	21	11	10
Ill-defined and unknown# (780-796)	10	7	3	13	10	3

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-77

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	Hinds County			Holmes County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	11	3	8	1	0	1
Malignant neoplasms (140-209)	373	208	165	47	12	35
Diabetes mellitus (250)	22	10	12	5	1	4
Heart diseases (390-398, 402, 404-429)	627	357	270	82	35	47
Hypertension (400, 401, 403)	3	1	2	1	0	1
Cerebrovascular disease (430-438)	190	95	95	37	10	27
Arteriosclerosis (440)	20	13	7	6	2	4
Influenza and pneumonia (470-486)	47	32	15	8	5	3
Bronchitis, emphysema, asthma (490-493)	22	19	3	0	0	0
Cirrhosis of liver (571)	16	12	4	2	0	2
Nephritis and nephrosis (580-584)	6	1	5	5	0	5
Infections of kidney (590)	6	1	5	0	0	0
Maternal causes (630-678)	1	0	1	0	0	0
Congenital anomalies (740-759)	12	6	6	3	1	2
Certain causes of mortality in early infancy (760-778)	23	10	13	3	0	3
Accidents (800-949)	116	58	58	8	4	4
Motor vehicle accidents (810-823)	57	31	26	1	1	0
Suicide (950-959)	33	25	8	0	0	0
Homicide (960-978)	52	11	41	4	0	4
Ill-defined and unknown# (780-796)	29	10	19	31	3	28

	Humphreys County			Issaquena County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	30	8	22	8	5	3
Diabetes mellitus (250)	1	0	1	0	0	0
Heart diseases (390-398, 402, 404-429)	61	26	35	7	3	4
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	12	3	9	2	0	2
Arteriosclerosis (440)	7	4	3	0	0	0
Influenza and pneumonia (470-486)	4	1	3	0	0	0
Bronchitis, emphysema, asthma (490-493)	1	0	1	0	0	0
Cirrhosis of liver (571)	0	0	0	0	0	0
Nephritis and nephrosis (580-584)	0	0	0	0	0	0
Infections of kidney (590)	1	1	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	3	1	2	1	0	1
Certain causes of mortality in early infancy (760-778)	2	0	2	0	0	0
Accidents (800-949)	17	10	7	1	0	1
Motor vehicle accidents (810-823)	8	5	3	0	0	0
Suicide (950-959)	3	1	2	1	1	0
Homicide (960-978)	2	0	2	1	1	0
Ill-defined and unknown# (780-796)	10	5	5	1	0	1

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-77

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	Itawamba County			Jackson County			Jasper County			Jefferson County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	1	1	0	0	0	0	0	0	0
Malignant neoplasms (140-209)	46	41	5	124	104	20	18	14	4	19	7	12
Diabetes mellitus (250)	1	1	0	11	10	1	1	0	1	1	0	1
Heart diseases (390-398, 402, 404-429)	71	69	2	234	196	38	79	55	24	31	9	22
Hypertension (400, 401, 403)	1	1	0	0	0	0	0	0	0	0	0	0
Cerebrovascular disease (430-438)	30	25	5	48	39	9	18	10	8	12	5	7
Arteriosclerosis (440)	3	3	0	6	5	1	0	0	0	2	1	1
Influenza and pneumonia (470-486)	0	0	0	16	14	2	3	3	0	3	2	1
Bronchitis, emphysema, asthma (490-493)	2	2	0	8	8	0	3	3	0	0	0	0
Cirrhosis of liver (571)	4	4	0	11	10	1	0	0	0	1	0	1
Nephritis and nephrosis (580-584)	0	0	0	4	3	1	1	0	1	1	0	1
Infections of kidney (590)	0	0	0	3	2	1	1	1	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	2	2	0	9	8	1	0	0	0	1	0	1
Certain causes of mortality in early infancy (760-778)	1	1	0	20	10	10	6	2	4	1	0	1
Accidents (800-949)	9	6	3	47	37	10	11	7	4	8	1	7
Motor vehicle accidents (810-823)	5	3	2	18	15	3	6	4	2	6	1	5
Suicide (950-959)	1	1	0	15	15	0	1	1	0	2	1	1
Homicide (960-978)	2	2	0	19	10	9	1	0	1	2	2	0
Ill-defined and unknown# (780-796)	6	5	1	53	41	12	10	2	8	2	1	1

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-77

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	Jeff Davis County			Jones County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	1	1	0
Malignant neoplasms (140-209)	23	13	10	99	78	21
Diabetes mellitus (250)	2	1	1	4	3	1
Heart diseases (390-398, 402, 404-429)	46	26	20	168	141	27
Hypertension (400, 401, 403)	0	0	0	3	1	2
Cerebrovascular disease (430-438)	18	8	10	72	59	13
Arteriosclerosis (440)	3	2	1	2	1	1
Influenza and pneumonia (470-486)	8	4	4	19	14	5
Bronchitis, emphysema, asthma (490-493)	1	1	0	4	4	0
Cirrhosis of liver (571)	0	0	0	5	5	0
Nephritis and nephrosis (580-584)	1	0	1	3	2	1
Infections of kidney (590)	0	0	0	3	3	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	4	3	1
Certain causes of mortality in early infancy (760-778)	5	1	4	13	5	8
Accidents (800-949)	11	4	7	35	21	14
Motor vehicle accidents (810-823)	4	3	1	17	9	8
Suicide (950-959)	1	1	0	2	2	0
Homicide (960-978)	4	0	4	5	1	4
Ill-defined and unknown# (780-796)	5	2	3	67	36	31

	Kemper County			Lafayette County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	2	0	2
Malignant neoplasms (140-209)	19	16	3	37	26	11
Diabetes mellitus (250)	3	1	2	5	3	2
Heart diseases (390-398, 402, 404-429)	38	20	18	57	40	17
Hypertension (400, 401, 403)	1	1	0	0	0	0
Cerebrovascular disease (430-438)	8	3	5	16	10	6
Arteriosclerosis (440)	1	1	0	4	4	0
Influenza and pneumonia (470-486)	7	6	1	6	5	1
Bronchitis, emphysema, asthma (490-493)	4	4	0	2	2	0
Cirrhosis of liver (571)	0	0	0	0	0	0
Nephritis and nephrosis (580-584)	0	0	0	1	1	0
Infections of kidney (590)	0	0	0	1	1	0
Maternal causes (630-678)	0	0	0	1	0	1
Congenital anomalies (740-759)	0	0	0	2	1	1
Certain causes of mortality in early infancy (760-778)	1	0	1	5	3	2
Accidents (800-949)	8	5	3	9	5	4
Motor vehicle accidents (810-823)	4	4	0	4	2	2
Suicide (950-959)	0	0	0	1	1	0
Homicide (960-978)	2	0	2	1	0	1
Ill-defined and unknown# (780-796)	16	8	8	35	14	21

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-77

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	Lamar County			Lauderdale County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	3	0	3
Malignant neoplasms (140-209)	27	25	2	118	77	41
Diabetes mellitus (250)	1	1	0	7	2	5
Heart diseases (390-398, 402, 404-429)	43	40	3	166	127	39
Hypertension (400, 401, 403)	0	0	0	6	2	4
Cerebrovascular disease (430-438)	9	8	1	96	68	28
Arteriosclerosis (440)	3	3	0	5	5	0
Influenza and pneumonia (470-486)	5	5	0	27	17	10
Bronchitis, emphysema, asthma (490-493)	1	1	0	6	4	2
Cirrhosis of liver (571)	0	0	0	10	5	5
Nephritis and nephrosis (580-584)	0	0	0	3	2	1
Infections of kidney (590)	1	1	0	3	1	2
Maternal causes (630-678)	0	0	0	1	0	1
Congenital anomalies (740-759)	0	0	0	5	3	2
Certain causes of mortality in early infancy (760-778)	1	1	0	14	4	10
Accidents (800-949)	5	4	1	37	26	11
Motor vehicle accidents (810-823)	3	3	0	16	10	6
Suicide (950-959)	2	1	1	7	5	2
Homicide (960-978)	1	1	0	15	2	13
Ill-defined and unknown# (780-796)	23	18	5	162	86	76

	Lawrence County			Leake County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	29	23	6	41	23	18
Diabetes mellitus (250)	2	1	1	10	5	5
Heart diseases (390-398, 402, 404-429)	46	35	11	80	63	17
Hypertension (400, 401, 403)	0	0	0	2	1	1
Cerebrovascular disease (430-438)	10	5	5	31	20	11
Arteriosclerosis (440)	1	1	0	5	4	1
Influenza and pneumonia (470-486)	2	2	0	5	4	1
Bronchitis, emphysema, asthma (490-493)	2	0	2	2	2	0
Cirrhosis of liver (571)	2	1	1	0	0	0
Nephritis and nephrosis (580-584)	0	0	0	2	1	1
Infections of kidney (590)	1	1	0	3	2	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	2	1	1
Certain causes of mortality in early infancy (760-778)	1	1	0	2	0	2
Accidents (800-949)	11	5	6	15	9	6
Motor vehicle accidents (810-823)	6	4	2	9	5	4
Suicide (950-959)	0	0	0	1	1	0
Homicide (960-978)	1	1	0	1	1	0
Ill-defined and unknown# (780-796)	17	9	8	4	4	0

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-77
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	Lee County			Leflore County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	0	0	0
Malignant neoplasms (140-209)	88	68	20	69	33	36
Diabetes mellitus (250)	3	1	2	7	0	7
Heart diseases (390-398, 402, 404-429)	227	171	56	161	73	88
Hypertension (400, 401, 403)	1	1	0	5	1	4
Cerebrovascular disease (430-438)	48	42	6	49	17	32
Arteriosclerosis (440)	8	8	0	5	0	5
Influenza and pneumonia (470-486)	9	6	3	9	2	7
Bronchitis, emphysema, asthma (490-493)	6	6	0	3	2	1
Cirrhosis of liver (571)	5	4	1	6	4	2
Nephritis and nephrosis (580-584)	1	1	0	0	0	0
Infections of kidney (590)	1	1	0	1	0	1
Maternal causes (630-678)	0	0	0	1	0	1
Congenital anomalies (740-759)	4	3	1	4	2	2
Certain causes of mortality in early infancy (760-778)	11	6	5	14	3	11
Accidents (800-949)	40	28	12	36	12	24
Motor vehicle accidents (810-823)	22	15	7	14	4	10
Suicide (950-959)	4	4	0	4	2	2
Homicide (960-978)	5	2	3	10	1	9
Ill-defined and unknown# (780-796)	4	2	2	31	11	20

	Lincoln County			Lowndes County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	1	0	1
Malignant neoplasms (140-209)	35	29	6	82	51	31
Diabetes mellitus (250)	5	3	2	11	6	5
Heart diseases (390-398, 402, 404-429)	108	77	31	122	73	49
Hypertension (400, 401, 403)	0	0	0	3	0	3
Cerebrovascular disease (430-438)	39	28	11	50	29	21
Arteriosclerosis (440)	1	1	0	7	5	2
Influenza and pneumonia (470-486)	9	8	1	9	4	5
Bronchitis, emphysema, asthma (490-493)	1	1	0	2	2	0
Cirrhosis of liver (571)	2	1	1	5	3	2
Nephritis and nephrosis (580-584)	1	0	1	2	1	1
Infections of kidney (590)	2	2	0	2	0	2
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	4	4	0
Certain causes of mortality in early infancy (760-778)	4	0	4	11	5	6
Accidents (800-949)	11	8	3	35	20	15
Motor vehicle accidents (810-823)	6	4	2	17	13	4
Suicide (950-959)	1	1	0	6	5	1
Homicide (960-978)	2	0	2	7	3	4
Ill-defined and unknown# (780-796)	36	20	16	34	9	25

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-77

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	Madison County			Marion County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	53	28	25	45	33	12
Diabetes mellitus (250)	8	4	4	4	2	2
Heart diseases (390-398, 402, 404-429)	95	43	52	70	53	17
Hypertension (400, 401, 403)	2	0	2	2	1	1
Cerebrovascular disease (430-438)	33	7	26	43	23	20
Arteriosclerosis (440)	3	2	1	2	1	1
Influenza and pneumonia (470-486)	12	5	7	10	8	2
Bronchitis, emphysema, asthma (490-493)	1	1	0	0	0	0
Cirrhosis of liver (571)	2	1	1	3	3	0
Nephritis and nephrosis (580-584)	2	0	2	0	0	0
Infections of kidney (590)	1	0	1	0	0	0
Maternal causes (630-678)	1	0	1	0	0	0
Congenital anomalies (740-759)	0	0	0	1	1	0
Certain causes of mortality in early infancy (760-778)	3	0	3	4	1	3
Accidents (800-949)	23	9	14	21	14	7
Motor vehicle accidents (810-823)	5	4	1	9	8	1
Suicide (950-959)	4	3	1	2	1	1
Homicide (960-978)	6	1	5	5	2	3
Ill-defined and unknown# (780-796)	40	8	32	25	15	10

	Marshall County			Monroe County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	1	1	0
Malignant neoplasms (140-209)	34	22	12	51	37	14
Diabetes mellitus (250)	2	1	1	2	1	1
Heart diseases (390-398, 402, 404-429)	67	32	35	105	88	17
Hypertension (400, 401, 403)	0	0	0	1	0	1
Cerebrovascular disease (430-438)	28	12	16	55	37	18
Arteriosclerosis (440)	4	3	1	4	2	2
Influenza and pneumonia (470-486)	6	3	3	10	10	0
Bronchitis, emphysema, asthma (490-493)	2	2	0	2	2	0
Cirrhosis of liver (571)	1	0	1	3	2	1
Nephritis and nephrosis (580-584)	2	0	2	3	0	3
Infections of kidney (590)	0	0	0	1	0	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	5	1	4	0	0	0
Certain causes of mortality in early infancy (760-778)	3	0	3	5	0	5
Accidents (800-949)	15	9	6	21	13	8
Motor vehicle accidents (810-823)	12	8	4	9	5	4
Suicide (950-959)	4	3	1	2	2	0
Homicide (960-978)	2	0	2	4	0	4
Ill-defined and unknown# (780-796)	51	14	37	18	4	14

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-77

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MONTGOMERY, NESHOBA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	Montgomery County			Neshoba County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	3	2	1
Malignant neoplasms (140-209)	29	20	9	31	27	4
Diabetes mellitus (250)	3	2	1	2	1	1
Heart diseases (390-398, 402, 404-429)	70	51	19	76	63	13
Hypertension (400, 401, 403)	0	0	0	2	2	0
Cerebrovascular disease (430-438)	21	15	6	32	23	9
Arteriosclerosis (440)	0	0	0	2	2	0
Influenza and pneumonia (470-486)	3	3	0	5	5	0
Bronchitis, emphysema, asthma (490-493)	0	0	0	0	0	0
Cirrhosis of liver (571)	0	0	0	2	2	0
Nephritis and nephrosis (580-584)	0	0	0	1	1	0
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	2	0	2
Certain causes of mortality in early infancy (760-778)	1	0	1	4	0	4
Accidents (800-949)	12	5	7	15	13	2
Motor vehicle accidents (810-823)	8	5	3	9	8	1
Suicide (950-959)	4	3	1	4	2	2
Homicide (960-978)	1	0	1	4	1	3
Ill-defined and unknown# (780-796)	5	1	4	17	13	4

	Newton County			Noxubee County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	32	18	14	25	10	15
Diabetes mellitus (250)	7	4	3	2	0	2
Heart diseases (390-398, 402, 404-429)	87	62	25	42	19	23
Hypertension (400, 401, 403)	2	1	1	0	0	0
Cerebrovascular disease (430-438)	33	27	6	14	6	8
Arteriosclerosis (440)	3	3	0	1	1	0
Influenza and pneumonia (470-486)	5	2	3	3	1	2
Bronchitis, emphysema, asthma (490-493)	0	0	0	1	1	0
Cirrhosis of liver (571)	0	0	0	1	1	0
Nephritis and nephrosis (580-584)	0	0	0	0	0	0
Infections of kidney (590)	1	1	0	1	1	0
Maternal causes (630-678)	0	0	0	1	1	0
Congenital anomalies (740-759)	3	2	1	2	2	0
Certain causes of mortality in early infancy (760-778)	5	2	3	3	1	2
Accidents (800-949)	18	12	6	13	1	12
Motor vehicle accidents (810-823)	12	8	4	4	0	4
Suicide (950-959)	1	0	1	1	0	1
Homicide (960-978)	2	1	1	0	0	0
Ill-defined and unknown# (780-796)	22	13	9	29	2	27

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-77

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	Oktibbeha County			Panola County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	2	1	1
Malignant neoplasms (140-209)	41	28	13	49	27	22
Diabetes mellitus (250)	2	1	1	12	5	7
Heart diseases (390-398, 402, 404-429)	67	40	27	117	78	39
Hypertension (400, 401, 403)	1	0	1	1	0	1
Cerebrovascular disease (430-438)	29	11	18	35	14	21
Arteriosclerosis (440)	3	3	0	7	2	5
Influenza and pneumonia (470-486)	3	1	2	8	6	2
Bronchitis, emphysema, asthma (490-493)	3	1	2	4	4	0
Cirrhosis of liver (571)	2	1	1	0	0	0
Nephritis and nephrosis (580-584)	1	0	1	1	1	0
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	3	2	1	4	2	2
Certain causes of mortality in early infancy (760-778)	9	4	5	10	4	6
Accidents (800-949)	19	14	5	21	11	10
Motor vehicle accidents (810-823)	10	8	2	9	4	5
Suicide (950-959)	3	3	0	3	3	0
Homicide (960-978)	5	0	5	2	0	2
Ill-defined and unknown# (780-796)	14	5	9	14	4	10

	Pearl River County			Perry County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	0	0	0
Malignant neoplasms (140-209)	49	40	9	15	10	5
Diabetes mellitus (250)	4	3	1	2	0	2
Heart diseases (390-398, 402, 404-429)	100	86	14	26	20	6
Hypertension (400, 401, 403)	1	1	0	0	0	0
Cerebrovascular disease (430-438)	22	16	6	7	4	3
Arteriosclerosis (440)	7	6	1	0	0	0
Influenza and pneumonia (470-486)	11	10	1	0	0	0
Bronchitis, emphysema, asthma (490-493)	3	3	0	0	0	0
Cirrhosis of liver (571)	5	4	1	0	0	0
Nephritis and nephrosis (580-584)	6	4	2	1	0	1
Infections of kidney (590)	1	1	0	2	2	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	1	1	0
Certain causes of mortality in early infancy (760-778)	5	3	2	0	0	0
Accidents (800-949)	22	18	4	3	1	2
Motor vehicle accidents (810-823)	16	14	2	0	0	0
Suicide (950-959)	5	4	1	1	1	0
Homicide (960-978)	1	1	0	1	0	1
Ill-defined and unknown# (780-796)	32	25	7	11	6	5

* Causes and numbers are from the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States*.

# Not to be used for ranking.

TABLE 14-77

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	Pike County			Pontotoc County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	2	0	2	0	0	0
Malignant neoplasms (140-209)	75	47	28	39	35	4
Diabetes mellitus (250)	8	4	4	0	0	0
Heart diseases (390-398, 402, 404-429)	114	77	37	101	86	15
Hypertension (400, 401, 403)	2	1	1	0	0	0
Cerebrovascular disease (430-438)	74	49	25	18	18	0
Arteriosclerosis (440)	4	4	0	1	0	1
Influenza and pneumonia (470-486)	5	5	0	8	7	1
Bronchitis, emphysema, asthma (490-493)	4	4	0	3	3	0
Cirrhosis of liver (571)	4	4	0	0	0	0
Nephritis and nephrosis (580-584)	0	0	0	0	0	0
Infections of kidney (590)	2	2	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	0	0	0
Certain causes of mortality in early infancy (760-778)	5	0	5	2	1	1
Accidents (800-949)	18	9	9	8	6	2
Motor vehicle accidents (810-823)	6	2	4	4	3	1
Suicide (950-959)	1	1	0	4	4	0
Homicide (960-978)	3	1	2	1	0	1
Ill-defined and unknown# (780-796)	52	9	43	2	2	0

Cause and International Classification Number*	Prentiss County			Quitman County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	39	38	1	19	7	12
Diabetes mellitus (250)	4	4	0	3	0	3
Heart diseases (390-398, 402, 404-429)	72	65	7	57	26	31
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	20	16	4	17	4	13
Arteriosclerosis (440)	3	3	0	2	2	0
Influenza and pneumonia (470-486)	1	1	0	6	0	6
Bronchitis, emphysema, asthma (490-493)	3	3	0	1	1	0
Cirrhosis of liver (571)	2	1	1	2	1	1
Nephritis and nephrosis (580-584)	3	3	0	2	0	2
Infections of kidney (590)	1	0	1	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	1	0	1
Certain causes of mortality in early infancy (760-778)	1	1	0	2	2	0
Accidents (800-949)	18	16	2	13	8	5
Motor vehicle accidents (810-823)	4	4	0	8	5	3
Suicide (950-959)	3	3	0	1	1	0
Homicide (960-978)	0	0	0	4	1	3
Ill-defined and unknown# (780-796)	25	21	4	2	0	2

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-77

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	Rankin County			Scott County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	2	2	0
Malignant neoplasms (140-209)	63	53	10	40	31	9
Diabetes mellitus (250)	8	4	4	5	2	3
Heart diseases (390-398, 402, 404-429)	96	79	17	85	58	27
Hypertension (400, 401, 403)	1	1	0	1	0	1
Cerebrovascular disease (430-438)	38	23	15	33	20	13
Arteriosclerosis (440)	7	3	4	10	7	3
Influenza and pneumonia (470-486)	12	10	2	10	8	2
Bronchitis, emphysema, asthma (490-493)	6	6	0	4	2	2
Cirrhosis of liver (571)	3	3	0	1	1	0
Nephritis and nephrosis (580-584)	0	0	0	2	2	0
Infections of kidney (590)	1	1	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	1	1	3	1	2
Certain causes of mortality in early infancy (760-778)	4	3	1	7	4	3
Accidents (800-949)	29	23	6	19	13	6
Motor vehicle accidents (810-823)	17	14	3	11	8	3
Suicide (950-959)	6	6	0	2	2	0
Homicide (960-978)	4	2	2	2	0	2
Ill-defined and unknown# (780-796)	67	43	24	19	8	11

	Sharkey County			Simpson County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	13	6	7	46	37	9
Diabetes mellitus (250)	4	1	3	1	0	1
Heart diseases (390-398, 402, 404-429)	39	12	27	65	54	11
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	10	6	4	24	20	4
Arteriosclerosis (440)	0	0	0	0	0	0
Influenza and pneumonia (470-486)	0	0	0	8	7	1
Bronchitis, emphysema, asthma (490-493)	1	1	0	2	2	0
Cirrhosis of liver (571)	1	1	0	2	2	0
Nephritis and nephrosis (580-584)	0	0	0	2	1	1
Infections of kidney (590)	0	0	0	1	1	0
Maternal causes (630-678)	1	0	1	0	0	0
Congenital anomalies (740-759)	1	0	1	3	2	1
Certain causes of mortality in early infancy (760-778)	2	0	2	4	3	1
Accidents (800-949)	7	1	6	19	10	9
Motor vehicle accidents (810-823)	3	0	3	12	4	8
Suicide (950-959)	0	0	0	2	2	0
Homicide (960-978)	2	0	2	5	2	3
Ill-defined and unknown# (780-796)	6	1	5	18	12	6

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-77

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	Smith County			Stone County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	16	16	0	16	13	3
Diabetes mellitus (250)	1	0	1	1	1	0
Heart diseases (390-398, 402, 404-429)	54	47	7	36	32	4
Hypertension (400, 401, 403)	0	0	0	1	1	0
Cerebrovascular disease (430-438)	24	23	1	8	8	0
Arteriosclerosis (440)	2	1	1	0	0	0
Influenza and pneumonia (470-486)	4	2	2	1	1	0
Bronchitis, emphysema, asthma (490-493)	2	2	0	1	1	0
Cirrhosis of liver (571)	0	0	0	1	1	0
Nephritis and nephrosis (580-584)	0	0	0	1	0	1
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	1	1	0	0	0
Certain causes of mortality in early infancy (760-778)	1	1	0	2	1	1
Accidents (800-949)	13	7	6	6	6	0
Motor vehicle accidents (810-823)	8	5	3	1	1	0
Suicide (950-959)	0	0	0	1	1	0
Homicide (960-978)	2	1	1	1	0	1
Ill-defined and unknown# (780-796)	11	7	4	4	2	2

	Sunflower County			Tallahatchie County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	3	1	2	0	0	0
Malignant neoplasms (140-209)	63	28	35	29	14	15
Diabetes mellitus (250)	5	1	4	1	0	1
Heart diseases (390-398, 402, 404-429)	147	77	70	79	40	39
Hypertension (400, 401, 403)	2	1	1	2	1	1
Cerebrovascular disease (430-438)	40	15	25	24	11	13
Arteriosclerosis (440)	3	0	3	3	1	2
Influenza and pneumonia (470-486)	5	2	3	4	1	3
Bronchitis, emphysema, asthma (490-493)	1	1	0	3	1	2
Cirrhosis of liver (571)	1	1	0	0	0	0
Nephritis and nephrosis (580-584)	2	0	2	1	0	1
Infections of kidney (590)	1	0	1	3	0	3
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	3	0	3	1	0	1
Certain causes of mortality in early infancy (760-778)	18	1	17	4	0	4
Accidents (800-949)	20	4	16	13	5	8
Motor vehicle accidents (810-823)	3	1	2	5	3	2
Suicide (950-959)	7	6	1	0	0	0
Homicide (960-978)	5	1	4	1	0	1
Ill-defined and unknown# (780-796)	17	1	16	13	3	10

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-77

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	Tate County			Tippah County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	42	27	15	35	29	6
Diabetes mellitus (250)	3	2	1	3	3	0
Heart diseases (390-398, 402, 404-429)	57	33	24	86	78	8
Hypertension (400, 401, 403)	0	0	0	1	0	1
Cerebrovascular disease (430-438)	19	12	7	14	14	0
Arteriosclerosis (440)	3	1	2	4	3	1
Influenza and pneumonia (470-486)	4	3	1	2	2	0
Bronchitis, emphysema, asthma (490-493)	1	1	0	3	3	0
Cirrhosis of liver (571)	1	1	0	1	1	0
Nephritis and nephrosis (580-584)	1	1	0	2	2	0
Infections of kidney (590)	0	0	0	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	3	2	1
Certain causes of mortality in early infancy (760-778)	3	1	2	6	2	4
Accidents (800-949)	19	12	7	14	14	0
Motor vehicle accidents (810-823)	15	11	4	8	8	0
Suicide (950-959)	2	2	0	5	3	2
Homicide (960-978)	1	1	0	4	2	2
Ill-defined and unknown# (780-796)	22	9	13	4	2	2

	Tishomingo County			Tunica County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	24	23	1	13	2	11
Diabetes mellitus (250)	5	5	0	1	0	1
Heart diseases (390-398, 402, 404-429)	68	64	4	38	6	32
Hypertension (400, 401, 403)	1	1	0	0	0	0
Cerebrovascular disease (430-438)	10	9	1	13	0	13
Arteriosclerosis (440)	3	3	0	1	0	1
Influenza and pneumonia (470-486)	2	2	0	1	1	0
Bronchitis, emphysema, asthma (490-493)	4	4	0	0	0	0
Cirrhosis of liver (571)	1	1	0	0	0	0
Nephritis and nephrosis (580-584)	0	0	0	1	0	1
Infections of kidney (590)	1	1	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	1	0	1
Certain causes of mortality in early infancy (760-778)	1	1	0	4	0	4
Accidents (800-949)	16	16	0	10	4	6
Motor vehicle accidents (810-823)	9	9	0	2	0	2
Suicide (950-959)	1	1	0	2	2	0
Homicide (960-978)	2	2	0	1	0	1
Ill-defined and unknown# (780-796)	11	11	0	7	0	7

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-77
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	Union County			Walthall County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	32	29	3	24	16	8
Diabetes mellitus (250)	6	4	2	1	1	0
Heart diseases (390-398, 402, 404-429)	70	55	15	40	31	9
Hypertension (400, 401, 403)	1	1	0	1	1	0
Cerebrovascular disease (430-438)	27	21	6	13	6	7
Arteriosclerosis (440)	7	7	0	1	1	0
Influenza and pneumonia (470-486)	4	3	1	5	2	3
Bronchitis, emphysema, asthma (490-493)	1	1	0	2	2	0
Cirrhosis of liver (571)	1	1	0	0	0	0
Nephritis and nephrosis (580-584)	0	0	0	2	2	0
Infections of kidney (590)	1	1	0	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	2	1	1
Certain causes of mortality in early infancy (760-778)	3	2	1	2	2	0
Accidents (800-949)	18	17	1	4	0	4
Motor vehicle accidents (810-823)	13	13	0	3	0	3
Suicide (950-959)	3	3	0	3	3	0
Homicide (960-978)	2	1	1	2	2	0
Ill-defined and unknown# (780-796)	22	17	5	11	4	7

	Warren County			Washington County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	1	0	1
Malignant neoplasms (140-209)	88	43	45	123	61	62
Diabetes mellitus (250)	10	4	6	10	1	9
Heart diseases (390-398, 402, 404-429)	135	77	58	203	108	95
Hypertension (400, 401, 403)	2	1	1	7	2	5
Cerebrovascular disease (430-438)	64	24	40	90	36	54
Arteriosclerosis (440)	6	4	2	1	0	1
Influenza and pneumonia (470-486)	8	4	4	14	6	8
Bronchitis, emphysema, asthma (490-493)	5	2	3	2	0	2
Cirrhosis of liver (571)	3	3	0	5	2	3
Nephritis and nephrosis (580-584)	3	1	2	6	2	4
Infections of kidney (590)	3	2	1	4	0	4
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	0	2	5	2	3
Certain causes of mortality in early infancy (760-778)	8	4	4	18	3	15
Accidents (800-949)	37	20	17	45	19	26
Motor vehicle accidents (810-823)	23	16	7	16	5	11
Suicide (950-959)	6	3	3	5	4	1
Homicide (960-978)	10	3	7	14	6	8
Ill-defined and unknown# (780-796)	26	6	20	77	13	64

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-77

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1977

Cause and International Classification Number*	Wayne County			Webster County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	30	18	12	24	19	5
Diabetes mellitus (250)	2	1	1	0	0	0
Heart diseases (390-398, 402, 404-429)	68	49	19	36	29	7
Hypertension (400, 401, 403)	5	4	1	0	0	0
Cerebrovascular disease (430-438)	21	15	6	25	16	9
Arteriosclerosis (440)	1	1	0	0	0	0
Influenza and pneumonia (470-486)	6	6	0	3	3	0
Bronchitis, emphysema, asthma (490-493)	1	1	0	1	1	0
Cirrhosis of liver (571)	1	1	0	0	0	0
Nephritis and nephrosis (580-584)	2	1	1	0	0	0
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	1	1	0
Certain causes of mortality in early infancy (760-778)	3	1	2	3	2	1
Accidents (800-949)	18	12	6	7	6	1
Motor vehicle accidents (810-823)	11	8	3	6	5	1
Suicide (950-959)	1	1	0	0	0	0
Homicide (960-978)	2	1	1	0	0	0
Ill-defined and unknown# (780-796)	3	3	0	1	1	0

	Wilkinson County			Winston County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	18	8	10	32	23	9
Diabetes mellitus (250)	4	0	4	8	5	3
Heart diseases (390-398, 402, 404-429)	42	10	32	80	59	21
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	9	4	5	25	17	8
Arteriosclerosis (440)	1	0	1	3	3	0
Influenza and pneumonia (470-486)	5	1	4	6	6	0
Bronchitis, emphysema, asthma (490-493)	1	0	1	3	2	1
Cirrhosis of liver (571)	2	1	1	2	2	0
Nephritis and nephrosis (580-584)	0	0	0	1	0	1
Infections of kidney (590)	0	0	0	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	2	0	2
Certain causes of mortality in early infancy (760-778)	2	0	2	5	0	5
Accidents (800-949)	9	4	5	24	16	8
Motor vehicle accidents (810-823)	5	1	4	15	11	4
Suicide (950-959)	0	0	0	4	3	1
Homicide (960-978)	0	0	0	1	0	1
Ill-defined and unknown# (780-796)	2	1	1	7	3	4

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

TABLE 14-77
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND STATE OF MISSISSIPPI, 1977

Cause and International Classification Number*	Yalobusha County			Yazoo County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	27	17	10	34	19	15
Diabetes mellitus (250)	2	0	2	7	2	5
Heart diseases (390-398, 402, 404-429)	49	43	6	74	45	29
Hypertension (400, 401, 403)	0	0	0	4	1	3
Cerebrovascular disease (430-438)	23	14	9	37	13	24
Arteriosclerosis (440)	1	0	1	7	5	2
Influenza and pneumonia (470-486)	7	5	2	1	0	1
Bronchitis, emphysema, asthma (490-493)	2	2	0	2	1	1
Cirrhosis of liver (571)	2	2	0	2	1	1
Nephritis and nephrosis (580-584)	0	0	0	3	0	3
Infections of kidney (590)	1	1	0	0	0	0
Maternal causes (630-678)	0	0	0	1	0	1
Congenital anomalies (740-759)	0	0	0	2	0	2
Certain causes of mortality in early infancy (760-778)	3	1	2	2	1	1
Accidents (800-949)	11	7	4	16	9	7
Motor vehicle accidents (810-823)	7	5	2	6	2	4
Suicide (950-959)	4	4	0	3	2	1
Homicide (960-978)	2	1	1	11	3	8
Ill-defined and unknown# (780-796)	13	5	8	64	12	52

	State of Mississippi		
	Total	White	Non-white
Tuberculosis (010-019)	50	17	33
Malignant neoplasms (140-209)	3,972	2,636	1,336
Diabetes mellitus (250)	374	178	196
Heart diseases (390-398, 402, 404-429)	7,570	5,159	2,411
Hypertension (400, 401, 403)	92	39	53
Cerebrovascular disease (430-438)	2,560	1,511	1,049
Arteriosclerosis (440)	270	196	74
Influenza and pneumonia (470-486)	583	398	185
Bronchitis, emphysema, asthma (490-493)	200	171	29
Cirrhosis of liver (571)	186	142	44
Nephritis and nephrosis (580-584)	105	43	62
Infections of kidney (590)	82	49	33
Maternal causes (630-678)	10	2	8
Congenital anomalies (740-759)	161	84	77
Certain causes of mortality in early infancy (760-778)	427	153	274
Accidents (800-949)	1,557	940	617
Motor vehicle accidents (810-823)	771	506	265
Suicide (950-959)	252	210	42
Homicide (960-978)	345	108	237
Ill-defined and unknown# (780-796)	1,889	790	1,099

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.

MAJOR TABLES

TIME SERIES

TABLE 15
LIVE BIRTHS AND RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1977,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1977)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5

Table 15 - Page 2
Live Births - Mississippi - 1913-1977

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	Not Available	
1973	44,638	23,119	21,519	19.3	Not Available	
1974	44,032	23,023	21,009	18.9	Not Available	
1975	43,336	22,559	20,777	18.5	Not Available	
1976	42,983	22,605	20,378	18.2	Not Available	
1977	45,532	23,369	22,163	19.1	Not Available	

* Births per 1,000 population.

TABLE 16
DEATHS AND RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1977, (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1977)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8

Table 16 - Page 2
Deaths - Mississippi - 1913-1977

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	Not Available	
1973	24,007	14,461	9,546	10.4	Not Available	
1974	23,153	14,268	8,885	9.9	Not Available	
1975	22,768	13,790	8,978	9.7	Not Available	
1976	23,124	14,307	8,817	9.8	Not Available	
1977	23,022	14,318	8,704	9.6	Not Available	

* Deaths per 1,000 population.

TABLE 17
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1977, (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1977)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0

Table 17 - Page 2
Maternal Deaths - Mississippi - 1913-1977

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1

* Deaths resulting from deliveries and complications of pregnancy, childbirth, and the puerperium.

** Deaths per 100,000 live births.

TABLE 18
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1917-1977, (OCCURRENCE DATA 1917-1943, RESIDENCE DATA 1944-1977)

	Number			Rate**		
Year	Total	White	Non-white	Total	White	Non-white
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,489	974	1,515	44.0	38.0	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8

Table 18 - Page 2
Infant Deaths - Mississippi - 1917-1977

	Number			Rate**		
Year	Total	White	Non-white	Total	White	Non-white
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8

* Deaths of children under one year of age.

** Deaths per 1,000 live births.

# Not available.

TABLE 19
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1924-1977,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1977)

	Number			Rate**		
Year	Total	White	Non-white	Total	White	Non-white
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7

Table 19 - Page 2
Neonatal Deaths - Mississippi - 1924-1977

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5

* Deaths of infants under 28 days of age, but figures for 1924-1948 include deaths of infants under one month of age.

** Deaths per 1,000 live births.

TABLE 20
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1924-1977
(OCCURRENCE DATA 1924-1943, RESIDENCE DATA 1944-1977)

	Number			Rate**		
Year	Total	White	Non-white	Total	White	Non-white
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,053	313	740	18.6	12.2	23.9
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8

Table 20 - Page 2
Postneonatal Deaths - Mississippi - 1924-1977

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2

* Deaths of infants 28 days of age or older, but figures for 1924-1948 only include deaths of infants one month of age or older.

** Deaths per 1,000 live births.

TABLE 21
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA, MISSISSIPPI, 1926-1977

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551

Table 21 - Page 2
Marriages and Divorces - Mississippi - 1926-1977

	Marriages			Divorces		
Year	Total	White	Non-white	Total	White	Non-white
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838

* Total number of marriages for 1926 and total number of divorces for 1926 and 1927 furnished by U.S. Bureau of Census; distribution by race not available.

** Includes some records on which the race of the couple was not stated.